


15-065-23433

36-7s-24w



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Flatirons Resources LLC**

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

36 7S 24W Graham KS

Enslinger Unit # 24-36


Start Date: 2008.06.30 @ 16:32:29

End Date: 2008.07.01 @ 01:43:29

Job Ticket #: 32112 DST #: 1

CONFIDENTIAL
OCT 07 2008
KCC

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

Flatirons Resources LLC

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

Enslinger Unit # 24-36

36 7S 24W Graham KS

Job Ticket: 32112

DST#: 1

Test Start: 2008.06.30 @ 16:32:29

GENERAL INFORMATION:

Formation: **Lans. "C - F"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 18:21:59

Time Test Ended: 01:43:29

Test Type: Conventional Bottom Hole

Tester: James Winder

Unit No: 36

Interval: **3656.00 ft (KB) To 3700.00 ft (KB) (TVD)**

Total Depth: 3700.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2370.00 ft (KB)

2365.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8366

Inside

Press@RunDepth: 1142.37 psig @ 3657.00 ft (KB)

Start Date: 2008.06.30

End Date:

2008.07.01

Start Time: 16:32:34

End Time:

01:43:29

Capacity: 7000.00 psig

Last Calib.: 2008.07.01

Time On Btm: 2008.06.30 @ 18:20:29

Time Off Btm: 2008.06.30 @ 21:21:59


TEST COMMENT: IF Very strong blow BOB in 40 sec.

ISI Bled off until 34 min. blow back from 34 min to BOB at 41 1/2 min 7 1/2 min

FF BOB in less than 1 min. GTS 11 min. into open

FSI BOB in 6 1/2 min from bled off

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1771.06	105.32	Initial Hydro-static
2	353.50	116.07	Open To Flow (1)
32	923.00	117.83	Shut-In(1)
91	1192.55	117.12	End Shut-In(1)
91	959.35	116.52	Open To Flow (2)
122	1142.37	117.18	Shut-In(2)
181	1198.28	116.62	End Shut-In(2)
182	1739.80	115.50	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
125.00	GOCM 55%M 32%O 13%G	1.75
2940.00	Clean GO 82%O 18%G	41.24
0.00	596' GIP	0.00
0.00	Gravity = 32 api @ 78 deg F	0.00
0.00	Corrected gravity = 30.2 api	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Flatirons Resources LLC

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

Enslinger Unit # 24-36

36 7S 24W Graham KS

Job Ticket: 32112

DST#: 1


Test Start: 2008.06.30 @ 16:32:29

Tool Information

Drill Pipe:	Length: 3661.00 ft	Diameter: 3.80 inches	Volume: 51.35 bbl	Tool Weight: 1800.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 60000.00 lb
			Total Volume: 51.35 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	33.00 ft			String Weight: Initial 34000.00 lb
Depth to Top Packer:	3656.00 ft			Final 46000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	44.00 ft			
Tool Length:	72.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3633.00	
Hydraulic tool	5.00			3638.00	
Jars	5.00			3643.00	
Safety Joint	3.00			3646.00	
Packer	5.00			3651.00	28.00 Bottom Of Top Packer
Packer	5.00			3656.00	
Stubb	1.00			3657.00	
Recorder	0.00	8366	Inside	3657.00	
Recorder	0.00	8320	Inside	3657.00	
Perforations	7.00			3664.00	
Blank Spacing	32.00			3696.00	
Perforations	1.00			3697.00	
Bullnose	3.00			3700.00	44.00 Bottom Packers & Anchor

Total Tool Length: 72.00



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Flatirons Resources LLC

Enslinger Unit # 24-36

303 E 17th Ste 940
Denver CO 80203

36 7S 24W Graham KS

Job Ticket: 32112

DST#: 1

ATTN: Roger Moses

Test Start: 2008.06.30 @ 16:32:29

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 54.00 sec/qt

Cushion Volume:

bbl

Water Loss: 6.78 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1500.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
125.00	GOCM 55%M 32%O 13%G	1.753
2940.00	Clean GO 82%O 18%G	41.240
0.00	596' GIP	0.000
0.00	Gravity = 32 api @ 78 deg F	0.000
0.00	Corrected gravity = 30.2 api	0.000

Total Length: 3065.00 ft

Total Volume: 42.993 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Flatirons Resources LLC**

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

36 7S 24W Graham KS

Enslinger Unit # 24-36

Start Date: 2008.07.01 @ 15:24:16


End Date: 2008.07.01 @ 22:12:16

Job Ticket #: 32113 DST #: 2

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Flatirons Resources LLC

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

Enslinger Unit # 24-36

36 7S 24W Graham KS

Job Ticket: 32113

DST#: 2

Test Start: 2008.07.01 @ 15:24:16

GENERAL INFORMATION:

Formation: **Lans. "I - J"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 17:13:46

Time Test Ended: 22:12:16

Test Type: Conventional Bottom Hole

Tester: James Winder

Unit No: 36

Interval: **3778.00 ft (KB) To 3817.00 ft (KB) (TVD)**

Total Depth: 3817.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2370.00 ft (KB)

2365.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8366

Inside

Press@RunDepth: 38.49 psig @ 3779.00 ft (KB)

Start Date: 2008.07.01

End Date:

2008.07.01

Start Time: 15:24:21

End Time:

22:12:15

Capacity: 7000.00 psig

Last Calib.: 2008.07.01

Time On Btm: 2008.07.01 @ 17:13:16


Time Off Btm: 2008.07.01 @ 20:15:46

TEST COMMENT: IF Blow built to 7 3/4 "

ISI Bled off surface blow back dead after 30 min.

FF Blow built to 10 1/4 "

FSI Bled off on/off surface blow dead in 20 min.



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1853.82	107.62	Initial Hydro-static
1	18.26	107.07	Open To Flow (1)
31	27.20	110.60	Shut-In(1)
91	1272.00	112.59	End Shut-In(1)
92	27.62	111.46	Open To Flow (2)
120	38.49	114.06	Shut-In(2)
181	1220.51	115.28	End Shut-In(2)
183	1827.87	114.63	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
30.00	GOCM 55%M 32%O 13%G	0.42
34.00	Clean GO 95%O 5%G	0.48
0.00	Gravity = 34.4 api @ 82 deg F	0.00
0.00	Corrected Gravity = 32.2 api	0.00
0.00	GIP 60'	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Flatirons Resources LLC

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

Enslinger Unit # 24-36

36 7S 24W Graham KS

Job Ticket: 32113

DST#: 2

Test Start: 2008.07.01 @ 15:24:16


Tool Information

Drill Pipe:	Length: 3783.00 ft	Diameter: 3.80 inches	Volume: 53.07 bbl	Tool Weight: 1800.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 35000.00 lb
		Total Volume: 53.07 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	33.00 ft			String Weight: Initial 30000.00 lb
Depth to Top Packer:	3778.00 ft			Final 30000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	39.00 ft			
Tool Length:	67.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3755.00	
Hydraulic tool	5.00			3760.00	
Jars	5.00			3765.00	
Safety Joint	3.00			3768.00	
Packer	5.00			3773.00	28.00 Bottom Of Top Packer
Packer	5.00			3778.00	
Stubb	1.00			3779.00	
Recorder	0.00	8366	Inside	3779.00	
Recorder	0.00	8320	Inside	3779.00	
Perforations	35.00			3814.00	
Bullnose	3.00			3817.00	39.00 Bottom Packers & Anchor

Total Tool Length: 67.00



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Flatirons Resources LLC

Enslinger Unit # 24-36

303 E 17th Ste 940
Denver CO 80203

36 7S 24W Graham KS

Job Ticket: 32113

DST#: 2

ATTN: Roger Moses

Test Start: 2008.07.01 @ 15:24:16

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 53.00 sec/qt

Cushion Volume:

bbl

Water Loss: 6.39 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2500.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	GOCM 55%M 32%O 13%G	0.421
34.00	Clean GO 95%O 5%G	0.477
0.00	Gravity = 34.4 api @ 82 deg F	0.000
0.00	Corrected Gravity = 32.2 api	0.000
0.00	GIP 60 '	0.000

Total Length: 64.00 ft

Total Volume: 0.898 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Flatirons Resources LLC**

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

36 7S 24W Graham KS

Enslinger Unit # 24-36

Start Date: 2008.07.02 @ 09:01:53


End Date: 2008.07.02 @ 13:38:23

Job Ticket #: 32114 DST #: 3

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Flatirons Resources LLC

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

Enslinger Unit # 24-36

36 7S 24W Graham KS

Job Ticket: 32114

DST#: 3

Test Start: 2008.07.02 @ 09:01:53

GENERAL INFORMATION:

Formation: **Lans. "K - L"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 11:03:53

Time Test Ended: 13:38:23

Test Type: Conventional Bottom Hole

Tester: James Winder

Unit No: 36

Interval: 3811.00 ft (KB) To 3836.00 ft (KB) (TVD)

Total Depth: 3836.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2370.00 ft (KB)

2365.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8366 Inside

Press@RunDepth: psig @ 3812.00 ft (KB)

Start Date: 2008.07.02

End Date: 2008.07.02

Start Time: 09:01:58

End Time: 13:38:22


Capacity: 7000.00 psig

Last Calib.: 2008.07.02

Time On Btm: 2008.07.02 @ 11:03:23

Time Off Btm: 2008.07.02 @ 11:11:53

TEST COMMENT: No packer seat 1st try
Reset No packer seat again
Pulled tool



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1873.20	106.43	Initial Hydro-static
1	1445.52	106.23	Open To Flow (1)
1	1851.09	108.54	--No Packer Seat
8	1490.72	108.65	Open To Flow (2)
9	1836.15	108.88	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
220.00	Drilling Mud	3.09

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Flatirons Resources LLC

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

Enslinger Unit # 24-36

36 7S 24W Graham KS

Job Ticket: 32114


DST#: 3

Test Start: 2008.07.02 @ 09:01:53

Tool Information

Drill Pipe:	Length: 3816.00 ft	Diameter: 3.80 inches	Volume: 53.53 bbl	Tool Weight:	1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose:	30000.00 lb
			Total Volume: 53.53 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	28.00 ft			String Weight: Initial	25000.00 lb
Depth to Top Packer:	3811.00 ft			Final	25000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	25.00 ft				
Tool Length:	48.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		
Tool Comments:					

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3793.00	
Hydraulic tool	5.00			3798.00	
Safety Joint	3.00			3801.00	
Packer	5.00			3806.00	23.00 Bottom Of Top Packer
Packer	5.00			3811.00	
Stubb	1.00			3812.00	
Recorder	0.00	8366	Inside	3812.00	
Recorder	0.00	8320	Inside	3812.00	
Perforations	21.00			3833.00	
Bullnose	3.00			3836.00	25.00 Bottom Packers & Anchor
Total Tool Length:	48.00				



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Flatirons Resources LLC

Enslinger Unit # 24-36

303 E 17th Ste 940
Denver CO 80203

36 7S 24W Graham KS

Job Ticket: 32114

DST#: 3

ATTN: Roger Moses

Test Start: 2008.07.02 @ 09:01:53

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 46.00 sec/qt

Water Loss: 6.79 in³

Resistivity: ohm.m

Salinity: 2800.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length:

Cushion Volume:

Gas Cushion Type:

Gas Cushion Pressure:

ft

bbl

psig

Oil API:

Water Salinity:

deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
220.00	Drilling Mud	3.086

Total Length: 220.00 ft

Total Volume: 3.086 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





DRILL STEM TEST REPORT

Prepared For: **Flatirons Resources LLC**

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

36 7S 24W Graham KS

Enslinger Unit # 24-36

Start Date: 2008.07.02 @ 13:53:48


End Date: 2008.07.02 @ 17:38:48

Job Ticket #: 32115 DST #: 4

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Flatirons Resources LLC

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

Enslinger Unit # 24-36

36 7S 24W Graham KS

Job Ticket: 32115

DST#: 4

Test Start: 2008.07.02 @ 13:53:48

GENERAL INFORMATION:

Formation: **Lans. "K - L"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 15:27:48

Time Test Ended: 17:38:48

Test Type: Conventional Bottom Hole

Tester: James Winder

Unit No: 36

Interval: **3802.00 ft (KB) To 3836.00 ft (KB) (TVD)**

Total Depth: 3836.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2370.00 ft (KB)

2365.00 ft (CF)

KB to GRVCF: 5.00 ft

Serial #: 8366

Inside

Press@RunDepth: 16.14 psig @ 3803.00 ft (KB)

Start Date: 2008.07.02

End Date:

2008.07.02

Start Time: 13:53:53

End Time:

17:38:48


Capacity: 7000.00 psig

Last Calib.: 2008.07.02

Time On Btm: 2008.07.02 @ 15:27:18

Time Off Btm: 2008.07.02 @ 16:14:18

TEST COMMENT: IF Surface blow dead in 6 min.
ISI No blow back



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1902.35	110.79	Initial Hydro-static
1	14.60	110.22	Open To Flow (1)
18	16.14	110.06	Shut-In(1)
46	132.19	110.34	End Shut-In(1)
47	1842.15	111.26	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
1.00	Mw/trace O	0.01

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Flatirons Resources LLC

303 E 17th Ste 940
Denver CO 80203

ATTN: Roger Moses

Enslinger Unit # 24-36

36 7S 24W Graham KS

Job Ticket: 32115

DST#: 4


Test Start: 2008.07.02 @ 13:53:48

Tool Information

Drill Pipe:	Length: 3784.00 ft	Diameter: 3.80 inches	Volume: 53.08 bbl	Tool Weight:	1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose:	40000.00 lb
		Total Volume:	53.08 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	5.00 ft			String Weight: Initial	28000.00 lb
Depth to Top Packer:	3802.00 ft			Final	28000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	34.00 ft				
Tool Length:	57.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3784.00	
Hydraulic tool	5.00			3789.00	
Safety Joint	3.00			3792.00	
Packer	5.00			3797.00	23.00 Bottom Of Top Packer
Packer	5.00			3802.00	
Stubb	1.00			3803.00	
Recorder	0.00	8366	Inside	3803.00	
Recorder	0.00	8320	Inside	3803.00	
Perforations	30.00			3833.00	
Bullnose	3.00			3836.00	34.00 Bottom Packers & Anchor
Total Tool Length:	57.00				



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Flatirons Resources LLC

Enslinger Unit # 24-36

303 E 17th Ste 940
Denver CO 80203

36 7S 24W Graham KS

Job Ticket: 32115

DST#: 4

ATTN: Roger Moses

Test Start: 2008.07.02 @ 13:53:48

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 46.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.78 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2800.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
1.00	Mw /trace O	0.014

Total Length:

1.00 ft

Total Volume:

0.014 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time

