

Sheridan

KANSAS

SECTION 26 TOWNSHIP 8 RANGE 27W

WELL NO. #1 Brown "A"

COMPANY Heathman-Seeligson

NORTH

WEST	0								EAST

SOUTH

4

Sheridan

KANSAS

SEC.	TWP.	R.
26	8	27W

WELL NO.

#1 Brown "A"

FARM

COMPANY

Heathman-Seeligson

CONTRACTOR

Co. Tools


WILDCAT

_____ Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line

_____ Ft. from W. Line



NW NW NW

Carter DHM, Sohio-Support

	ELEVATION	REPORT
1956	2553'	
5-2	Comm. 4-30-56 8" @ 272 w/175 WOC	
7-3	DST 3703-25, failed. DST 3697-3725 op 1 hr., 62' WM, 1080/20 DST 3748-79 op 1 hr. rec. 1560' SW, FP 240-800, BHP 1350/20". DST 3794-3816 op 1 hr., rec. 300' HOCM FP 30-80", BHP 1250/20". DST 3838-59 op 2 hrs., 180' gas, rec. 125' HO&GCM / 50' wtr., FP 20/10, BHP 1280#. DST 3860-3910 op 30 min., 1900' gas, rec. 1500' oil, FP 160-575, BHP 1375/20 DST 3911-30 op 1 hr., 1000' gas, rec. 570' oil, FP 0-145, BHP 1245/20". DST 4160-72 op 1 hr., rec. 35' HOCM / 1 gas, free oil, 100/30", FP 0#. 5 1/2" @ 4210 w 150 16/3898-3900 wtr. sqd. CO 24/ 4160-66, Pf. 18/3909-15, S/ 1 boph, FU 800' oil, 12 hrs., 1000 A, rec. Ld. S/ 17 BOBH, 6 hrs., 31° Ret. @ 3893', 36/3883-92	

1956

7-3 continued

S/ 5.22 boph, 4 hrs., 1000 A,
Rec. ld.

S/ 30 BOPH, 38°

P/ 513 bopd, no/wtr.

Anh. 2190'; L. 3710'; BKC 3926';

C. 4259'; M. Cht. 4294'; M. Li. 4325';

V. 4412'; A. 4506';

Log tops:

H. 3682'; Tr. 3710'; L. 3722';

BKC 3944'; C. 4254'; M.Cht. 4294';

M. Li. 4325'; V. 4416'; A. 4518';

TD 4528'

COMPLETED

County Sheridan Elev. _____
 Sec. 26 Twp. 8 Rge. 27W
 Company Heathman-Seeligson
 Farm Name Brown "A" No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				NW NW NW
Tp.				
H.				
Tr.				
Dg.				
Bl.				
L.				
K.C.				Geol. _____
B.K.C.				Contr. _____
Ce.				Co. tools
C.				
M.				Pool
M.				Wildcat
K.				
Mz.				
Me.				
V.				
S.				
S.				
A				
R.				
Pe.				
G.				
T.D.				

Date Comm. 4-30-56 Carter DHM, Sohio support
8" @ 272/175 WOC

1956

D.R.

County Sheridan Elev. 3553
 Sec. 26 Twp. 8 Rgn. 27W
 Company Heathman-Seeligson
 Farm Name Brown "A" No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.	2190			NW NW NW
Tp.				
H.		3682		
Tr.		3710		
Dg.				
Bl.				
L.	3710	3722		Geol.
N.C.				Contr.
B.K.C.	3926	3944		Co. tools
Ce.				Pool
C.	4259	4254		Wildcat
M.	4294	4294		
M.	4325	4325		
K.				
Mz.				
Me.				
V.	4412	4416		
S.				
S.				
A.	4506	4518		
R.				
Pe.				
G.				
TD.	4528			

Date Comm. 4-30-56 Carter DHM, Sohio support
 8" @ 272/175 WOC MAY 9 '56 DST 3703

-25 Failed DST 3697-3725
 1hr 62' WCM 1000/20 DST
 3748-79 1hr rec. 1560' SW
 FP 240-800 BHP 1350/20 Φ 3790
 MAY 16 '56 DST 3794-3816 1hr rec
 300' HOCM FP 30-80 BHP 1250/20
 DST 3838-59 2hrs 180' gas rec 125'
 HOEGCM + 50' wth FP 20-110 BHP 1280

26-8-27W NWNWNW

DST 3860-3910 apr 30" 1900'
 gas rec 1500' oil FP 160-575
 BHP 1375/20" DST 3911-30 gas
 1hr 1000' gas rec 570' oil FP
 0-145 BHP 1245/20" BRC

3986 DST 4160-72 1hr rec
 35' HOCM + 1 gal Free oil
 100/20" FP 0 C9 4259 M.CHT
 4294 M. Lin 4325 ID 4365 MAY 23 '56
 Log 5 1/2 @ 4210/150 MAY 29 '56

16/3898-3900 WTR SQd
 CO²⁴/4160-66 JUN 6 '56 SQ pfs
 pf 18/3909-15 \$ 180PH
 FU 800' oil 12 hrs 1000 A
 rec L \$ 1780 PH 16 hrs 31°
 ret. @ 3893 36/3883-92
 \$ 5.22 80PH/4 hrs 1000 A
 rec L \$ 30 80PH 38°
 1st JUN 13 '56 POP JUN 20 '56 ✓ JUN 27 '56 JUL 3 '56
 Ph P. 513 Bored no/w

26-8-27W

NW NW NW