



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc.

8100 E 22nd ST N #700
Box 783188
Wichita, KS 67278
ATTN: Bob Peterson

28/8s/30w Sheridan KS

Davis 28-C #1

Job Ticket: 45664

DST#: 1

Test Start: 2012.04.06 @ 07:32:00

GENERAL INFORMATION:

Formation: **Toronto - LKC "A"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 09:31:30

Time Test Ended: 13:18:30

Test Type: Conventional Bottom Hole (Initial)

Tester: James Winder

Unit No: 57

Interval: 3940.00 ft (KB) To 3985.00 ft (KB) (TVD)

Reference Elevations: 2911.00 ft (KB)

Total Depth: 3985.00 ft (KB) (TVD)

2906.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: 6719 Inside

Press@RunDepth: 32.68 psig @ 3941.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2012.04.06

End Date:

2012.04.06

Last Calib.: 2012.04.06

Start Time: 07:32:05

End Time:


13:18:29

Time On Btm: 2012.04.06 @ 09:28:30

Time Off Btm: 2012.04.06 @ 12:03:30

TEST COMMENT: 30 - IF: Blow built to 1"
45 - IS: Bled off, No blow back
30 - FF: No blow
45 - FS: No blow back

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1904.15	116.40	Initial Hydro-static
3	15.29	115.96	Open To Flow (1)
34	23.14	116.83	Shut-In(1)
78	1203.63	118.30	End Shut-In(1)
79	24.66	118.06	Open To Flow (2)
109	32.68	119.07	Shut-In(2)
153	1148.91	120.34	End Shut-In(2)
155	1883.35	121.46	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
20.00	Mud w /trace of oil 100% m	0.10

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc.

8100 E 22nd ST N #700
Box 783188
Wichita, KS 67278
ATTN: Bob Peterson

28/8s/30w Sheridan KS

Davis 28-C #1

Job Ticket: 45664

DST#: 1

Test Start: 2012.04.06 @ 07:32:00

GENERAL INFORMATION:

Formation: **Toronto - LKC "A"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 09:31:30

Time Test Ended: 13:18:30

Test Type: Conventional Bottom Hole (Initial)

Tester: James Winder

Unit No: 57

Interval: **3940.00 ft (KB) To 3985.00 ft (KB) (TVD)**

Total Depth: 3985.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2911.00 ft (KB)

2906.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8320 Outside

Press@RunDepth: psig @ 3941.00 ft (KB)

Start Date: 2012.04.06

End Date:

2012.04.06

Start Time: 07:32:05

End Time:

13:17:59

Capacity: 8000.00 psig


Last Calib.: 2012.04.06

Time On Btm:

Time Off Btm:

TEST COMMENT: 30 - IF: Blow built to 1"
45 - IS: Bled off, No blow back
30 - FF: No blow
45 - FS: No blow back

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
-------------	-----------------	--------------	------------

Recovery

Length (ft)	Description	Volume (bbl)
20.00	Mud w /trace of oil 100%m	0.10

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc.

28/8s/30w Sheridan KS

8100 E 22nd ST N #700

Davis 28-C #1

Box 783188

Job Ticket: 45664

DST#: 1

Wichita, KS 67278

Test Start: 2012.04.06 @ 07:32:00

ATTN: Bob Peterson

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 65.00 sec/qt

Cushion Volume:

bbl

Water Loss: 6.39 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 600.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
20.00	Mud w /trace of oil 100%m	0.098

Total Length: 20.00 ft

Total Volume: 0.098 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 6719

Inside

Ritchie Exploration Inc.

Davis 28-C#1

DST Test Number: 1




Serial #: 8320


Outside

Ritchie Exploration Inc.

Davis 28-C#1

DST Test Number: 1





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc.

8100 E 22nd ST N #700
Box 783188
Wichita, KS 67278
ATTN: Bob Peterson

28/8s/30w Sheridan KS

Davis 28-C #1

Job Ticket: 45665

DST#: 2

Test Start: 2012.04.06 @ 20:43:00

GENERAL INFORMATION:

Formation: **LKC "C - D"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 22:25:30

Time Test Ended: 02:19:00

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 57

Interval: 3996.00 ft (KB) To 4030.00 ft (KB) (TVD)

Total Depth: 4030.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2911.00 ft (KB)

2906.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 6719 Inside

Press@RunDepth: 22.98 psig @ 3997.00 ft (KB)

Start Date: 2012.04.06

End Date:

2012.04.07

Start Time: 20:43:05

End Time:

02:18:59

Capacity: 8000.00 psig

Last Calib.: 2012.04.07

Time On Btm: 2012.04.06 @ 22:22:30

Time Off Btm: 2012.04.07 @ 00:58:30

TEST COMMENT: 30 - IF: Blow built to 3/4"


45 - IS: Bled off, No blow back

30 - FF: No blow

45 - FS: No blow back

PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1943.47	114.23	Initial Hydro-static
3	15.88	114.53	Open To Flow (1)
34	17.87	114.87	Shut-In(1)
78	1083.12	116.86	End Shut-In(1)
78	20.75	116.37	Open To Flow (2)
108	22.98	117.81	Shut-In(2)
153	993.34	119.74	End Shut-In(2)
156	1898.98	120.36	Final Hydro-static




Recovery

Length (ft)	Description	Volume (bbl)
20.00	SOCM 94% m, 6% o	0.10

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc.

8100 E 22nd ST N #700
Box 783188
Wichita, KS 67278
ATTN: Bob Peterson

28/8s/30w Sheridan KS

Davis 28-C #1

Job Ticket: 45665

DST#: 2

Test Start: 2012.04.06 @ 20:43:00

GENERAL INFORMATION:

Formation: **LKC "C - D"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 22:25:30

Time Test Ended: 02:19:00

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 57

Interval: 3996.00 ft (KB) To 4030.00 ft (KB) (TVD)

Total Depth: 4030.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2911.00 ft (KB)

2906.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8320 Outside

Press@RunDepth: psig @ 3997.00 ft (KB)

Start Date: 2012.04.06

End Date:

2012.04.07

Start Time: 20:43:05

End Time:

02:18:29

Capacity: 8000.00 psig

Last Calib.: 2012.04.07

Time On Btm:

Time Off Btm:


TEST COMMENT: 30 - IF: Blow built to 3/4"

45 - IS: Bled off, No blow back

30 - FF: No blow

45 - FS: No blow back

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
-------------	-----------------	--------------	------------


Recovery

Length (ft)	Description	Volume (bbl)
20.00	SOCM 94% _m , 6% _o	0.10

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc.

28/8s/30w Sheridan KS

8100 E 22nd ST N #700

Davis 28-C #1

Box 783188

Job Ticket: 45665

DST#: 2

Wichita, KS 67278

Test Start: 2012.04.06 @ 20:43:00

ATTN: Bob Peterson

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 54.00 sec/qt

Cushion Volume:

bbl

Water Loss: 6.38 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 600.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
20.00	SOCM 94% _m , 6% _o	0.098

Total Length: 20.00 ft

Total Volume: 0.098 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 6719

Inside

Ritchie Exploration Inc.

Davis 28-C#1

DST Test Number: 2





Serial #: 8320

Outside Ritchie Exploration Inc.

Davis 28-C#1

DST Test Number: 2





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc.

8100 E 22nd ST N #700
Box 783188
Wichita, KS 67278
ATTN: Bob Peterson

28/8s/30w Sheridan KS

Davis 28-C #1

Job Ticket: 45666

DST#: 3

Test Start: 2012.04.07 @ 11:52:00

GENERAL INFORMATION:

Formation: **LKC "E - G"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 13:23:30

Time Test Ended: 17:51:00

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 57

Interval: 4038.00 ft (KB) To 4080.00 ft (KB) (TVD)

Reference Elevations: 2911.00 ft (KB)

Total Depth: 4080.00 ft (KB) (TVD)

2906.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: 6719 Inside

Press@RunDepth: 73.08 psig @ 4039.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2012.04.07

End Date:

2012.04.07

Last Calib.: 2012.04.07

Start Time: 11:52:05

End Time:


17:50:59

Time On Btm: 2012.04.07 @ 13:20:00

Time Off Btm: 2012.04.07 @ 16:29:00

TEST COMMENT: 30 - IF: Blow built to 2"
45 - IS: Bled off, No blow back
45 - FF: Blow started at 19 min., built to 1"
60 - FS: Bled off, No blow back

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1971.13	112.06	Initial Hydro-static
4	17.38	111.75	Open To Flow (1)
34	42.93	117.10	Shut-In(1)
78	1303.02	117.58	End Shut-In(1)
79	45.04	117.91	Open To Flow (2)
123	73.08	121.16	Shut-In(2)
185	1275.10	122.46	End Shut-In(2)
189	1912.27	119.87	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
60.00	WCM w/trace oil 85%m, 15%w	0.30
62.00	Mud w/trace oil 100%m	0.32

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc.

8100 E 22nd ST N #700
Box 783188
Wichita, KS 67278
ATTN: Bob Peterson

28/8s/30w Sheridan KS

Davis 28-C #1

Job Ticket: 45666

DST#: 3

Test Start: 2012.04.07 @ 11:52:00

GENERAL INFORMATION:

Formation: **LKC "E - G"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 13:23:30

Time Test Ended: 17:51:00

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 57

Interval: 4038.00 ft (KB) To 4080.00 ft (KB) (TVD)

Total Depth: 4080.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2911.00 ft (KB)

2906.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8320 Outside

Press@RunDepth: psig @ 4039.00 ft (KB)

Start Date: 2012.04.07

End Date:

2012.04.07

Start Time: 11:52:05

End Time:

17:50:29

Capacity: 8000.00 psig

Last Calib.:


2012.04.07

Time On Btm:

Time Off Btm:

TEST COMMENT: 30 - IF: Blow built to 2"
45 - IS: Bled off, No blow back
45 - FF: Blow started at 19 min., built to 1"
60 - FS: Bled off, No blow back

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
-------------	-----------------	--------------	------------


Recovery

Length (ft)	Description	Volume (bbl)
60.00	WCM w/trace oil 85%m, 15%w	0.30
62.00	Mud w/trace oil 100%m	0.32

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc.

28/8s/30w Sheridan KS

8100 E 22nd ST N #700

Davis 28-C #1

Box 783188

Job Ticket: 45666

DST#: 3

Wichita, KS 67278

Test Start: 2012.04.07 @ 11:52:00

ATTN: Bob Peterson

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

19000 ppm

Viscosity: 68.00 sec/qt

Cushion Volume:

bbl

Water Loss: 6.79 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1100.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
60.00	WCM w/trace oil 85%m, 15%w	0.295
62.00	Mud w/trace oil 100%m	0.323

Total Length: 122.00 ft

Total Volume: 0.618 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW= .396 ohms @ 62.8 deg F

Chlorides = 19,000


Serial #: 6719

Inside

Ritchie Exploration Inc.

Davis 28-C #1

DST Test Number: 3





Serial #: 8320

Outside Ritchie Exploration Inc.

Davis 28-C#1

DST Test Number: 3





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc.

8100 E 22nd ST N #700
Box 783188
Wichita, KS 67278
ATTN: Bob Peterson

28/8s/30w Sheridan KS

Davis 28-C #1

Job Ticket: 45667

DST#: 4

Test Start: 2012.04.08 @ 04:40:05

GENERAL INFORMATION:

Formation: **LKC "H - J"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 06:21:30

Time Test Ended: 10:21:29

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 57

Interval: 4095.00 ft (KB) To 4172.00 ft (KB) (TVD)

Total Depth: 4172.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2911.00 ft (KB)

2906.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 6719 Inside

Press@RunDepth: 29.55 psig @ 4096.00 ft (KB)

Start Date: 2012.04.08

End Date:

2012.04.08

Start Time: 04:40:05

End Time:

10:21:29

Capacity: 8000.00 psig

Last Calib.: 2012.04.08

Time On Btm: 2012.04.08 @ 06:19:00

Time Off Btm: 2012.04.08 @ 08:57:59

TEST COMMENT: 30 - IF: Blow built to 1" in 11 min., stayed at 1", slightly dying back last couple min.


45 - IS: Bled off, No blow back

30 - FF: No blow

45 - FS: No blow back

PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1984.31	113.97	Initial Hydro-static
3	16.51	113.31	Open To Flow (1)
34	22.63	115.08	Shut-In(1)
78	1253.73	116.96	End Shut-In(1)
78	24.87	116.63	Open To Flow (2)
108	29.55	118.70	Shut-In(2)
152	1228.39	120.19	End Shut-In(2)
159	1956.90	119.75	Final Hydro-static




Recovery

Length (ft)	Description	Volume (bbl)
30.00	Mud w /trace of Oil 100%m	0.15

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Ritchie Exploration Inc.

8100 E 22nd ST N #700
Box 783188
Wichita, KS 67278
ATTN: Bob Peterson

28/8s/30w Sheridan KS

Davis 28-C #1

Job Ticket: 45667

DST#: 4

Test Start: 2012.04.08 @ 04:40:05

GENERAL INFORMATION:

Formation: **LKC "H - J"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 06:21:30

Time Test Ended: 10:21:29

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 57

Interval: 4095.00 ft (KB) To 4172.00 ft (KB) (TVD)

Total Depth: 4172.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2911.00 ft (KB)

2906.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 8320 Outside

Press@RunDepth: psig @ 4096.00 ft (KB)

Start Date: 2012.04.08

End Date:

2012.04.08

Start Time: 04:40:05

End Time:

10:20:59

Capacity: 8000.00 psig

Last Calib.: 2012.04.08

Time On Btm:

Time Off Btm:


TEST COMMENT: 30 - IF: Blow built to 1" in 11 min., stayed at 1", slightly dieing back last couple min.

45 - IS: Bled off, No blow back

30 - FF: No blow

45 - FS: No blow back

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
-------------	-----------------	--------------	------------


Recovery

Length (ft)	Description	Volume (bbl)
30.00	Mud w /trace of Oil 100%m	0.15

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc.

28/8s/30w Sheridan KS

8100 E 22nd ST N #700

Davis 28-C #1

Box 783188

Job Ticket: 45667

DST#: 4

Wichita, KS 67278

Test Start: 2012.04.08 @ 04:40:05

ATTN: Bob Peterson

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 52.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.20 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	Mud w /trace of Oil 100% _m	0.148

Total Length: 30.00 ft

Total Volume: 0.148 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 6719

Inside

Ritchie Exploration Inc.

Davis 28-C #1

DST Test Number: 4




Serial #: 8320

Outside Ritchie Exploration Inc.

Davis 28-C #1

DST Test Number: 4







Test Start: 2012.04.08 @ 16:03:00

KB to GR/CF: 5.00 ft

45-FS- No Return





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Ritchie Exploration Inc.

28/8s/30w Sheridan KS

8100 E 22nd ST N #700

Davis 28-C #1

Box 783188

Job Ticket: 45668

DST#: 5

Wichita, KS 67278

Test Start: 2012.04.08 @ 16:03:00

ATTN: Bob Peterson

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 52.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.20 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 1000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	Mud 100M	0.025

Total Length: 5.00 ft Total Volume: 0.025 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 8320

Outside Ritchie Exploration Inc.

Davis 28-C#1

DST Test Number: 5

Pressure vs. Time

