


Section 36 Township 8 Range 25 W

Well No. #1 A. J. Clark

Company I. W. Siegel et al



GRAHAM

KANSAS

SEC.	36	TWP.	8	R.	25W
------	----	------	---	----	-----

WELL NO.

#1 A. J. Clark

FARM

COMPANY

T. W. Siegel et al

CONTRACTOR


WILDCAT

Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

Ft. from W. Line



NE NE SE

Texas - DHM

1955	ELEVATION	REPORT
	2455'	
9/21	Loc	
1956		
1-5		<p>Comm. 9-21-55 8 5/8" @ 223/125 DST 3810-25 op 1 hr. rec. 30' oil, 105' hocm, 165' wtr. DST 3822-45 op 1 hr. rec. 365' sli salty ocm, 90' hocm, 1450# DST 3832-45 op 1 hr. rec. 170' vsocm, 1450# DST 3903-25 op 1 1/2 hr. rec. 55' mud, 1360/20" DST 3928-46 op 1 hr. 2460' GIB, rec 670' oil, 60' ocm, 1010/30" DST 3946-66 op 1 hr. rec. 80' hocm, 180' wocm, 480' wtr. 1210/30" 5 1/2" @ 4040 CO 24/ 3941-47, FU 1580' oil overnite 90 gw S/ 3 boph, 3000 A, FU 3000' fluid (600' was oil), 12 hrs. P/ 100 bopd, 35 to 40 bwpd, P/ 120 bopd, 35 to 40 bwpd. Comp. 106 bopd 4% wtr. H. 3741 Tr. 4770 L. 3786 BKC 4011</p>
		COMPLETED
		TD 4040'

DX-78

County Graham Elev. _____
 Sec. 35 Twp. 8 Rge. 25W
 Company T. W. Siegel et al
 Farm Name A. J. Clark No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				NE NE SE
Tr.				DS-E/2 SE/4
H.				
Dg.				
Bl.				
L.				Geol. _____
K.C.				Contr. _____
B.K.C.				
Ce.				
C.				
M.				Pool _____
K.				W.C.
Mz.				
Me.				
V.				
S.				
S.				
A.				FIRST REPORT
R.				
PE.				
G.				
T.D.				

Date Comm. 1cc SEP 21 1955
 Texas - DHM

ST

Co.
Lse.
No.
Sec.
T.
R.

County Graham Elev. 2455
 Sec. 36 Twp. 8 Rge. 25W
 Company I. W. Siegel etal.
 FarmName A. J. Clark No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				NE NE SE
TP.				
H.	<u>3741</u>		<u>1286</u>	
Tr.	<u>3750</u>		<u>1315</u>	
Dg.				
Bl.				
L.	<u>3786</u>		<u>1331</u>	Geol.
K.C.				Contr.
B.K.C.	<u>4011</u>		<u>1556</u>	<u>Sterling</u>
Ce.				
C.				
M.				Pool
M.				<u>Wildcat</u>
K.				
Mz.				
Me.				
V.				
S.				
S.				
A.				
R.				
PE.				
G.				
TD.	<u>4040</u>			

COMPLETE

Date Comm. 9-21-55 JAN 5 1956
8 5/8" @ 223/125 DST 3810-25 open 1 hr.
rec. 30' oil 105' hocom 165' wtr.
DST 3822-45 open 1 hr. rec. 365' sli
salty ocm 90' hocom 1450# DST 3832-45
open 1 hr. rec. 170' vsocm 1450#
DST 3903-25 open 1 1/2 hr. rec. 55' mud
1360/20" DST 3928-46 open 1 hr.
2460' GIP rec. 670' oil 60' ocm 1010/30"

DST 3946-66 open 1 hr. rec. 80' hocom
180' wocom 480' wtr. 1210/30"
5½" @ 4040 CO 24/ 3941-47 FU 1580'
oil overnite 90gw S/ 3 boph 3000 A
FU 3000' fluid (600' was oil) 12 hr.
P/ 100 bopd 35 to 40 bwpd P/ 120 bopd
35 to 40 bwpd Comp. 106 bopd 4% wtr.

R. G.

JAN 12 1956