


Section 36 Township 8 Range 25 W

Well No. #1 Bell

Company I. W. Siegel et al



Graham

KANSAS

SEC.	TWP.	R..
36	8	25W

WELL NO.

#1 Bell

FARM

COMPANY

I. W. Siegel et al

CONTRACTOR

Sterling


W. Holly

Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

Ft. from W. Line



SE SE NE

1955	ELEVATION	REPORT
	2435	
10/12	Comm 10-7-55 8" @ 240/150 Drlg 2975	
12-14	DST 3782-3800 op 1 hr. rec. 400' gas, 80' hocm, 210' mco, 90' wtr., 1365/30" DST 3870-3900 op 1 hr. rec. 1480' GIP 140' oil, 240' hocm, 1415/20" DST 3908-25 op 1 hr. rec. 1575' GIP, 165' oil, 45' hocm, 15' mud, 1290/30" Anh. 2145 H. 3723 Tr. 3746 L. 3760 TD 3980 DST 3934-45 op 1 hr. rec. 10' mud 340/30" 5½" @ 3980 CO to 3946 24/ 3932-38 S/ 20 boph, 3000 A S/ 56 bo 1 hr. S/ 54 bo 2nd hr. Comp. 160 bopd.	

COMPLETED

County Graham Elev. _____
 Sec. 36 Twp. 8 Rgs. 2 5W
 Company I. W. Siegel et al.
 FarmName Bell No. 1

TOPS	DEPTH	LOG	DATUM
Anh.			
Tr.			
H.			
Tr.			
Dg.			
Bl.			
L.			
K.C.			
B.K.C.			
Ce.			
C.			
M.			
M.			
K.			
Mz.			
Me.			
V.			
S.			
S.			
A.			
R.			
Pe.			
G.			
T.D.			

Loc. in Sec. SE SE NE
 Geol. _____
 Contr. Sterling
 Pool W. Holly
 FIRST REPORT
 OCT 12 1955

Date Comm. 10-7-55
8" @ 240/150 drlg. 2975

[Handwritten signature]

Co.
 Lse.
 No.
 Sec.
 T.
 R.

County Graham Elev. 2435
 Sec. 36 Twp. 8 Rge. 25W
 Company I. W. Siegel et al.
 Farm Name Bell No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.	<u>2145</u>			SE SE NE
TP.				
H.	<u>3723</u>		<u>1288</u>	
Tr.	<u>3746</u>		<u>1311</u>	
Dg.				
BL.				
L.	<u>3760</u>		<u>1325</u>	Geol.
K.C.				Contr.
B.K.C.				
Ce.				<u>Sterling</u>
C.				
M.				Pool
M.				<u>W. Holly</u>
K.				
Mz.				
Mo.				
V.				
S.				
S.				
A.				
R.				
PE.				
G.				
TP.	<u>3980</u>			

Date Comm. 10-7-55 DEC 14 1955
 8" @ 240/150 DST 3782-3800 open 1 hr.
 rec. 400' gas 80' hocm 210' mco
 90' wtr. 1365/30" DST 3870-3900
 open 1 hr. rec. 1480' GIP 140' oil
 240' hocm 1415/30" DST 3908-25
 open 1 hr. rec. 1575' GIP 165' oil
 45' hocm 15' mud 1290/30"

DST 3934-45 open 1 hr. rec. 10' mud
3 1/2" / 30" 5 1/2" @ 3980 CO to 3946
2 1/2" / 3932-38 S/ 20 boph 3000 A
S/ 56 bo 1 hr. • S/ 5 1/4 bo 2 nd hr.
Comp. 160 bopd

- R. G. -

DEC 29 1955