

O.W.W.O.

FORM 51

KANSAS

Sheridan

Section 17 Township 9 Range 26W

Well No. 2 Mills

Company Empire Alg.
~~G.M.R. Oil~~

NORTH

				6					

SOUTH

Sec. 17 Twp. 9 R. 26WWell No. #2 Mills FarmEmpire Oil

Company

Empire
G-M-R


Contractor

George Pool

1370 Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

330 Ft. from W. LineC $W\frac{1}{2}$ $W\frac{1}{2}$ NE

1953 Elev. 2693' REPORT

1/14 Spud 1-10-53

8" @ 290

Drlg. 1675'

1/23 Spud 1-10-53

D&A

TD 4043

8" @ 290

Heeb 3786, Tor 3806, Lans

3824

DST 3808-35, opn 1 hr., rec.

15' wtr. 0"

DST 3994-4043, opn 1 hr., rec.

10' mud,

TD 4043

D&A

ABANDONED

1956

O.W.W.O.

3/21

OTD 4043' DST 3850-65, open 1 hr.

rec 90' MCO & SW, 10' oil, 170' SOGW

1080/30". DST 3950-65, open 2 hr.

rec 10' mud. 0/30"

DST 3950-4010, open 1 hr rec 20' mud.

0/30". TD 4043' D & A

Heebner 3793', Tr. 3812', Lans. 3832

3824'.

FIRST REPORT**ABANDONED**

County Sheridan State Kansas

Sec. 17 (Blk. 9 (Sur. 26W (Twp.) 9 (Rge.) 26W Map No.

Operator G-M-R Oil

Well No. 2 Farm Mills

Elev. 2693 Location C W $\frac{1}{2}$ W $\frac{1}{2}$ NE

1370 Ft. From N Line NE

330 Ft. From W Line Quarter

1st. Report

Completion JAN 23 1953

Remarks George Pool

G-M-R - Contr.

Spudding Date 1-10-53

ABANDONED

Drlg. Data D & A TD 4043

8" @ 290 Heeb. 3786 Tor. 3806

Lans. 3824 DST 3808-35 open 1 hr.

Rec. 15' wtr. O# DST 3994-4043

open 1 hr. Rec. 10' mud TD 4043

D & A

O.W.W.O.

FORM 513 REV. SUNRAY

O.W.O.

County Sheridan Elev. 2693
 Sec. 17 Twp. 9 Rge. 26W
 Company Empire Drlg.
 FarmName Mills No. 2

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				C W $\frac{1}{2}$ W $\frac{1}{2}$ NE
Tr.				
H.	<u>3793</u>			
Tr.	<u>3812</u>			
Dg.				
Bl.				
L.	<u>3832</u>	<u>3824</u>	<u>1131</u>	Geol.
K.C.				Contr.
B.K.C.				<u>Empire</u>
Ce.				Pool
C.				<u>George</u>
M.				
M.				
K.				
Mz.				
Me.				
V.				
S.				
S.				
A.				
R.				
PE.				
G.				
T.D.	<u>4043</u>			

FIRST REPORT
 ABANDONED

Date Comm. MAR 2 1 1956
 OTD 4043 DST 3850-65 open 1 hr.
 rec. 90' mco & sw 10' oil 170' socw
 1080/30" DST 3950-65 open 2 hr.
 rec. 10' mud 0/30" DST 3950-4010
 open 1 hr. rec. 20' mud 0/30"

D & A