

KANSAS DRILLERS LOG

State Geological Survey
WICHITA, BRANCH


S. 1 T. 9 R. 19 E
W

API No. 15 — 163 — 20,584
County Number

Loc. C N2 S2 NE

County Rooks

640 Acres
N



Elev.: Gr.

DF KB 2019

Operator Kansas Petroleum, Inc.	
Address 500 Insurance Building Wichita, Kansas 67202	
Well No. #1	Lease Name Desbien
Footage Location feet from (N) (S) line feet from (E) (W) line	
Principal Contractor Abercrombie	Geologist Dick Roby
Spud Date 10/8/75	Total Depth 3005
Date Completed 10/11/75	P.B.T.D.
Oil Purchaser	

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12½	8-5/8		207'	Common	165	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production D&A		Producing method (flowing, pumping, gas lift, etc.)			
RATE OF PRODUCTION PER 24 HOURS	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio	CFPB
Disposition of gas (vented, used on lease or sold)			Producing interval (s)		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

10-7-25

FOR: OPERATOR:
TRACTOR: CONTRACTOR:
ELL NAME: WELL NAME:
LOCATION:

15-163-20584

1-9-1960
Kansas Petroleum, Inc.
Abercrombie Drilling, Inc.
DESBIEN #1
C N/2 S/2 NE/4 Sec. 1-9S-19W
Rooks County, Kansas
Dick Roby
October 7, 1975
October 10, 1975

GEOLOGIST:
SPUD DATE:
COMPLETION DATE:

0	220	Clay and Sand
220	246	Sand and Shale
246	900	Shale
900	1150	Sand
1150	1415	Shale
1415	1456	Anhydrite
1456	2300	Shale
2300	2913	Shale & Lime
2913	3005	Lime & Shale
	3005	Rotary Total Depth



Cut 220' of 12 1/4" hole. Ran 5 jts. 25#, 8 5/8" surface casing with welded collar. Set @212.99 K.B. Cemented with 165 sx. Quick-Set cement. Cement circulated. Plug was down @ 4:45 p.m. October 7, 1975. Drilled plug @ 10:45 p.m. October 7, 1975.

Plugged and Abandoned: 1st Plug Set @ 550' with 60 sx. cement; 2nd Plug Set @ 185' with 20 sx. cement; 3rd Plug Set @ 40' with 10 sx. cement. State Plugger: Leo Massey. Plug was down @ 6:30 p.m. October 10, 1975.

SAMPLE TOPS:
Anhydrite 1415'
B/Anhydrite 1456'

STATE OF KANSAS)
COUNTY OF SEDGWICK) SS

Jerry A. Langrehr, Executive Vice President of Abercrombie Drilling, Inc., does hereby state that the above and foregoing is a true and correct copy of the log of the DESBIEN #1, C N/2 S/2 NE/4, Section 1-9S-19W, Rooks County, Kansas.

ABERCROMBIE DRILLING, INC.

By: Jerry A. Langrehr
Jerry A. Langrehr-Exec. V.P.

Subscribed and sworn to before me a Notary Public, in and for the aforesaid county and state as of this 14th day of October, 1975.



Sandra Russell
Sandra Russell - Notary Public