

State Geological Survey

WICHITA BRANCH

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

3-9-21W ^{P1} Ind

TYPE



SIDE ONE

Compt. _____

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

F Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

C Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE #6984 EXPIRATION DATE July 1, 1984

OPERATOR D. and A. Oil API NO. 15-065-21717

ADDRESS Box 94 COUNTY Graham

Damar, Kansas 67632 FIELD Morrel North Ext.

** CONTACT PERSON Jim Goff PROD. FORMATION Conglomerate
PHONE 913-839-4270

PURCHASER none sold-was to be C.R.A. Inc. LEASE Desbien

ADDRESS Kansas City, Missouri WELL NO. 1

WELL LOCATION NE/NE/NW

DRILLING Pioneer Drilling 330 Ft. from north Line and

CONTRACTOR 2310 Ft. from west Line of

ADDRESS 308 West Mill Plainville, Kansas the NW (Qtr.) SEC 3 TWP 9 RGE 21 (W)

PLUGGING none-turning into disposal well WELL PLAT (Office Use Only)

CONTRACTOR are open holing at least 20ft. deeper KCC
ADDRESS or until loss circulation occurs KGS

TOTAL DEPTH 3727 PBD 3726 SWD/REP

SPUD DATE 11-16-1982 DATE COMPLETED 11-25-1982 PLG.

ELEV: GR 2122 DF 2124 KB 2127

DRILLED WITH (CABLE) (ROTARY) (XXX) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE none

Amount of surface pipe set and cemented 250ft. DV Tool Used? yes

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, OWWO. Other

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

Jim Goff, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

W-10-1-6
SIDE TWO

OPERATOR D. & A. Oil

LEASE Desbien

SEC. 3 TWP. 9 RGE. 21

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO. 1

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.	
			NAME	DEPTH
Check if no Drill Stem Tests Run.				
D.S.T.#1 3584-3645	1160	1413	Heebner	3286
30-30-30-30 Rec. 15ft. Drlg mud	1184		Toronto	3310
IFP-31-31 FFP-36-36- SIP-74-63	1201		L.K.C.	3328-3540
D.S.T.2 3621-3683 30-30-45-45	1452		Marmaton	3578
Rec. 192ft. H.O.C.M.	1535		Conglomerate	3662
IFP-74-106 FFP-106-127 SIP-816-774	1562		Arbuckle	3688

TUBING RECORD					
Size	Setting depth	Packer set at			
2 1/2	3690	none	four	greatguns	3663-66 3668-72

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD	
Amount and kind of material used	Depth interval treated
acidize w/500gal. swb 1/2 bbl per hour	3663-66 3668-72
frac w/10,000lb. sand&water swb. 11-14bbl. per hour	
28%oil&72%water I.P.-1 bbl. oil&120 bbl. water T.A.	
Date of first production	Producing method (flowing, pumping, gas lift, etc.)
2-18-1983	pumping
Estimated Production -I.P.	Gravity
Oil one bbls.	
Gas none bbls.	
Water % 120 MCF	
Gas-oil ratio	
Disposition of gas (vented, used on lease or sold)	Perforations

If additional space is needed use Page 2, Side 2

Report of all strings set — surface, intermediate, production, etc. CASING RECORD <u>(New)</u> or <u>(Used)</u>							
Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs./ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4	8 5/8	24	255	Common	140	2%gel 3%cc
Production	7 7/8	5 1/2	14 1/2	3726	60/40pos.	100	10%salt
D.V. Tool				1610	50%com. 50%pos	400	24sacks gel

LINER RECORD			PERFORATION RECORD		
Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

OPERATOR D & A Oil

LEASE - Desbien

SEC: 3 TWP, 9S RGE. 21W

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO. #1

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Check if no Drill Stem Tests Run.				
shale and sand	0'	255'	<i>State Geological Survey</i> WICHITA BRANCH	
shales and sand	225'	925'		
shale and sand	925'	1063'		
sand and shale	1063'	1604'		
anhydrite	1604'	1638'		
anhydrite	1638'	1639'		
shale	1639'	1890'		
shale and shells	1890'	2000'		
shales and shells	2000'	2175'		
lime and shale	2175'	2316'		
lime and shale	2316'	2353'		
lime and shale	2353'	2360'		
lime and shale	2360'	2409'		
lime and shale	2409'	2459'		
lime and shale	2459'	2530'		
lime and shale	2530'	2564'		
lime and shale	2564'	2627'		
lime and shale	2627'	2765'		
lime and shale	2765'	2917'		
lime and shale	2917'	2980'		
lime and shale	2980'	3120'		
lime and shale	3120'	3305'		
lime and shale	3305'	3448'		
lime and shale	3448'	3578'		
lime and shale	3578'	3645'		
lime and shale	3645'	3683'		
shale and lime	3683'	3700'		
shale and lime	3700'	3725'		
		R.T.D.		

If additional space is needed use Page 2, Side 2

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used) ~~XXXX~~

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
surface casing	12 1/4"	8 5/8"	24#	255'	common	140	2%gel 3%cc
production	7 7/8"	5 1/2"	14#	3724.34	60-40 pos 60-40 pos	400 100	10% salt 10% salt

LINER RECORD			PERFORATION RECORD		
Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
TUBING RECORD					
Size	Setting depth	Packer set at			