

State Geological Survey  
KANSAS DRILLERS LOG BRANCH

API No. 15 — 065 — 21115  
County Number

Operator

Don E. Pratt

Address

Box 370, Hays, KS 67601

Well No.

9-29

Lease Name

George Nickelson

Footage Location

feet from (N) (S) line

feet from (E) (W) line

Principal Contractor

Murfin Drilling Co.,

Geologist

Green & Green

Spud Date

4-24-79

Total Depth

4113

P.B.T.D.

Date Completed

5-1-79

Oil Purchaser


None-Dry Hole

S. 29 T. 9 R. 34 E

Loc. C NW NE

County Graham

640 Acres  
N



Locate well correctly

Elev.: Gr. 2527

DF 2529 KB 2532

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
surface csg.,	12 1/2"	8 5/8"	20#	283'	CQS	190sks.	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
RATE OF PRODUCTION PER 24 HOURS		Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio CFPB
Disposition of gas (vented, used on lease or sold)				Producing interval (s)	

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.



# WELL LOG

COMPANY Don Pratt

FARM NICKELSON "A"

NO. 9-29

SEC. 29 T. 9S R. 24W

LOC. C NW SE

RIG. NO. 16

TOTAL DEPTH

4112'

COUNTY

Graham,  
KANSAS

COMM.


4-24-79

COMP.

5-2-79

CONTRACTOR

Murfin Drilling Company



CASING

20

10

15

8 5/8" csg. w/190 sx.

12

6

13

5

ELEVATION

PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

55'	Surface Soil
105'	Sand
155'	Sand & Shale Stringers
190'	Sand
1170'	Shale & Clay
2135'	Sand & Shale
2221'	ANHYDRITE
2795'	Shale
2970'	Shale & Lime
3155'	Shale
3735'	Shale & Lime
3914'	Lime & Shale
3950'	Lime
4110'	Lime & Shale
4112'	Lime

RTD