TYPE

SIDE ONE

DOCKET NO. NP

(Rules 82-3-130 and 82-3-107) This form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ninety (90) days after the completion of a well, regardless of how the well was completed.

FOR INFORMATION REGARDING THE NUMBER OF COPIES TO BE FILED AND APPLICATIONS REQUIRING COPIES OF ACO-1 FORMS SEE PAGE TWO (2), SIDE TWO (2) OF THIS FORM.

Letter requesting confidentiality attached.

Attach ONE COPY of EACH wireline log run (i.e. electrical log, sonic log, gamma ray neutron log etc.)***Check here if NO logs were run

PLEASE FILL IN ALL INFORMATION. IF NOT AVAILABLE, INDICATE. IF INFORMATION LATER BECOMES AVAILABLE, SUBMIT BY LETTER.

| LICENSE # | 5135 | EXPIRATION DATE | Ju | ne 30, 1984 | |
|-----------------------|---|------------------|-----------|----------------|------------------|
| | John O. Farmer, Inc. | | | | 896 |
| | P.O. Box 352 | | | | |
| | Russell, KS 67665 | | FIELD | | |
| ** CONTACT PERS | ON <u>Margaret A.</u> PHONE (913) 483 | Schulte -3144 | PROD. FOR | MATION | new nav |
| PURCHASER | | | LEASE | Paintir | new pay. |
| ADDRESS | | | WELL NO. | #1 | |
| | | | | TION NE N | |
| DRILLING | John O. Farmer, Inc | | | from the nort | |
| CONTRACTOR | | | 000 75 | from the west | Line of |
| | Russell, KS 67665 | | the NW (Q | tr.)SEC 10 TWP | 9S RGE 25W(W). |
| | John O. Farmer, Inc | | | ELL PLAT | (Office |
| CONTRACTOR ADDRESS | P.O. Box 352 | | | \$ - | Use Only) KCC |
| | Russell, KS 67665 | | | | KGS |
| TOTAL DEPTH | 4075' Pi | BTD | | | SWD/REP |
| SPUD DATE 12- | 9-83 DATE COMPLET | ED 12-16-83 | | - NW | PLG |
| ELEV: GR 254 | 7' DF 2550' KB | 2552' | | | NGPA |
| DRILLED WITH (| ARKEN (ROTARY) (AND | TOOLS. | | -+ | - |
| | DISPOSAL OR REPRESSURIE E OF WATER FROM THIS L | | | | ل |

TYPE OF COMPLETION THIS AFFIDAVIT APPLIES TO: (Circle ONE) - 011, Shut-in Gas, Gas,

Amount of surface pipe set and cemented 270' DV Tool Used?

(ry), Disposal, Injection, Temporarily Abandoned. If OWWO, indicate type of recompletion Other completion NGPA filing

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

AFFIDAVIT

John O. Farmer III , being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct

Side TWO

OPERATOR John O. Farmer, Inc.

LEASE NAME

Paintin
WELL NO #1

8EC 10 TWP 9S RGE 25W (W)

ישם דוושי

FILL IN WELL INFORMATION AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and

Show Geological markers logs run, or other Descriptive information.

| -in pressures, and recoveries. | T 70-2 | Bottom | Name | Depth |
|---|--------|--------|-----------|------------|
| mation description, contents, etc. | Тор | BOTTOM | Namo | T Doptin |
| | | | | Sample Top |
| Check if no Drill Stem Tests Run. | 1 | | | |
| Check if samples sent Geological | 1 | | Anhydrite | 2222 (+33 |
| Survey. | | | Heebner | 3802 (-125 |
| Shale & Sand | 0 | 1815 | Toronto | 3822 (-127 |
| Sand | 1815 | 1980 | Lansing | 3834 (-128 |
| Red Bed | 1980 | 2222 | Base/KC | 4070 (-15) |
| Anhydrite | 2222 | 2264 | R.T.D. | 4075 (-15 |
| Shale & Shells | 2264 | 2486 | | |
| Shale | 2486 | 3270 | | |
| Shale & Lime | 3270 | 3525 | | |
| Lime & Shale | 3525 | 3870 | | |
| Lime | 3870 | 4075 | | |
| Lime | | | | |
| DST #1 3980-4005 Tool open 60-60-30-30 with weak blow Rec: 30' mud with spots of oil on t IFP: 34-34 FFP: 45-45 BHP: 59-59 DST #2 4025-75 | | · | | _ |
| Tool open .30-30 with weak blow, 15 m | in. | | | |
| Rec: 10' mud | | | | |
| FP: 29-29 | 1 | | | |
| BHP: 75 | | | i i | ļ |
| | | | | [|
| | | | | |
| | | | i | |
| | | | | |
| | | | | |
| | 1 | , | l . | |
| | 1 1 | | l . | |

| Purpose of string | Size hele drilled | Size casing set (in O.D.) | Weight lbs/ft. | Setting depth | Type coment | Socks | Type and percent additives |
|-------------------|-------------------|------------------------------|----------------|---------------|-------------|-------|----------------------------|
| Surface | 12-1/4" | 8-5/8" | 24# | 270' | Common | 165 | 2% Gel, 3% |
| | | | | | | 1 | |
| | | | | | | | |
| | | | | | | | <u> </u> |

| LINER RECORD | | | PERFORATION RECORD | | | |
|--------------|---------------|---------------|--------------------|-------------|----------------|--|
| Top, ft. | Settem, ft. | Secks cement | Shots per ft. | Size & type | Depth interval | |
| | TUBING RECOR | • | | | | |
| Sise | Setting depth | Packer set at | | | | |
| | 4.01 | | EMENT COLLEGE BECC |)B^ | | |