

**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Castle Resources Inc**

P O Box 87
Schoenchen Ks 67667

ATTN: Jerry Green

26-9s-26w Sheridan

Alvin #1

Start Date: 2005.12.12 @ 07:15:05

End Date: 2005.12.12 @ 13:34:34

Job Ticket #: 22741 DST #: 1

**RECEIVED
JUN 30 2006
KCC WICHITA**

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Castle Resources Inc

Alvin #1

26-9s-26w Sheridan

DST # 1

LKC "H"

2005.12.12



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Castle Resources Inc
P O Box 87
Schoenchen Ks 67667
ATTN: Jerry Green


Alvin #1
26-9s-26w Sheridan
Job Ticket: 22741 **DST#: 1**
Test Start: 2005.12.12 @ 07:15:05

GENERAL INFORMATION:

Formation: LKC "H"
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 09:14:04
Time Test Ended: 13:34:34
Interval: 4003.00 ft (KB) To 4035.00 ft (KB) (TVD)
Total Depth: 4178.00 ft (KB) (TVD)
Hole Diameter: 7.85 inches Hole Condition: Fair
Reference Elevations: 2649.00 ft (KB)
2644.00 ft (CF)
KB to GR/CF: 5.00 ft
Test Type: Conventional Straddle
Tester: Ray Schwager
Unit No: 28

Serial #: 8167 **Inside**
Press@RunDepth: 261.52 psig @ 4014.01 ft (KB) Capacity: 7000.00 psig
Start Date: 2005.12.12 End Date: 2005.12.12 Last Calib.: 2005.12.12
Start Time: 07:15:05 End Time: 13:34:34 Time On Btrt: 2005.12.12 @ 09:10:04
Time Off Btrt: 2005.12.12 @ 11:20:04

TEST COMMENT: FFP-w k to Strg in 2min, ISIP- 4"bl bk
FFP-w k to strg in 2 min, FSIP-2" bl bk
Times 30-30-30-30



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1976.34	111.74	Initial Hydro-static
4	60.24	111.35	Open To Flow (1)
37	181.94	124.05	Shut-In(1)
65	861.19	123.31	End Shut-In(1)
66	188.89	122.92	Open To Flow (2)
95	261.52	124.80	Shut-In(2)
125	779.67	125.67	End Shut-In(2)
130	1945.28	120.40	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
650.00	CO	9.12
125.00	GMD 35%G 45%O 20%M	1.75
0.00	1520'GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Castle Resources Inc

Alvin #1

P O Box 87
Schoenchen Ks 67667

26-9s-26w Sheridan

Job Ticket: 22741 DST#: 1

ATTN: Jerry Green

Test Start: 2005.12.12 @ 07:15:05

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	39 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 51.00 sec/qt	Cushion Volume: bbl		
Water Loss: 9.52 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 3000.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
650.00	CO	9.118
125.00	GMD 35%G 45%O 20%M	1.753
0.00	1520'GIP	0.000

Total Length: 775.00 ft Total Volume: 10.871 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Castle Resources Inc
P O Box 87
Schoenchen Ks 67667

ATTN: Jerry Green


Alvin #1
26-9s-26w Sheridan
Job Ticket: 22741 **DST#: 1**
Test Start: 2005.12.12 @ 07:15:05


Tool Information

Drill Pipe:	Length: 4005.00 ft	Diameter: 3.80 inches	Volume: 56.18 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 60000.00 lb
			<u>Total Volume: 56.18 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	22.00 ft			String Weight: Initial 44000.00 lb
Depth to Top Packer:	4003.00 ft			Final 46000.00 lb
Depth to Bottom Packer:	4035.02 ft			
Interval between Packers:	32.02 ft			
Tool Length:	199.03 ft			
Number of Packers:	3	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3988.00	
Hydraulic tool	5.00			3993.00	
Packer	5.00			3998.00	20.00 Bottom Of Top Packer
Packer	5.00			4003.00	
Stubb	1.00			4004.00	
Perforations	10.00			4014.00	
Recorder	0.01	8167	Inside	4014.01	
Perforations	17.00			4031.01	
Recorder	0.01	13534	Outside	4031.02	
Blank Off Sub	1.00			4032.02	
Blank Spacing	3.00			4035.02	32.02 Tool Interval
Packer	5.00			4040.02	
Perforations	14.00			4054.02	
Recorder	0.01	13547	Below	4054.03	
Blank Spacing	125.00			4179.03	
Bullnose	3.00			4182.03	147.01 Bottom Packers & Anchor
Total Tool Length:	199.03				





DRILL STEM TEST REPORT

Prepared For: **Castle Resources Inc**

P O Box 87
Schoenchen Ks 67667

ATTN: Jerry Green

26-9s-26w Sheridan

Alvin #1

Start Date: 2005.12.12 @ 13:40:59

End Date: 2005.12.12 @ 19:49:58

Job Ticket #: 22742 DST #: 2

Castle Resources Inc

Alvin #1

26-9s-26w Sheridan

DST # 2

LKC "E"

2005.12.12

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Castle Resources Inc

Alvin #1

P O Box 87
Schoenchen Ks 67667

26-9s-26w Sheridan

Job Ticket: 22742 **DST#: 2**

ATTN: Jerry Green

Test Start: 2005.12.12 @ 13:40:59

GENERAL INFORMATION:


Formation: **LKC "E"**
 Deviated: **No Whipstock** ft (KB)
 Time Tool Opened: 14:55:58
 Time Test Ended: 19:49:58
 Interval: **3940.00 ft (KB) To 3974.00 ft (KB) (TVD)**
 Total Depth: **4178.00 ft (KB) (TVD)**
 Hole Diameter: **7.85 inches** Hole Condition: **Fair**
 Test Type: **Conventional Straddle**
 Tester: **Ray Schwager**
 Unit No: **28**
 Reference Elevations: **2649.00 ft (KB)**
 2644.00 ft (CF)
 KB to GR/CF: **5.00 ft**

Serial #: 8167

Inside

Press@RunDepth: **324.62 psig @ 3953.01 ft (KB)** Capacity: **7000.00 psig**
 Start Date: **2005.12.12** End Date: **2005.12.12** Last Calib.: **2005.12.12**
 Start Time: **13:40:59** End Time: **19:49:58** Time On Btrn: **2005.12.12 @ 14:54:58**
 Time Off Btrn: 2005.12.12 @ 17:01:58

TEST COMMENT: **IFP-wk to strg in 4min, ISIP-surface bl bk**
FFP-wk to strg in 7min, FSIP-surface bl bk
Times 30-30-30-30



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1977.03	115.65	Initial Hydro-static
1	45.21	114.81	Open To Flow (1)
32	211.85	120.84	Shut-in(1)
62	984.28	121.22	End Shut-in(1)
62	227.55	120.96	Open To Flow (2)
92	324.62	123.05	Shut-in(2)
123	963.30	122.41	End Shut-in(2)
127	1948.99	122.67	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
135.00	GMMCO 10%G53%O13%W24%M	1.89
496.00	GMMCO 10%G58%O12%W20%M	6.96
124.00	GMMCO 15%G45%O30%W10%M	1.74
0.00	795'GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Castle Resources Inc

Alvin #1

PO Box 87
Schoenchen Ks 67667

26-9s-26w Sheridan

Job Ticket: 22742 DST#: 2

ATTN: Jerry Green

Test Start: 2005.12.12 @ 13:40:59

Tool Information

Drill Pipe:	Length: 3944.00 ft	Diameter: 3.80 inches	Volume: 55.32 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 100000.0 lb
			Total Volume: 55.32 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	24.00 ft			String Weight: Initial 44000.00 lb
Depth to Top Packer:	3940.00 ft			Final 48000.00 lb
Depth to Bottom Packer:	3974.02 ft			
Interval between Packers:	34.02 ft			
Tool Length:	262.03 ft			
Number of Packers:	3	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3925.00	
Hydraulic tool	5.00			3930.00	
Packer	5.00			3935.00	20.00 Bottom Of Top Packer
Packer	5.00			3940.00	
Stubb	1.00			3941.00	
Perforations	12.00			3953.00	
Recorder	0.01	8167	Inside	3953.01	
Perforations	17.00			3970.01	
Recorder	0.01	13534	Outside	3970.02	
Blank Off Sub	1.00			3971.02	
Blank Spacing	3.00			3974.02	34.02 Tool Interval
Packer	5.00			3979.02	
Perforations	14.00			3993.02	
Recorder	0.01	13547	Below	3993.03	
Blank Spacing	186.00			4179.03	
Bullnose	3.00			4182.03	208.01 Bottom Packers & Anchor
Total Tool Length:	262.03				



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Castle Resources Inc

Alvin #1

P O Box 87
Schoenchen Ks 67667

26-9s-26w Sheridan

Job Ticket: 22742

DST#: 2

ATTN: Jerry Green

Test Start: 2005.12.12 @ 13:40:59

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

58000 ppm

Viscosity: 51.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.51 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
135.00	GMMCO 10%G53%O13%W24%M	1.894
496.00	GMMCO 10%G58%O12%W20%M	6.958
124.00	GMMCO 15%G45%O30%W10%M	1.739
0.00	795'GIP	0.000

Total Length: 755.00 ft Total Volume: 10.591 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments: RW 25@36F



12 Mon Dec 2005



DRILL STEM TEST REPORT

Prepared For: **Castle Resources Inc**

P O Box 87
Schoenchen Ks 67667

ATTN: Jerry Green

26-9s-26w Sheridan

Alvin #1

Start Date: 2005.12.12 @ 19:58:19

End Date: 2005.12.13 @ 00:38:18

Job Ticket #: 22743 DST #: 3

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Castle Resources Inc
P O Box 87
Schoenchen Ks 67667
ATTN: Jerry Green

Alvin #1
26-9s-26w Sheridan
Job Ticket: 22743 **DST#: 3**
Test Start: 2005.12.12 @ 19:58:19

GENERAL INFORMATION:


Formation: **LKC "A"**
Deviated: **No Whipstock:** ft (KB)
Time Tool Opened: 21:18:18
Time Test Ended: 00:38:18
Interval: **3884.00 ft (KB) To 3906.00 ft (KB) (TVD)**
Total Depth: **4178.00 ft (KB) (TVD)**
Hole Diameter: **7.85 inches** Hole Condition: **Fair**
Test Type: **Conventional Straddle**
Tester: **Ray Schwager**
Unit No: **28**
Reference Elevations: **2649.00 ft (KB)**
2644.00 ft (CF)
KB to GR/CF: **5.00 ft**

Serial #: 8167

Inside

Press@RunDepth: **43.22 psig @ 3892.01 ft (KB)**
Start Date: **2005.12.12** End Date: **2005.12.13**
Start Time: **19:58:19** End Time: **00:38:18**
Capacity: **7000.00 psig**
Last Calib.: **2005.12.13**
Time On Btm: **2005.12.12 @ 21:13:48**
Time Off Btm: **2005.12.12 @ 22:37:18**

TEST COMMENT: **FP-w k bl thru-out 1/2" to 1 1/4" bl**
Times 45-30-out
no bl on shut-in



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1919.21	116.00	Initial Hydro-static
5	23.75	114.90	Open To Flow (1)
50	43.22	119.99	Shut-In(1)
80	952.31	121.03	End Shut-In(1)
84	1907.10	120.35	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
55.00	SO&GCWM 5% G5% O40% W50% M	0.77

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Castle Resources Inc
P.O. Box 87
Schoenchen Ks 67667

ATTN: Jerry Green

Alvin #1
26-9s-26w Sheridan
Job Ticket: 22743 DST#: 3
Test Start: 2005.12.12 @ 19:58:19

Tool Information

Drill Pipe:	Length: 3879.00 ft	Diameter: 3.80 inches	Volume: 54.41 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 55000.00 lb
			<u>Total Volume: 54.41 bbl</u>	Tool Chased 2.00 ft
Drill Pipe Above KB:	15.00 ft			String Weight: Initial 44000.00 lb
Depth to Top Packer:	3884.00 ft			Final 44000.00 lb
Depth to Bottom Packer:	3906.02 ft			
Interval between Packers:	22.02 ft			
Tool Length:	216.03 ft			
Number of Packers:	3	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3869.00	
Hydraulic tool	5.00			3874.00	
Packer	5.00			3879.00	20.00 Bottom Of Top Packer
Packer	5.00			3884.00	
Stubb	1.00			3885.00	
Perforations	7.00			3892.00	
Recorder	0.01	8167	Inside	3892.01	
Perforations	10.00			3902.01	
Recorder	0.01	13534	Outside	3902.02	
Blank Off Sub	1.00			3903.02	
Blank Spacing	3.00			3906.02	22.02 Tool Interval
Packer	5.00			3911.02	
Perforations	18.00			3929.02	
Recorder	0.01	13547	Below	3929.03	
Blank Spacing	148.00			4077.03	
Bullnose	3.00			4080.03	174.01 Bottom Packers & Anchor
Total Tool Length:	216.03				



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Castle Resources Inc

Alvin #1

P O Box 87
Schoenchen Ks 67667

26-9s-26w Sheridan

Job Ticket: 22743

DST#: 3

ATTN: Jerry Green

Test Start: 2005.12.12 @ 19:58:19

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

56000 ppm

Viscosity: 45.00 sec/qt

Cushion Volume:

bbl

Water Loss: 9.51 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
55.00	SO&GCWM 5%G5%O40%W50%M	0.772

Total Length: 55.00 ft

Total Volume: 0.772 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW .29@32F


Serial #: 8167


Inside

Castle Resources Inc

26-9s-26w Sheridan

DST Test Number: 3





DRILL STEM TEST REPORT

Prepared For: **Castle Resources Inc**

P O Box 87
Schoenchen Ks 67667

ATTN: Jerry Green

26-9s-26w Sheridan

Alvin #1

Start Date: 2005.12.13 @ 00:47:47

End Date: 2005.12.13 @ 07:00:46

Job Ticket #: 22744 DST #: 4

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Castle Resources Inc

Alvin #1

26-9s-26w Sheridan

DST # 4

I,J,K,L

2005.12.13



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Castle Resources Inc
P O Box 87
Schoenchen Ks 67667

ATTN: Jerry Green

Alvin #1
26-9s-26w Sheridan
Job Ticket: 22744 DST#: 4
Test Start: 2005.12.13 @ 00:47:47

GENERAL INFORMATION:

Formation: I,J,K,L
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 02:11:16
Time Test Ended: 07:00:46

Interval: 4036.00 ft (KB) To 4178.00 ft (KB) (TVD)
Total Depth: 4178.00 ft (KB) (TVD)
Hole Diameter: 7.85 inches Hole Condition: Fair

Test Type: Conventional Bottom Hole
Tester: Ray Schwager
Unit No: 28

Reference Elevations: 2649.00 ft (KB)
2644.00 ft (CF)
KB to GR/CF: 5.00 ft


Serial #: 8167

Inside

Press@RunDepth: 37.42 psig @ 4047.01 ft (KB) Capacity: 7000.00 psig
Start Date: 2005.12.13 End Date: 2005.12.13 Last Calib.: 2005.12.13
Start Time: 00:47:47 End Time: 07:00:46 Time On Btm: 2005.12.13 @ 02:07:46
Time Off Btm: 2005.12.13 @ 05:22:46

TEST COMMENT: FFP-w k bl thru-out 1/2" to 1 1/2" bl
FFP-w k bl thru-out 1/4" to 1" bl
Times 45-45-45-45
no bl on shut-in

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1995.45	115.44	Initial Hydro-static
4	28.66	115.89	Open To Flow (1)
49	41.77	118.71	Shut-In(1)
94	685.85	119.82	End Shut-In(1)
95	31.69	119.65	Open To Flow (2)
139	37.42	120.26	Shut-In(2)
184	118.90	120.85	End Shut-In(2)
195	1914.92	121.79	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
30.00	OCM 10%O 90%M	0.42

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Castle Resources Inc
P O Box 87
Schoenchen Ks 67667
ATTN: Jerry Green

Alvin #1
26-9s-26w Sheridan
Job Ticket: 22744 **DST#: 4**
Test Start: 2005.12.13 @ 00:47:47

Tool Information

Drill Pipe:	Length: 4036.00 ft	Diameter: 3.80 inches	Volume: 56.61 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 60000.00 lb
			<u>Total Volume: 56.61 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 44000.00 lb
Depth to Top Packer:	4036.00 ft			Final 44000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	142.02 ft			
Tool Length:	162.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Shut In Tool	5.00			4021.00	
Hydraulic tool	5.00			4026.00	
Packer	5.00			4031.00	20.00 Bottom Of Top Packer
Packer	5.00			4036.00	
Stubb	1.00			4037.00	
Perforations	10.00			4047.00	
Recorder	0.01	8167	inside	4047.01	
Perforations	3.00			4050.01	
Recorder	0.01	13534	Outside	4050.02	
Blank Spacing	125.00			4175.02	
Bullnose	3.00			4178.02	142.02 Bottom Packers & Anchor

Total Tool Length: 162.02



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Castle Resources Inc

Alvin #1

P O Box 87
Schoenchen Ks 67667

26-9s-26w Sheridan

Job Ticket: 22744 **DST#: 4**

ATTN: Jerry Green

Test Start: 2005.12.13 @ 00:47:47

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 45.00 sec/qt	Cushion Volume: bbl		
Water Loss: 9.97 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 3100.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	OCM 10%O 90%M	0.421


Total Length: 30.00 ft Total Volume: 0.421 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

Pressure vs. Time



13 Tue Dec 2005

3AM

6AM

Time (Hours)