

TYPE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

Compt.

SIDE ONE

(Rules 82-3-130 and 82-3-107)

DOCKET NO. NP

This form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ninety (90) days after the completion of a well, regardless of how the well was completed.

FOR INFORMATION REGARDING THE NUMBER OF COPIES TO BE FILED AND APPLICATIONS REQUIRING COPIES OF ACO-1 FORMS SEE PAGE TWO (2), SIDE TWO (2) OF THIS FORM.

F ☐ Letter requesting confidentiality attached.

C ☒ Attach ONE COPY of EACH wireline log run (i.e. electrical log, sonic log, gamma ray neutron log etc.)***Check here if NO logs were run .

PLEASE FILL IN ALL INFORMATION. IF NOT AVAILABLE, INDICATE. IF INFORMATION LATER BECOMES AVAILABLE, SUBMIT BY LETTER.

LICENSE # 6113 EXPIRATION DATE 6-30-84

OPERATOR Landmark Oil Exploration, Inc. API NO. 15-179-20,705

ADDRESS 105 S. Broadway, Suite 1040 COUNTY Sheridan

Wichita, Kansas 67202 FIELD

** CONTACT PERSON Mel Hussey PROD. FORMATION

PHONE 316-265-8181 Indicate if new pay.

PURCHASER LEASE Minium

ADDRESS WELL NO. #1-4

WELL LOCATION 130' E of W/2 NW/4

DRILLING White & Ellis Drilling, Inc. 1320 Ft. from North Line and

CONTRACTOR 790 Ft. from West Line of the NW/4Qtr.) SEC 4 TWP 9-S RGE 26 (W).

ADDRESS 401 E. Douglas, Suite 500

Wichita, Kansas 67202

PLUGGING White & Ellis Drilling, Inc.

CONTRACTOR

ADDRESS 401 E. Douglas, Suite 500

Wichita, Kansas 67202

TOTAL DEPTH 3929' PBTD

SPUD DATE 10-8-83 DATE COMPLETED 10-14-83

ELEV: GR 2542 DF KB 2547

DRILLED WITH ~~XXXXXX~~ (ROTARY) ~~(AIR)~~ TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE .

(Office Use Only)

KCC ☒KGS ☒SWD/REP PLG. NGPA

Amount of surface pipe set and cemented 264' DV Tool Used? NO

TYPE OF COMPLETION THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Shut-in Gas, Gas, Dry, Disposal, Injection, Temporarily Abandoned. If OWWO, indicate type of re-completion . Other completion . NGPA filing .

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

Merlin C. Hussey, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

State Geological Survey
WICHITA BRANCH

Side TWO

 OPERATOR Landmark Oil Exploration LEASE NAME Minium SEC 4 TWP 9-S RGE 26 (W)
 WELL NO 1-4

FILL IN WELL INFORMATION AS REQUIRED;

Show all important zones of porosity and contents thereof;
 cored intervals, and all drill-stem tests, including depth
 interval tested, cushion used, time tool open, flowing and
 shut-in pressures, and recoveries.

Show Geological markers,
 logs run, or other
 Descriptive information.

Formation description, contents, etc.	Top	Bottom	Name	Depth
Check if no Drill Stem Tests Run. Check if samples sent Geological Survey. <u>LOG TOPS</u> Heebner 3640 (-1093) Toronto 3661 (-1114) Lansing 3679 (-1132) Lansing "F" 3748 (-1201) BKC 3894 (-1347) LTD 3929 DST #1 3684'-3744', 30-45-45-60. Recovered 449' muddy water. IFP 46-115#. FFP 150-230#. ISIP 1123#. FSIP 1123#. DST #2 3737'-3763', 30-45-45-60. Recovered 258' total fluid: 10' oil cut watery mud (10% oil), 186' watery mud, 62' oil spotted watery mud. IFP 46-58#. FFP 104-138#. ISIP 838#. FSIP 838#. If additional space is needed use Page 2				

Report of all strings set — surface, intermediate, production, etc.


CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 $\frac{1}{4}$ "	8 5/8"	24#	264'	common	185	2% gel, 3% CaCl

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
TUBING RECORD					
Size	Setting depth	Packer set at			



Inal
4-9-26W

State Geological Survey
WICHITA BRANCH

WHITE

ANDELLIS DRILLING, Inc.

DRILLERS LOG

OPERATOR: Landmark Oil Exploration 105 S. Broadway - Suite 1040 Wichita, Ks. 67202

CONTRACTOR: White & Ellis Drilling, Inc., 401 E. Douglas, Suite 500,
Wichita, Ks. 67202

Lease Name Minium Well No. #1-4

Sec. 2 (4²) T. 9S R. 26W Spot C NW

County Sheridan State Kansas Elevation

Casing Record:

Surface: 8 5/8" @ 264' with 185 sx. 2%gel

Production: @ with sx. 3%cc

Type Well: D & A Total Depth 3935'

Drilling Commenced 10-8-83 Drilling Completed 10-14-83

Formation	From	To	Tops
Cellar	0	7	
Lime, Shale	7	3935	