

11-9-27W

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION OR RECOMPLETION FORM
ACO-1 WELL HISTORY

DESCRIPTION OF WELL AND LEASE

Operator: license # 6041
name Petroventures, Inc.
address 165 So. Union Blvd.
Suite 670
City State Zip Lakewood, CO 80228

Operator Contact Person W. L. Warburton
Phone 303-986-9560

Contractor: license # 3870
name Pfeiffer Well Service

Wellsite Geologist None
Phone

PURCHASER None
Designate Type of Completion

New Well Re-Entry Workover

Oil SWD Temp Abd
Gas Inj Delayed Comp.
Dry Other (Core, Water Supply etc.)

OWWO: old well info as follows:

Operator
Well Name
Comp. Date Old Total Depth

WELL HISTORY

Drilling Method: Mud Rotary Air Rotary Cable

7/20/84 7/21/84 8/1/84
Start Date Date Reached TD Completion Date

2150 2098
Total Depth PBTD

Amount of Surface Pipe Set and Cemented at 352' feet

Multiple Stage Cementing Collar Used? Yes No

If Yes, Show Depth Set feet

Alternate 2 completion, cement circulated
from 2150 feet depth to surface w/ 400 SX cmt

well line log received

API NO. 15 179-20,754

County Sheridan

SE SE NE Sec 11 Twp 9S Rge 27 West

2970 Ft North from Southeast Corner of Section
330 Ft West from Southeast Corner of Section
(Note: locate well in section plat below)


Lease Name Goetz Well# 1 SWD

Field Name George West

Disposal Producing Formation Cedar Hills

Elevation: Ground 2662' KB 2672'

Section Plat



WATER SUPPLY INFORMATION

Source of Water:

Division of Water Resources Permit #

Groundwater Ft North From Southeast Corner and
(Well) Ft. West From Southeast Corner of
Sec Twp Rge East West

Surface Water Ft North From Southeast Corner and
(Stream, Pond etc.) Ft West From Southeast Corner
Sec Twp Rge East West

Other (explain) Breeden irrigation well
(purchased from city, R.W.D.#)

Disposition of Produced Water: Disposal Repressuring

Docket # N/A

INSTRUCTIONS: This form shall be completed in duplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 90 days after completion or recompletion of any well. Rules 82-3-130 and 82-3-107 apply.

Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months.

A copy of all wireline logs and drillers time log shall be attached with this form. Submit CP-4 form with all plugged wells. Submit CP-4 form with temporarily abandoned wells.

STATE CORPORATION COMMISSION RECEIVED

AUG 14 1984 State Geological Survey

Operator Name **P1 Petroventures, Inc.** Lease Name **Goetz** Well# **1** SEC **11** TWP **9** RGE **27** West

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No

Formation Description
 Log Sample

Name	Top	Bottom
Cedar Hills	1900	2060

TUBING RECORD size **2-3/8"** set at **1882** packer at **1882**

Liner Run Yes No

Time of First Production _____ Producing method flowing pumping gas lift Other (explain) _____

Estimated Production Per 24 Hours	Oil	Gas	Water	Gas-Oil Ratio	Gravity
	Bbls	MCF	Bbls	CFPB	

Disposition of gas: vented
 sold
 used on lease

METHOD OF COMPLETION

open hole perforation
 other (specify) _____

Dually Completed.
 Commingled

PRODUCTION INTERVAL
 Disposal

1975-2052

CASING RECORD new used

Report all strings set - conductor, surface, intermediate, production, etc.

Purpose of string	size hole drilled	size casing set (in O.D.)	weight lbs/ft.	setting depth	type of cement	# sacks used	type and percent additives
Surface	12-1/4	8-5/8	23	352 KB	Common	225	2% gel, 3% CaCl ₂
Injection	7-7/8	4-1/2	10.5	2143 KB	Lite Wt.	300	10# Gil, 1/4# Flo
					Common	100	2% CaCl ₂

PERFORATION RECORD

shots per foot _____ specify footage of each interval perforated

Acid, Fracture, Shot, Cement Squeeze Record

(amount and kind of material used)

Depth

2	1975-2005, 2022-2052	None	

