

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO. 2

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Check if no Drill Stem Tests Run.				
Check if samples sent to Geological Survey			Geologist Does This	
SAND & SHALE	-0-	2358		
ANHYDRITE	2358	2393		
LIME & SHALE	2393	4130		
D.S.T. # 1: FROM 3908' TO 3946' ("B" & "C" ZONES IN L-KC)				
TIMES = 30 - 45 - 30 - 45				
RECOVERED 15' MUD WITH A FEW SPECKS OF OIL				
INITIAL FLOW PRESSURE = 42 - 42				
FINAL FLOW PRESSURE = 42 - 42				
INITIAL SHUT IN = 95 #				
FINAL SHUT IN = 63 #				
SAMPLE TOPS:				
HOWARD = 3546 (- 798)				
TOPEKA = 3641 (- 893)				
HEEBNER = 3851 (- 1103)				
LANS.-KC = 3888 (- 1140)				
KC BASE = 4119 (- 1371)				

If additional space is needed use Page 2,

Report of all strings set— surface, intermediote, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Socks	Type and percent additives
SURFACE	12 1/4"	8 5/8"	20 #	304'	50/50 POZ.	200	3% C.C. 2% GEL.

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Socks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Pecker set at