KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

20044	011-22 943-00-00
Operator: License # 30944	API No. 15 - 011-22,943-00-00 County: Bourbon
Name: D & T Oil Company	NW_SW_NW_Sec. 2 Twp. 24 S. R. 21 VE East West
Address: P.O. Box 141 City/State/Zip: Blue Mound, KS 66010-0141	3106 feet from S N (circle one) Line of Section
	F470
Purchaser: Plain's Marketing, L.P.	
Operator Contact Person: Joe Thyer	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 756-2673	(circle one) NE SE (NW) SW Guder WSW-1
Contractor: Name: Marvin Kimzey dba Kimzey Drilling License: 33030 RECEIVED	Lease Name: Guder Well #: WSW-1 Field Name: Davis-Bronson
Wallaita Caalasiat. None	Producing Formation: Mississippi
Designate Type of Completion:	Elevation: Ground: NA Kelly Bushing: NA
New Well Re-Entry Work CC WICHIT	200
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented atFeet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core WSW) Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 90
Operator:	feet depth to Top w/ 120 sx cmt.
•	
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No.	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
7/27/03 8/4/03 8/4/03	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workoven information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	h the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
Signature:	KCC Office Use ONLY
Title: Owner Date: 11/4/03	Letter of Confidentiality Attached
11th Uh 1.	If Denied, Yes Date:
Subscribed and sworn to before me this <u>T</u> day of <u>Junuary UP</u>	Wireline Log Received
20 03	✓ Geologist Report Received
Notary Public, Act O There	UIC Distribution
Date Commission Expires: March 31, 2007	

AP1. 15.011.22948.0000 ORIGINAL

perator Name: D & T Oil Company				Lease Name: Guder					
ec. 2 Twp. 24		East	West Cou	nty: Bourbo	n				
sted, time tool oper mperature, fluid rec	now important tops a n and closed, flowing covery, and flow rate s surveyed. Attach f	g and shut-in pr s if gas to surfa	essures, whether ce test, along wit	shut-in pres	sure reached	static level, hydro	ostatic pressur	es, bottom hole	
Drill Stem Tests Taken			☑ No	Log	j Formati	on (Top), Depth	Sample		
Samples Sent to Geological Survey		☑ No	Name	е		Тор			
ores Taken lectric Log Run (Submit Copy)			☑ No ☑ No RECEIV	/ED					
st All E. Logs Run:			NOV 0 7 2	2003					
and the second s			KCC WICI		 .				
		Report all s	CASING RECOR trings set-conductor	_		ction, etc.			
Purpose of String	Size Hole Drilled	Size Cas Set (In O		Weight bs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives	
Surface	10 1/4"	8 5/8"			20'	Portland	4	Service Co.	
Production	6 3/4"	4 1/2"			906'	Portland	120	Service Co.	
		AD	DITIONAL CEMEN	NTING / SQUI	EEZE RECORI	D			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Ce		acks Used			Percent Additive	S	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
Open Hole	Specify Footage of Each Interval Perforated 906' to 980'				None	MOUNT AND KING OF N	naterial Oseu)	Бериг	
TUBING RECORD	Size 4 1/2"	Set At 906'		er At No	Liner Run	Yes N	0		
Date of First, Resumer	rd Production, SWD or	Enhr. Pro	ducing Method	Flowing	✓ Pump	ing Gas L	_ift	her <i>(Explain)</i>	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas Mcf	Water		Bbls.	Gas-Oil Ratio	Gravity	
Disposition of Gas METHOD OF COMPLETION				Production Interval					

GARNETT SIDING & LUMBER CO.



P.O. BOX 374 410 NORTH MAPLE, NORTH HWY 59 GARNETT, KANSAS 66032 PH: (785) 448-7106 * FAX: (785) 448-7135



SPECIAL: TIME:10:10:29 INSTR: SHIP:07/31/03 30 : INVOICE: 07/31/03 DUE DATE: 08/08/03. NUMBERSEVI ACCTS/P: SALESMAN: ORDERED BY: f:cs658 RECEIVED SOLD: SHEP: (785) 448-6995 TO ROGER KENT TO ROGER KENT NOV 0 7 2003 1203 EAST FOURTH BOX 256 KCC WICHITA GARNETT, KS 66032 CUSTOMER NO. : 10000357 JOB: CUSTOMER P.O.: PUR: SHIP VIA: QTY. UNIT ITEM NUMBER ITEM DESCRIPTION PRICE C EXTENSION 60.00 BAG CPPC PORTLAND CEMENT-94# 5. 79 E 347. 40 10045914 \$526.80 SALES TOTAL **FREIGHT** 0.00 MISC + FRGT 526.80 35.82 TAXABLE TOTAL SALES TAX . 0. 00 NON-TAXABLE TOTAL 562.62 **\$562.62** RECEIVED BY TOTAL CONTREY CLOSING DATE IS LAST DAY OF MODITE. ACC CHARGES DRY ALL CHARGES ARE DUE AND PAYABLE BY TOTH OF THAT TO THE FOLLS ALLY AMOUNT NOT PAID BY THIS DATE IS CONSIDERED FAST DUE ALLO

API. 15.011.22943.0000