Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & Gas Conservation Division

WELL PLUGGING RECORD

K.A.R. 82-3-117

JAN 2 9 2004

RECEIVED

Form CP-4 December 2003

KCC WICHITA pe or Print on this Form

Form must be 2:

Lease Operator: Thoroughbred Associates L.L.C API Number: __15 - 039-20,743 -___ Lease Name: Deines Address: 8100 E. 22nd St. No. Bldg 600, Ste. F Wichita, Ks 67226 Well Number:_ Phone: (316) 685 - **1512** Operator License #: 31514 Spot Location (QQQQ): C - SW - SE Type of Well: OIL (Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) 660 (If SWD or ENHR) Feet from North / V South Section Line The plugging proposal was approved on: $\frac{1-45-04}{9} \cdot \frac{1}{9} \cdot \frac{3}{9} \cdot \frac{3}{9}$ 1980 Feet from 🗸 East / 🗌 West Section Line by: Darrel Dipman _ Twp. 2S (KCC District Agent's Name) _s. _{R.}_28W East West County: Decatur Is ACO-1 filed?

✓ Yes No If not, is well log attached? Yes No Producing Formation(s): List All (If needed attach another sheet) 1-15-04 4-20-1985 Date Well Completed: By Operator Depth to Top: ___ __ Bottom: 1-15-04 See Attachment Depth to Top: Bottom: 1-15-04 Depth to Top: _ Bottom: . T.D. Show depth and thickness of all water, oil and gas formations. Oil, Gas or Water Records Casing Record (Surface Conductor & Production) Formation Content From То Size Put In Pulled Out Surface 0 223 8 5/8 er 223 Prod 4,5 Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. Mix 50 sks cement down backside may pressure 200psi. Shut in 50 psi hook on to tubing at 2000' mix 60 sks cement with 300# Hulls, pull to 1000' mix 25 sks cement with 200# Hulls. Pull tubing hook on to 4 1/2 casing Mix 45 sks cement. Max preasure 1000 psi shut in pressure 1000 psi. Name of Plugging Contractor: Allied Cementing Co., Inc. Address: Post Office Box 31 Russell, Kansas 67665 Name of Party Responsible for Plugging Fees: Thoroughbred Associates LLC Sedgwick State of Kansas Robert C. Patton (Employee of Operator) or (Operator) on above-described well, being first duly sworn on oath, says: That I have knowledge of the facts statements, and natters contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God. KARRI WOLKEN (Signature) STATE OF KARSAS Cl. cay appl. Exp. **SISIO**4 (Address) 8100 E. 22nd St. N. Bldg 600 Ste. F Wichita, Kansas 67226 _{day of} January SUBSCRIBED and SWORN TO before me this 26

Notary Public

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

My Commission Expires

ALLIED CEMENTING CO., INC.

Federal Tax I.D.#

REMIT TO P.O. BOX 31


To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or

SERVICE POINT: **RUSSELL, KANSAS 67665** BAKLEX 15-03 SEC. RANGE CALLED OUT ON LOCATION JOB START JOB FINISH 25 28W 1:15 PM COUNTY, DECATUR 315 Am Deines WELL# LOCATION BEERLEN 15-1N-3ENE-SINT OLD OR NEW (Circle one) RECEIVED POE SERVICING **CONTRACTOR** OWNER SAMS TYPE OF JOB JAN 2 9 2004 **HOLE SIZE** T.D. **CEMENT CASING SIZE** KCC WICHITA **DEPTH** AMOUNT ORDERED TUBING SIZE 25 OSKS 66/40POZ/0166EL DEPTH 500 # Hulk DRILL PIPE USED 1805KS 60/40p0 2 10966EL **DEPTH** TOOL **DEPTH** PRES. MAX COMMON_ 108 5K5 @_8 35 <u>MINIMUM</u> MEAS. LINE SHOE JOINT POZMIX CEMENT LEFT IN CSG. @ <u>/o</u> PERFS. **CHLORIDE** @ DISPLACEMENT **EQUIPMENT** @ @ PUMP TRUCK CEMENTER TERRY # 300 HELPER WAYNE @ **BULK TRUCK** 2505Ks @ MILEAGE <u>OSPPSR SK/</u> # 36/ **DRIVER BULK TRUCK** DRIVER TOTAL 2462 2 **REMARKS: SERVICE** MIX SOSKS CEMENT DOWN BACKSIDE MAY PRESSURE 200 AST. SHUT IN 50AST, DEPTH OF JOB MIX GOST PUMP TRUCK CHARGE 475 CEMENT WITH 300 **EXTRA FOOTAGE** ENG HOOK ON TO 4/2 CASTUL. MEX PLUG_ @ MI @ 45 SKS CEMENT. MAX PRESSURE 1000 POT @ SHUT IN PRESSURE @ 1000 051 NO COMPANY MAN ON LOC. CHARGE TO: ThorougHbred ASSOCIATES LLC. TOTAL _685 STREET_ FLOAT EQUIPMENT CITY_ _ STATE _____ ZIP

@

TOTAL ____



January 28, 2004

RECEIVED JAN 2 9 2004 KCC WICHITA

Kansas Corporation Commission 130 S. Market, Room 2078 Wichita, Kansas 67202

RE: API #15-039-20,743

Deines #1

660' FSL; 1980'FEL

C-SW-SE

Sec. 28-T02-R28W Decatur County, Kansas

Dear Sirs:

Enclosed herewith are the following for the above-captioned well:

(1) One copy of CP-4

(2) One copy of cement plugging

Please hold the information pertaining to this well confidential for one year. If you should need any additional information, please do not hesitate to call.

Sincerely,

THOROUGHBRED ASSOCIATES

Cinda Garcia

8100 E. 22nd St. N. • Bldg. 600, Suite F • Wichita, Kansas 67226 • 316-685-1512 • Fax 316-685-4821