

Operator Name: NORSTAR PETROLEUM, INC. Lease Name: Byrom Well #: 1-34
 Sec. 34 Twp. 20 S. R. 23W East West County: Ness

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)
 List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
Anhydrite	1410	+814
Heebner	3672	-1450
Lansing	3720	-1496
Ft. Scott	4253	-2029
Cherokee sd	4376	-2152
Mississippi	4406	-2182

RECEIVED
JAN 20 2004
KCC WICHITA

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface Pipe	12 1/4	8 5/8	23	282.19	Common	175	2%Gel&3%CC

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record		Depth
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)		

TUBING RECORD		Size	Set At	Packer At	Liner Run
					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____



**NORSTAR
PETROLEUM
INC.**

5 INVERNESS DRIVE EAST
SUITE 120
ENGLEWOOD, CO 80112-5519
OFFICE (303) 925-0696
FAX (303) 925-0699

RECEIVED

JAN 20 2004

KCC WICHITA

January 16, 2004

Kansas Corporation Commission
Oil & Gas Conservation Division
130 S. Market – Room 2078
Wichita, KS 67202

RE: Byrom #1-34
Sec. 34, T20S-R23W
Ness County, KS

Enclosed please find the required documentation for the above referenced well,
specifically:

ACO-1 (original, two copies)
Logs (DIL, CNL/CDL, Sonic)
Geologist Report
Cementing Tickets (Surface Casing and P&A)
Plugging Form CP-4

Please be advised the well was drilled in the wrong location. Attached is a third party survey performed after the fact that shows the location where the well was drilled was mis-staked. I didn't know how to submit the information. Paperwork is submitted to be consistent with the location listed on the Intent (C-1) as 2545' FNL & 1255' FWL because as far as we knew that is where the well was drilled. It wasn't until later that it was found to be located 2362' FNL & 1172' FWL. This is not a "moved location" by operator choice. We are currently working through the situation. Norstar will likely drill another well at the correct location in 2004. Please advise or call if you have any questions.

Sincerely,

Clark D. Parrott, P.E.
Petroleum Engineer

ALLIED CEMENTING CO., INC.

15906

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Ness City

DATE <u>7-27-03</u>	SEC <u>34</u>	TWP. <u>20</u>	RANGE <u>28 W</u>	CALLED OUT <u>3:00 AM</u>	ON LOCATION <u>6:00 AM</u>	JOB START <u>7:30 AM</u>	JOB FINISH <u>10:00 AM</u>
LEASE <u>By room</u>	WELL # <u>1-34</u>	LOCATION <u>Ness City - 12 south -</u>			COUNTY <u>Ness</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)		<u>2 3/4 East - South into</u>					

CONTRACTOR Discovery

TYPE OF JOB Rotary Plug

HOLE SIZE 7" 1/8 TD. 4450

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER NORSTAR Petroleum

CEMENT AMOUNT ORDERED 215 5x 60/40 6% gel + 1/4 lb Fl seal

COMMON	<u>129 1/4</u>	@	<u>7.15</u>	<u>922.35</u>
POZMIX	<u>86 00</u>	@	<u>3.80</u>	<u>326.80</u>
GEL	<u>11 1/4</u>	@	<u>10.00</u>	<u>110.00</u>
CHLORIDE		@		
<u>Fl-Seal 54#</u>		@	<u>1.40</u>	<u>75.60</u>
		@		
		@		
		@		
		@		
HANDLING	<u>228 1/4</u>	@	<u>1.15</u>	<u>262.20</u>
MILEAGE	<u>228 1/4 OS</u>		<u>15</u>	<u>176.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Tack

224 HELPER Jim

BULK TRUCK DRIVER Don

357

BULK TRUCK DRIVER _____

RECEIVED TOTAL 1867.95

JAN 20 2004

KCC WICHITA SERVICE

DEPTH OF JOB	<u>1450'</u>			
PUMP TRUCK CHARGE				<u>520.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>15</u>	@	<u>3.80</u>	<u>57.00</u>
PLUG	<u>1-85/8 DHP</u>	@	<u>23.00</u>	<u>23.00</u>
		@		
		@		

TOTAL 595.00

CHARGE TO: NORSTAR Petroleum

STREET 5 Inverness Drive E. Suite 60

CITY Englewood STATE Colo ZIP 80112

FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Thomas Al


Thomas Al
PRINTED NAME



ROBINSON SERVICES

P.O. Box 2324
Garden City, Kansas 67846
Office/Fax: (620) 276-6159
Cell: (620) 272-1499

ORIGINAL



101003-P
PLAT NO.

4771
INVOICE NO.

Norstar Petroleum, Inc.

Byrom #1-34

OPERATOR

LEASE NAME

Ness County, KS.

34

20s

23w

2545'FNL - 1255'FWL

COUNTY

Sec.

Twp.

Rng.

LOCATION SPOT

RECEIVED

JAN 20 2004

KCC WICHITA

SCALE: 1" = 1000'

DATE: 10/10/03

SURVEYED BY: Burt West

DRAWN BY: Burt West

AUTHORIZED BY: Per Burchardt

GR. ELEVATION: 2220.7

D.F.: _____

TOP OF K.B.: _____



Directions: From the center of Ness City, KS. (at the intersections of Hwy 283 & Hwy 96), Now go 11.3 miles South on Hwy 283 - Now go 2 miles East on gravel road - Now go 1 mile South to the NW corner of Section 34 - Now go 1/4 mile East - Now go 1/2 mile South on poor lease road into aband. Well - Now go 203' SE into staked loc. through plowed wheat stbl.

