RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAR 1 5 2004

Form C-1
December 2002
Form must be Typed
Form must be Signed
blanks must be Filled

NOTICE OF INTENT TO DRILL

•For KCC Use: **Effective Date:** Must be approved by KCC five (5) days prior to commencing WEC WICHITAAII District # SGA? [Spot East AD NE SW Sec 11 Two 30S S. R 40W NE **Expected Spud Date** 08 **X** West 1250' S feet from N / S X Line of Section 5952 1250' W OPERATOR: License # feet from E / W x Line of Section BP AMERICA PRODUCTION COMPANY Name: Is SECTION Regular Irregular? P. O. BOX 3092, WL1, RM 3.201 Address: (Note: Locate well on Section Plat on Reverse Side) HOUSTON, TX City/State/Zip: STANTON SUE SELLERS Contact Person: County: BROWN 'C' (281) 366-2052 Lease Name: Well #: Phone: Field Name: PANOMA CONTRACTOR: License #: Is this a Prorated/Spaced Field? Name: CHEYENNE DRILLING COUNCIL GROVE Target Formation(s): Nearest Lease or unit boundary: 1250' S Well Class: Well Drilled For: Type Equipment: Ground Surface Elevation: _3270 feet MSL Water well within one-quarter mile: no-Oji Enh Rec Infield Mud Rotary Public water supply within one mile: ves Gas Storage Pool Ext. Air Rotary Depth to bottom of fresh water: owwo Disposal Wildcat Cable Depth to bottom of usable water:. Seismic: # of Holes Other Surface Pipe by Alternate: Other Length of Surface Pipe Planned to be set: . If OWWO: old well information as follows: Length of Conductor pipe required:. Operator: <u> 2730 '</u> Projected Total Depth: Well Name: . Formation at Total Depth: COUNCIL GROVE Original Completion Date: _ Original Total Depth Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? | 🗴 | No Well | Farm Pond If ves, true vertical depth: DWR Permit #:_ Bottom Hole Location (Note: Apply for Permit with DWR KCC DKT # Yes X No Will Cores Be Taken?: If yes, proposed zone: **AFFIDAVIT** The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55- 101 et, seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig: The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set 3. through all unconsolidated materials plus a minimum of 20 feet into the underlying formation: 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. <u>me</u>le Title: REGULATORY STAFF ASSIST 03/08/04 Date: Signature of Operator or Agent: Remember to: For KCC Use ONLY File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Conductor pipe required File acreage attribution plat according to field proration orders; Minimum surface pipe required feet per Alt. 1 Notify appropriate district office 48 hours prior to workover or re-entry Approved by: Submit plugging report (CP-4) after plugging is completed; This authorization expires: Obtain written approval before disposing or injecting salt water. (This authorization void if drilling not started within 6 months of effective date.) If permit has expired (See: authorized expiration date) please

Agent

Spud date:

check the box below and return to the address below

Date: _

Well Not Drilled - Permit Expired

Signature of Operator or Agent: _

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-	Location of Well: County:
Operator BP AMERICA PRODUCTION COMPANY	1250 'S feet from N/S X Line of Section
Lease BROWN 'C'	1250 ' W feet from E / W x Line of Section
Well Number	Sec 11 Twp 30S S. R 40W East X Wes
Field PANOMA/COUNCIL GROVE	
Number of Acres attributable to well:640	Is Section Regular or Irregular
QTR/QTR/QTR of acreage: NE - SW - SW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south/north and east/west; and3.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located withina prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR JOHN WINE, COMMISSIONER ROBERT E. KREHBIEL, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.