

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
500 INSURANCE BUILDING  
212 NORTH MARKET  
WICHITA 2, KANSAS

Form CP-1

RECEIVED  
STATE CORPORATION COMMISSION  
NOV 9 1971  
CONSERVATION DIVISION  
Wichita, Kansas  
11-9-1971

WELL PLUGGING APPLICATION FORM  
File One Copy

15-039-20222-00-00

Lease Owner Excalibur Production Co., Inc.  
(Applicant)  
Address Box 231 McPherson, Kansas 67460

Lease (Farm Name) Frank J. Ploussard Well No. # 1

Well Location C-NE-NW-NW Sec. 5 Twp. 1 Rge. 29 W (E) (W)

County Decatur Field Name (If any)

Total Depth 3870 Oil Well Gas Well Input Well SWD Well D & A Dry

Was well log filed with application? Yes If not, explain:

Drillers log attached

Date and hour plugging is desired to begin November 4, 1971 at 1:00 A.M.

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of the person on the lease in charge of well owner Jerry M. Helberg

Address Morland, Kansas 67650  
Halliburton

Plugging Contractor Helberg Oil Co. with use of / License No.

Address Box 32 Morland, Kansas 67650

Invoice covering assessment for plugging this well should be sent to Excalibur Production Co., Inc. Address Box 231 McPherson, Kansas 67460

and payment will be guaranteed by applicant.

Signed: Jerry M. Helberg  
Applicant for Acting Agent

Date: November 3, 1971

# ROGER WELTY

CONSULTING GEOLOGIST

BOX 116

HILL CITY, KANSAS 67642

November 3, 1971

### GEOLOGICAL DATA

Excaltibur Producing Company

Ploussard #1

NE NW NW

Section 5-1S-29W

Decatur County, Kansas

15-039-20222-00-00

### FORMATION DATA

Elevation . . . . .	2672 K.B.
Anhydrite . . . . .	2407 (+265)
"Oread" . . . . .	3571 (-899)
"Lansing" . . . . .	3604 (-932)
Base Kansas City . . . . .	3863 (-1191)
Total Depth . . . . .	3870 (-1198)

### SHOWS OF OIL AND ZONES OF POROSITY

3571-78 (Oread): Limestone, white, chalky-fine crystalline-slightly fossiliferous; spotted dark oil stain, trace of free oil; poor porosity.

DRILL STEM TEST #1 3552-85'  
Open 30 minutes. Weak 30 minute blow.  
Recovered 30' watery mud.  
BHP 1064#/30", FP 34-34#, Temp. 98° F.

3604-37 (Lansing): Limestone, white-tan, dense-chalky; no show of oil; poor porosity.

3669-84: Limestone, white, fine crystalline-slightly fossiliferous; rare trace of spotted light oil stain; poor porosity.

3725-35: Limestone, white, dense-slightly fossiliferous; rare trace of spotted light oil stain; poor porosity.

3759-70: Limestone, tan-white, fine crystalline-chalky; poor porosity.

3798-3811: Limestone, white, fine crystalline-chalky; no show of oil; poor porosity.

3829-44, 3850-63: Limestone, white, chalky-fine crystalline; rare trace of spotted light oil stain and asphaltic residue.

None of the zones in the Lansing warranted testing.

Remarks: This well was 3' lower on the top of the Lansing than the producing well 660' north and 660' west. The zones progressively thickened with penetration of the Lansing, and the lower zones were as much as 6' lower. All zones in this well were lacking porosity which accounted for the very poor shows of oil in samples. Porosity appears to be a more controlling factor than a small amount of structure needed to obtain production in this immediate area.

RECEIVED  
EXCALIBUR CORPORATION  
NOV 9 1971  
CONSULTING DIVISION  
Wichita, Kansas

Residence 913-674-5563

# ROGER WELTY

Office 913-674-2175

CONSULTING GEOLOGIST  
BOX 116  
HILL CITY, KANSAS 67642

Excalibur Producing Company  
Ploussard #1

November 3, 1971

Page 2

There was a reported 4' elevation correction (lower) on the nearby producer. Taking this into account, this well was nearly flat with the producer and the lack of porosity development in the zones was the main contributing factor for this dry hole.

No Electric Log was taken, no further testing was warranted, and it was recommended the well be plugged and abandoned.

Respectfully submitted,



Roger Welty

RECEIVED  
STATE CORPORATION COMMISSION  
NOV 9 1971  
CONSERVATION DIVISION  
Topeka, Kansas

# ROGER WELTY

Residence 913-674-5563

Office 913-674-2175

Excalibur Producing Company  
 Ploussard #1  
 NE NW NW  
 Section 5-1S-29W  
 Decatur County, Kansas  
 Elevation: 2672 K.B.

CONSULTING GEOLOGIST  
 BOX 116  
 HILL CITY, KANSAS 67642  
 November 3, 1971

## DRILLING TIME LOG

DEPTH		Time									
From	To										
3250	60	5	2	2	3	4	3	1	3	3	10
	70	6	2	2	3	4	3	4	5	3	2
	80	2	3	5	6	5	5	5	7	5	4
	90	2	3	3	3	4	3	3	3	3	4
3300	3	2	2	2	2	2	3	5	5	5	
	10	7	5	4	5	6	6	2	3	5	4
	20	4	3	2	3	4	3	2	3	3	3
	30	3	2	2	8	5	2	3	1	2	3
	40	5	4	4	4	3	6	5	4	3	2
	50	3	4	3	4	3	3	5	5	5	4
	60	6	5	5	3	6	4	6	4	6	6
	70	4	2	2	2	3	3	2	2	2	4
	80	4	2	5	6	8	4	4	3	1	1
	90	3	3	5	5	3	3	3	2	3	2
3400	3	3	3	4	5	5	5	5	5	5	6
	10	5	7	6	7	8	8	8	8	4	5
	20	3	4	5	9	6	4	4	4	4	3
	30	4	4	4	4	4	4	4	4	4	6
	40	6	8	6	4	5	9	8	9	7	8
	50	4	6	7	8	6	3	2	2	3	3
	60	1	1	3	3	2	1	1	1	1	1
	70	1	2	3	4	5	5	5	7	3	3
	80	4	3	6	7	2	3	3	5	2	3
	90	3	4	5	6	5	6	7	7	7	7
3500	7	6	7	7	6	7	8	8	5	6	
	10	7	4	5	2	7	5	4	2	5	3
	20	3	1	3	2	4	3	4	3	3	3
	30	2	2	2	2	1	1	1	1	1	1
	40	1	1	3	1	3	2	3	3	5	3
	50	3	3	3	2	2	1	3	3	4	3
	60	3	4	3	3	2	2	3	3	4	4
	70	3	3	3	7	4	3	2	3	3	2
	80	2	5	3	6	5	5	7	6	5	5
	90	4	5	2	4	(2)	1	1	5	3	5
3600	5	4	3	4	3	5	4	5	3	3	
	10	3	3	3	3	4	4	5	4	4	5
	20	5	5	4	4	6	4	5	4	4	4
	30	3	4	3	5	5	5	4	4	3	4
	40	3	4	4	4	3	4	4	3	4	5
	50	2	3	4	2	2	2	4	3	2	2
	60	2	2	3	3	2	3	2	2	2	2
	70	2	3	3	3	4	3	3	3	2	3
	80	4	6	4	4	5	6	7	9	7	8
	90	9	9	10	9	8	9	6	4	5	6
3700	9	10	6	4	4	3	3	2	3	2	

DEPTH		Time									
From	To										
3700	10	3	2	2	3	3	2	3	3	4	4
	20	4	5	4	3	3	4	3	3	3	3
	30	4	4	3	3	3	10	14	8	12	10
	40	10	11	11	12	10	6	7	6	7	4
	50	4	4	4	6	8	3	2	5	4	6
	60	3	3	3	4	4	3	4	4	3	5
	70	7	6	8	7	10	9	10	10	10	10
	80	8	6	5	6	13	10	6	4	2	3
	90	2	3	3	3	3	3	4	2	3	4
3800	5	4	5	4	4	3	4	3	5	6	
	10	11	8	8	6	6	12	9	10	12	8
	20	14	5	6	3	3	3	4	3	4	6
	30	4	4	3	4	4	3	4	3	3	9
	40	11	12	11	12	9	6	8	8	7	7
	50	8	12	10	7	4	3	3	3	5	5
	60	9	16	8	7	14	6	4	6	6	
	70	6	11	8	4	5	2	2	2	3	4

Total Depth 3870

(2) Circulate

RECEIVED  
 STATE CONSERVATION COMMISSION  
 NOV 9 1971  
 CONSERVATION DIVISION  
 Wichita, Kansas

DAILY DRILLING REPORT

DATE Oct 26 1971

COMPANY Escalibar LEASE Plussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
			DERRICKMAN		
			FIREMAN		
			HELPER		
			HELPER		

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN \_\_\_\_\_ NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
	<u>200</u>		DERRICKMAN <u>August Epus</u>	<u>8</u>	
			FIREMAN		
			HELPER <u>Gabe Revenster</u>	<u>8</u>	
			HELPER		

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN \_\_\_\_\_ NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
<u>200</u>	<u>1100</u>	<u>Shale</u>	DERRICKMAN <u>Donald Engleman</u>	<u>8</u>	
			DERRICKMAN <u>Robney Parr</u>	<u>8</u>	
			FIREMAN <u>Kenneth Farr</u>	<u>8</u>	
			HELPER <u>Wadrow W Brooks</u>	<u>8</u>	
			HELPER		

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 8 NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

APPROVED \_\_\_\_\_

DAILY DRILLING REPORT

DATE Oct 27 1971

COMPANY Excalibur LEASE Plussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
			DERRICKMAN		
			FIREMAN		
			HELPER		
			HELPER		

RECEIVED  
STATE DEPARTMENT OF CONSERVATION  
NOV 9 1971  
Wichita, Kansas

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN \_\_\_\_\_ NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
<u>1100</u>	<u>1620</u>	<u>Shale + Sand</u>	DERRICKMAN <u>August Spier</u>	<u>8'</u>	
			FIREMAN		
			HELPER <u>Gabe Levenstien</u>	<u>8'</u>	
			HELPER <u>Frank Brungardt</u>	<u>8'</u>	

Added 25 bags  
May Cages + 12 bags Halls

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 12 NO. ROUND TRIPS \_\_\_\_\_ SET NO. 1 CONE NO. HV 944

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
<u>1620</u>	<u>1858</u>	<u>Shale + Sand</u>	DERRICKMAN <u>Donald Engleman</u>	<u>8'</u>	
			DERRICKMAN <u>Adney Parr</u>	<u>8'</u>	
			FIREMAN <u>Jim with Parr</u>	<u>8'</u>	
			HELPER <u>Woodrow W Brooks</u>	<u>8'</u>	
			HELPER		

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 17 1/4 NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

APPROVED \_\_\_\_\_

DAILY DRILLING REPORT

DATE Oct 28 19 71

COMPANY C. Caliber LEASE Plussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
1858	2070	Shale	DERRICKMAN	George Ruzicka	8'	
			FIREMAN	John G. Warrick	8'	
			HELPER	James Carter	8'	
			HELPER			

HOURS RUN 8 HOURS LOST  CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN Smith 8 NO. ROUND TRIPS \_\_\_\_\_ SET NO. 2 CONE NO. HVH09

NOV 9 1971  
CONSERVATION DIVISION  
Wichita, Kansas

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
2070	2180	Shale + shells	DERRICKMAN	August Spier	8'	
			FIREMAN			
			HELPER	Gabe Levenstein	8'	
			HELPER			

HOURS RUN 5 HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN Smith 13 NO. ROUND TRIPS \_\_\_\_\_ SET NO. 2 CONE NO. HVH09

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
2180	2405	Shale + shells	DERRICKMAN	Ronald Engleman	8'	
2405	2415	Anhyd	FIREMAN	Rodney Farr	8'	
			HELPER	Kenneth Farr	8'	
			HELPER	Woodrow W. Brooks	8'	

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN Smith 20 NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. HVH09

APPROVED \_\_\_\_\_



DAILY DRILLING REPORT

DATE Oct 29 19 71

COMPANY Escalibur LEASE Plussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
2415	2439	Anhydrite	DERRICKMAN	<u>Geo Bugicka</u>	8	✓
2439	2470	Shale	FIREMAN	<u>John J. Parrick</u>		
			HELPER	<u>Ronald J. Ester</u>		
			HELPER			

RECEIVED  
STATE CORPORATION CO.  
NOV 2 1971  
CONSERVATION DIVISION  
Springfield, Kansas

HOURS RUN 1 HOURS LOST 4 CAUSE TIME LOST Trip @ 2439 on bottom hook

JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_

CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_

BITS RUN Smith DGT NO. ROUND TRIPS 1 SET NO. 3 CONE NO. 20028

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
2470	2610	Shale + Lime	DERRICKMAN	<u>August Spier</u>	8	✓
			FIREMAN	<u>Jose Benveniste</u>		
			HELPER			
			HELPER	<u>Water Hauler Martin A. Wagoner Jr.</u>		

Get Pit

HOURS RUN 6 HOURS LOST 2 CAUSE TIME LOST Pump

JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_

CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_

BITS RUN Smith NO. ROUND TRIPS \_\_\_\_\_ SET NO. 3 CONE NO. 20028

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
2610	2830	Shale + Lime	DERRICKMAN	<u>Donald Engleman</u>	8	✓
			DERRICKMAN	<u>Madness Parr</u>	8	✓
			FIREMAN	<u>Wenith Parr</u>	8	✓
			HELPER	<u>Woodrow W Brooks</u>	8	✓
			HELPER			

HOURS RUN 7 HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_

JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_

CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_

BITS RUN 14 NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

APPROVED \_\_\_\_\_



DAILY DRILLING REPORT

DATE Oct 30 1971

COMPANY Cx Calibar LEASE Plussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
2830	2896	Lime	DERRICKMAN	George Ruzick		
			FIREMAN	John Warick		
			HELPER	James Carter		
			HELPER			

HOURS RUN 7 HOURS LOST 1 CAUSE TIME LOST \_\_\_\_\_

JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_

CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_

BITS RUN 21 NO. ROUND TRIPS \_\_\_\_\_ SET NO. 3 CONE NO. 90028

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
2896	2930	Lime	DERRICKMAN	August Spier		
			FIREMAN	Gabe Reppstein		
			HELPER	Ronald Hester		
			HELPER			

HOURS RUN 2 HOURS LOST 6 CAUSE TIME LOST Trip + Pump

JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_

CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_

BITS RUN Smith DGT NO. ROUND TRIPS 1 SET NO. 4 CONE NO. 92405

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
2930	3075	Lime	DERRICKMAN	Donald Englemann	8	
			FIREMAN	Rodney Farr	8	
			HELPER	Hermit Farr	8	
			HELPER	Woodrow W Brooks	8	

HOURS RUN 7 1/2 HOURS LOST 1/2 CAUSE TIME LOST Pump

JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_

CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_

BITS RUN 9 1/2 NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

APPROVED \_\_\_\_\_

DAILY DRILLING REPORT

DATE Oct 31, 1971

COMPANY Excelsior LEASE Ploussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
3075	3163	Shale + Limestone	DERRICKMAN	George Bugicka	9	
			FIREMAN	John Warrick	1	
			HELPER	James Carter	1	
			HELPER			

HOURS RUN 6 HOURS LOST 2 CAUSE TIME LOST 1/2 Trip  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN Smith NO. ROUND TRIPS \_\_\_\_\_ SET NO. 4 CONE NO. 90405

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
3163	3224	Shale + Limestone	DERRICKMAN	August Spies	1	
			FIREMAN	Bob Levenstien	1	
			HELPER	Ronald Dexter	1	
			HELPER			

HOURS RUN 3 HOURS LOST 7 CAUSE TIME LOST 1/2 Trip get + Clean pit  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN \_\_\_\_\_ NO. ROUND TRIPS \_\_\_\_\_ SET NO. 5 CONE NO. 90131

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
3224	3355	Shale + Limestone	DRILLER	Donald Engleman	8	
			DERRICKMAN	Madney Garr	8	
			FIREMAN	Wynith Garr	8	
		10 lb Soda Ash	HELPER	Wesley W Brooks	8	
		10 lb MgO - Col	HELPER			
		Bob Hall				

HOURS RUN 8 HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 11 NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. 90131

APPROVED \_\_\_\_\_

DAILY DRILLING REPORT

DATE Nov 1 1971

COMPANY Excalibur LEASE Ploussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
3355	3465	Lime + Shale	DERRICKMAN	George Ruzicka	8	✓
			FIREMAN	John Warrick		✓
			HELPER	James Carter		✓
			HELPER			

RECEIVED  
STATE COMMISSION  
NOV 8 1971  
CONSERVATION DIVISION  
Tulsa, Okla.

HOURS RUN 8 HOURS LOST ✓ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 19 NO. ROUND TRIPS \_\_\_\_\_ SET NO. 5 CONE NO. JD131

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
3465	3501	Lime + Shale	DERRICKMAN	August Spies	8	✓
			FIREMAN	Gabel Benekstien		✓
			HELPER	Irwan Courange		✓
			HELPER			

HOURS RUN 4 HOURS LOST 4 CAUSE TIME LOST strip + pump  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN Smiths 4 NO. ROUND TRIPS 1/2 SET NO. 5 CONE NO. JD131

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
3501	3585	Lime + shale	DERRICKMAN	Donald Engelman	8	✓
			FIREMAN	Padmy Parr	8	✓
			HELPER	Hennith Parr	8	✓
		2 1/2 hrs Co time C.F.S. 1 hr + DST. #1 5 sk starch	HELPER	Woodrow W Brooks	8	✓

HOURS RUN 4 1/2 HOURS LOST 1 1/2 CAUSE TIME LOST 1/2 trip + DST #1  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN Smiths 4 1/2 NO. ROUND TRIPS \_\_\_\_\_ SET NO. 6 CONE NO. JD654

APPROVED \_\_\_\_\_

DAILY DRILLING REPORT

DATE Nov 2 19 71

COMPANY Cocaliber LEASE Ploussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
		Out of hole for OST #1	DERRICKMAN <u>George Ruzicka</u>		
		Wanted 5 hrs for Haliburton tester	FIREMAN <u>John Wardck</u>		
		Started on hole with tester	HELPER <u>James Carter</u>		
			HELPER		

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST 8 hrs Co time  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN \_\_\_\_\_ NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

TOUR 8 A.M. TO 4 P.M.

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
<u>3585</u>	<u>3607</u>	Finished going in hole with tester	DERRICKMAN <u>August Spies</u>		
		Pulled tester went back on hole with	FIREMAN <u>Gab Levenstein</u>		
		to drill @ 1.00 Pm	HELPER <u>Irvan Courange</u>		
			HELPER		

HOURS RUN 2 HOURS LOST \_\_\_\_\_ CAUSE TIME LOST 6 hrs Co time  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 6 1/2 NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

TOUR 4 P.M. TO 12 P.M.

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
<u>3607</u>	<u>3700</u>	Line & shale	DERRICKMAN <u>Donald Engleman</u>	<u>8 1/2</u>	
			FIREMAN <u>Winnith Farr</u>	<u>8 1/2</u>	
			HELPER <u>Woodrow W Brooks</u>	<u>8 1/2</u>	
			HELPER		

HOURS RUN 6 3/4 HOURS LOST 1 1/4 CAUSE TIME LOST Wash pipes  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 12 3/4 NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. JD 654

APPROVED \_\_\_\_\_

DAILY DRILLING REPORT

DATE Nov 3 1971

COMPANY Escalibur LEASE Bloussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
3700	3785	Line	DERRICKMAN	George Ruzicka	8	✓
			FIREMAN	Rodney FARR	8	✓
			HELPER	John Warrick		✓
			HELPER			

HOURS RUN 8 HOURS LOST ✓ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 20 NO. ROUND TRIPS \_\_\_\_\_ SET NO. 6 CONE NO. 90654

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
3785	3850	Lime + Shale	DERRICKMAN	August Spies	8	✓
			FIREMAN	Gabriel Benchesen	8	✓
			HELPER	Irwan Courange		✓
			HELPER	RECEIVED STATE CORPORATION COMMISSION		

HOURS RUN 8 HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 28 NO. ROUND TRIPS \_\_\_\_\_ SET NO. 6 CONE NO. 90654

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK		HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER			
3850	3870	Lime + Shale T.D.	DERRICKMAN	Ronald Engleman	8	✓
			FIREMAN	Rodney Farr	8	✓
			FIREMAN	Munnith Farr	8	✓
			HELPER	Woodrow W Brooks	8	✓
			HELPER			

HOURS RUN 1 3/4 HOURS LOST \_\_\_\_\_ CAUSE TIME LOST Layed down pipe cemented fast plug  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN 29 3/4 NO. ROUND TRIPS \_\_\_\_\_ SET NO. 6 CONE NO. 90654

APPROVED \_\_\_\_\_

DAILY DRILLING REPORT

DATE Nov. 4, 1971

COMPANY Cy Caliber LEASE Ploussard WELL NO. 1  
DISTRICT \_\_\_\_\_ DIVISION \_\_\_\_\_ RIG NO. 1

TOUR 12 A.M. TO 8 A.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
3850	3870	Lemo & Shale J.S.	DERRICKMAN <u>George Bugicked</u>	8	
			FIREMAN <u>Gene Carter</u>	4	
			HELPER <u>John Warrick</u>	4	
			HELPER		

*Finished laying down drill pipe*

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN \_\_\_\_\_ NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

TOUR 8 A.M. TO 4 P.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
<i>Plugged hole as follows</i>			DERRICKMAN <u>August Spier</u>		
<i>Plug #1 @ 1500' with 100 Sds</i>			FIREMAN <u>Gabe Levenstein</u>		
<i>Plug #2 215 with 25 Sds</i>			HELPER <u>Irwan Couragal</u>		
<i>Plug #3 with Bulg with 10 Sds</i>			HELPER		
<i>Completed @ 300' on</i>					

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN \_\_\_\_\_ NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

TOUR 4 P.M. TO 12 P.M.			MEN AT WORK	HOURS	RATE
From	To	Formation (Indicate Drilling or Coring)	DRILLER		
			DERRICKMAN		
			FIREMAN		
			HELPER		
			HELPER		

RECEIVED  
STATE CORPORATE CONTROL DIVISION  
NOV 9 1971  
CONSERVATION DIVISION  
MICHIGAN, KANSAS

HOURS RUN \_\_\_\_\_ HOURS LOST \_\_\_\_\_ CAUSE TIME LOST \_\_\_\_\_  
JOINTS DRILL PIPE IN HOLE \_\_\_\_\_ FEET KELLY IN HOLE \_\_\_\_\_ WEIGHT OF MUD \_\_\_\_\_  
CASING RECORD: SIZE \_\_\_\_\_ FEET \_\_\_\_\_ FORMATION \_\_\_\_\_ LINER \_\_\_\_\_ CEMENT \_\_\_\_\_  
BITS RUN \_\_\_\_\_ NO. ROUND TRIPS \_\_\_\_\_ SET NO. \_\_\_\_\_ CONE NO. \_\_\_\_\_

APPROVED \_\_\_\_\_

State of Kansas



15-039-20222+00-00

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)

300 Insurance Bldg.

212 N. Market

WICHITA, KANSAS 67202

November 11, 1971

WELL PLUGGING AUTHORITY

Well No.	1
Lease	Frank J. Ploussard
Description	C NE NW NW of 5-1-29W
County	Decatur
Total Depth	3870'
Plugging Contractor	Helberg Oil Co.


Excalibur Production Co., Inc.  
Box 231  
McPherson, Kansas 67460

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

  
J. Lewis Brock, Administrator

Mr. W. L. Nichols, Morland, Kansas 67650  
is hereby assigned to supervise the plugging of the above named well.