### **RECEIVED**

## APR 0 1 2004

Form C-1

# For KCC Use: 4.26-04 Effective Date: District # SGA? Yes No KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION NOTICE OF INTENT TO DRILL

KCC WICHITA Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date April 28 2004	Spot	
month day year	2 224	
OPERATOR: License# 5003	4000	
M-Car Data-law County	feet from VN / S Line of Section  660 feet from E / V W Line of Section	
Name: MCCoy Petroleum Corporation Address: 8080 E Central, Suite 300	Is SECTION ✓ RegularIrregular?	
City/State/Zip: Wichita, Ks 67206		
Contact Person: Scott Hampel	( <i>Note:</i> Locate well on the Section Plat on reverse side)  County: Harper	
Phone: 316-636-2737	Lease Name: Yowell 'A' Well #: 1-2	
5140	Field Name: Spivey Grabs	
CONTRACTOR: License# 5142	Is this a Prorated / Spaced Field? Yes ✓ No	
Name: Sterling Drilling Co.	Target Formation(s): Mississippian	
Well Dailed For: Well Class: Type Equipment:	Nearest Lease or unit boundary: _ 660'	
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: ~1660' feet MSL	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	
Seismic;# of Holes Other	Depth to bottom of fresh water: 150'	
Other	Depth to bottom of usable water:	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Longity of Surface Tipe Flatified to be set.	
Operator:	Length of Conductor Pipe required: None Projected Total Depth: 4425'	
Well Name:Original Total Depth:Original Total Depth:	Formation at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken? Yes ✓ No	
	If Yes, proposed zone:	
AFF	FIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p		
It is agreed that the following minimum requirements will be met:	33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
Notify the appropriate district office <i>prior</i> to spudding of well;		
2. A copy of the approved notice of intent to drill shall be posted on ea	ich drilling rig;	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set		
	er by circulating cement to the top, in all cases surface pipe snall be set	
through all unconsolidated materials plus a minimum of 20 feet into t	the underlying formation.	
<ol> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either pluce</li> </ol>	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging</i> ;  goed or production casing is cemented in:	
<ul> <li>4. If the well is dry hole, an agreement between the operator and the operator.</li> <li>5. The appropriate district office will be notified before well is either plute.</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemen.</li> </ul>	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging</i> ;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.	
<ol> <li>If the well is dry hole, an agreement between the operator and the operator.</li> <li>The appropriate district office will be notified before well is either plute.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemen.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order.</li> </ol>	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133.891-C. which applies to the KCC District 3 area alternate II comenting	
<ol> <li>If the well is dry hole, an agreement between the operator and the operator.</li> <li>The appropriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>If the well is dry hole, an agreement between the operator and the operator.</li> <li>The appropriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>If the well is dry hole, an agreement between the operator and the office of the appropriate district office will be notified before well is either plugible.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> <li>I hereby certify that the statements made herein are true and to the best of the complete.</li> </ol>	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of possible knowledge and belief.	
<ol> <li>If the well is dry hole, an agreement between the operator and the office of the appropriate district office will be notified before well is either plugible.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> <li>I hereby certify that the statements made herein are true and to the best of the complete.</li> </ol>	the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the knowledge and belief.  Title: Engineering/Production Mgr.	
4. If the well is dry hole, an agreement between the operator and the of the appropriate district office will be notified before well is either plut in the control of the appropriate district office will be notified before well is either plut in the complete of the complete of the complete of the complete of the sput date or the well shall in the complete of the statements made herein are true and to the best of the complete	the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the knowledge and belief.  Title: Engineering/Production Mgr.	
4. If the well is dry hole, an agreement between the operator and the operator. The appropriate district office will be notified before well is either plut in the operator of the appropriate district office will be notified before well is either plut in the operator of the shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the operator of the well shall. I hereby certify that the statements made herein are true and to the best of the operator of Agent:    Date: 3/31/04   Signature of Operator or Agent:   Signa	the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the knowledge and belief.  Title: Engineering/Production Mgr.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	
4. If the well is dry hole, an agreement between the operator and the operator. The appropriate district office will be notified before well is either plut 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:    Signature of Operator or Agent:   Signat	the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the knowledge and belief.  Title: Engineering/Production Mgr.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:    Signature of Operator or Agent:   Signature	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the prior to any cementing.  Title: Engineering/Production Mgr.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	
4. If the well is dry hole, an agreement between the operator and the office of the appropriate district office will be notified before well is either plut in the object of the specific of	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the plugged is and belief.  Title: Engineering/Production Mgr.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	
4. If the well is dry hole, an agreement between the operator and the of the appropriate district office will be notified before well is either plue of the appropriate district office will be notified before well is either plue of the life and ALTERNATE II COMPLETION, production pipe shall be deemen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the complete of the production of the production of the life and the complete of the well shall I hereby certify that the statements made herein are true and to the best of the production of the production of the production of the life and the production of the production	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	
4. If the well is dry hole, an agreement between the operator and the of the appropriate district office will be notified before well is either plut in the operator of the appropriate district office will be notified before well is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut in the image of the specific plut in the statement is either plut in the image of the specific plut in the specific	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the prior to any cementing.  Title: Engineering/Production Mgr.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	
4. If the well is dry hole, an agreement between the operator and the of the appropriate district office will be notified before well is either plut 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:    Signature of Operator or Agent:	the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	
4. If the well is dry hole, an agreement between the operator and the of the appropriate district office will be notified before well is either plut in the operator of the appropriate district office will be notified before well is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut is either plut in the image of the specific plut in the image of the specific plut in the statement is either plut in the image of the specific plut in the specific	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the prior to any cementing.  Title: Engineering/Production Mgr.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	

## RECEIVED APR 0 1 2004 KCC WICHITA

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15	Location of Well: County: Harper
Operator: McCoy Petroleum Corporation	
Lease: Yowell 'A'	
Well Number: 1-2	Sec. 2 Twp. 31 S. R. 8 East 🗸 Wes
Field: Spivey Grabs	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SW _ NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR JOHN WINE, COMMISSIONER ROBERT E. KREHBIEL, COMMISSIONER

April 21, 2004

Mr. Scott Hampel McCoy Petroleum Corporation 8080 E. Central Ste 300 Wichita, KS 67206

Re: Drilling Pit Application

Yowell A Lease Well No. 1-2 NW/4 Sec. 02-31S-08W Harper County, Kansas

Dear Mr. Hampel:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-6231 when the fluids have been removed. Also, please file the enclosed CDP-5, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathleen Haynes

**Environmental Protection and Remediation Department** 

cc: Doug Louis