

15-207-19281.00-00

RECEIVED

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION WELL PLUGGING RECORD K.A.R. 82-3-117

MAY 03 2004

KCC WICHITA

Form CP-4 December 2003 Type or Print on this Form Form must be Signed All blanks must be Filled

Lease Operator: GERHARD E. ONNEN
Address: 862 50th Rd. Yates Center Ks 66783
Phone: (620) 625-3396 Operator License #: 9672
Type of Well: O:I Docket #: NA
The plugging proposal was approved on: 3/21/04 (Date)
by: Clayton Tittel (KCC District Agent's Name)
Is ACO-1 filed? Yes No If not, is well log attached? Yes No
Producing Formation(s): List All (If needed attach another sheet)
Depth to Top: Bottom: T.D. 1147

API Number: 15-207-19281-00-00
Lease Name: ONNEN LEASE
Well Number: #5
Spot Location (QQQQ): SE-SW-SE-1/4
165 Feet from North / South Section Line
1760 Feet from East / West Section Line
Sec. 812 Twp. 26 S. R. 14 East West
County: Woodson
Date Well Completed: Approx 1984
Plugging Commenced: 3/22/04 9:00 AM
Plugging Completed: 3/22/04 1:30 PM

Show depth and thickness of all water, oil and gas formations.


Table with columns: Oil, Gas or Water Records (Formation, Content) and Casing Record (Surface Conductor & Production) (From, To, Size, Put In, Pulled Out). Includes entries for Surf and Prod formations.

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

1" pipe was run into the 2 3/8" casing to 1125'. Cement was pumped into the 1" pipe until cement circulated from the 2 3/8" casing at surface. The 1" pipe was removed. Displacement was filled from surface. 34 sacks of cement were pumped into this well.

Name of Plugging Contractor: F + S Oil Co. License #: 4845
Address: 1322 Apache Rd Virgil Ks 66870 KCC District #3
Name of Party Responsible for Plugging Fees: ~~Herbert L Fife~~ Gerhard E Onnen
State of Ks County, woodson, ss. APR 29 2004

(Employee of Operator) or (Operator) on above-described well, being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above described well is as filed, and the same are true and correct, so help me God.



(Signature) Herbert L Fife
(Address) 1322 Apache Rd Virgil Ks 66870

SUBSCRIBED and SWORN TO before me this 28th day of April, 2004
Jamie S Matile My Commission Expires: 11-15-04
Notary Public

3 022548

To: STATE CORPORATION COMMISSION
Wichita State Office Bldg. - PLUGGING SECTION
130 S. Market, Room 2078
Wichita, Kansas 67202

API NUMBER N/A (DRILLED APPROX. 1984)
SE,SW,SE 1/4 Sec/Twp/Rge S. ¹¹~~12~~-T.26S.-R.14E.
165 feet from south section line
1760 feet from east section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 9672
Operator: GERHARD E. ONNEN
Name & 862 50TH. ROAD
Address YATES CENTER, KS. 66783

Lease/Well# ONNEN NO. 5
County WOODSON
Well Total Depth 1147.5' feet
Production Pipe: 2 7/8" Size Feet 1147'
Surface Casing: 7" Size Feet 40'

AB oil well X Gas Well _____ SWD Well/ Input Well _____ D & A _____
Other well as hereinafter indicated: _____

Plugging Contractor: F & S OIL Lic. # 4845

Address: 1322 APACHE ROAD, VIRGIL, KANSAS 66870

Company to plug at: Hour: 9:00A.M. Day: 22 Month: 3 2004

Plugging proposal received from: HERB-EEIF ~~FIFE~~

Company Name: W & W PRODUCTION COMPANY Phone: 620-431-4137

Were: THIS WELL CONSISTED OF 2 7/8" CASING TO 1125' THAT HAD BEEN CEMENTED

IN FROM BOTTOM TO TOP. THE PLUGGING PROPOSAL WAS TO CIRCULATE THE 2 7/8"

CASING FULL OF CEMENT.

Plugging Proposal Received by: CLAYTON P. TITEL

Plugging attended by Agent: All _____ Part X _____
TECHNICIAN
None _____

Operations Completed: Hour: 1:30P.M. Day: 22 Month: 3 2004

Actual Plugging Report: 1" PIPE WAS RAN INTO THE 2 7/8" CASING TO 1125'.

CEMENT WAS PUMPED INTO THE 1" PIPE UNTIL CEMENT CIRCULATED FROM THE

2 7/8" CASING AT SURFACE. THE 1" PIPE WAS REMOVED. DISPLACEMENT WAS FILLED

FROM SURFACE. 34 SACKS OF CEMENT WERE PUMPED INTO THIS WELL.

RECEIVED

KCC District #3

APR 29 2004

Remarks: (I SPOKE WITH MR. ONNEN. HE STATED THIS WAS #5. I FOUND NO API. NO.) Chanute, KS
(If additional description is necessary, use BACK of this form.)

I DID observe this plugging.

Signed: Clayton P. Titel
TECHNICIAN

Plugged 3-04

NUCLEAR WELL LOG

Adams Jetwell Service, Inc.

629 So. Santa Fe

Chanute, Kansas 66720

COMPANY NED O. PRIMMER OIL CO.

% GERHARD E. ONNEN RT. 1 YATES CENTER, KS 66783

WELL ONNEN # 5

FIELD _____

COUNTY WOODSON STATE KS

Location: SE 1/4

Other Services _____

Sec. 12 Twp. 26 S Rge. 14 E

Permanent Datum: _____; Elev. _____

Log measured from G.L. ft. above perm. datum

Drilling measured from _____

Elev.: K.B. _____

D.F. _____

G.L. _____

Date	6-28-84	6-28-84	6-28-84
Run No.	1 N.W.	1 N.W.	1 N.W.
Type Log	GAMMA RAY	PERFORATE	NEUTRON
Depth - Driller			
Depth - Logger	1147'.1		1147'.1
Bottom logged interval	1141'		1146'
Top logged interval	500'		500'
Type fluid in hole	WTR.	WTR.	WTR.
Cemented with			
Plug - Set at			
Level	FULL	FULL	FULL
Max. rec. temp., deg F.			
Type of shots		2 1/8 ALUM. STRIP JETS	
Recorded by	DETTWEILER	DETTWEILER	DETTWEILER
Witnessed by	LOREN	LOREN	LOREN

RUN No.	BORE-HOLE RECORD			CASING RECORD			
	Bit	From	To	Size	Wgt.	From	To
				2 7/8"		0	T.D.

RECEIVED District #3

KCC

APR 29 2004

Chanute, KS