For KCC Use: Effective Date:_ District #_ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date June 24, 2004	Spot
month day year	NW - NW - SW Sec. 22 Twp. 23 S. R. 33 Vest
OPERATOR: License# 32309 5 30 5 30	2275feet from N / ✓ S Line of Section
Name: Presco western, LLC	330feet from E / V W Line of Section
Address: 1775 Sherman St, Suite #2950	Is SECTION ✓ RegularIrregular?
City/State/Zip: Denver, Colorado 80203	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard J Gray	County: Finney
Phone: 303-864-1881 ext: 103	Lease Name: Odegard Well #: 1-1222
(12) all	Field Name: None
CONTRACTOR: License# 5382	Is this a Prorated / Spaced Field?
Name: Cheyenne Drilling	Target Formation(s): St Louis
Well Drilled Form Well Classes Time Family and the	Nearest Lease or unit boundary: 330' West
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2895.2 feet MSL
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWO Disposal V Wildcat Cable	Depth to bottom of fresh water:
Seismic;# of Holes Other	Depth to bottom of usable water: 1080
Other	Surface Pipe by Alternate: ✓ 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1725
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 5100'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
7	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other N/A KANSAS CORPORATION COMMISSION COMMI
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔠)
VOC DVT #.	
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes proposed zone:
X Prorated & Spaced	If Yes, proposed zone: WICHITA, KS
X Prorated & Spaced Hugoton's Panoma AFFI	If Yes, proposed zone: WICHITA, KS DAVIT
X Prorated & Spaced Hugoton's Panoms AFFI The understand hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone: WICHITA, KS DAVIT
X Prorated & Spaced Hugoton & Panoma AFFI The understand hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: WICHITA, KS DAVIT
The understand hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: WICHITA, KS DAVIT ugging of this well will comply with K.S.A. 55 et. seq.
X Prorated & Spaced Hugoton & Panoma AFFI The understand hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: WICHITA, KS DAVIT ugging of this well will comply with K.S.A. 55 et. seq.
The undersoned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If Yes, proposed zone: WICHITA, KS DAVIT ugging of this well will comply with K.S.A. 55 et. seq.
The undersoned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the definition of the minimum of the description of the minimum of the minimum of the description of the minimum of the description of the minimum of the description of the minimum of the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging;
The understand hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface propriate district office will be notified before well is either plug	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The understoned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface of the surface pipe shall be cemented if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The understoned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface of the surface pipe shall be cemented if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The understoned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface of the surface pipe shall be cemented if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTHE district office prior to any cementing.
The understoned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the best of the statements made herein are true and to the best of the statements of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the statements are true and to the statements made herein are true and to the statements are true and to the statement	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTHER district office prior to any cementing.
The understoned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTHE district office prior to any cementing.
The understoned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second strict of the well is dry hole, an agreement between the operator and the description of the second strict office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the post of the spud strict of the best of the spud strict of the statements made herein are true and to the best of the spud strict of the statements made herein are true and to the best of the spud strict of the statements made herein are true and to the best of the spud strict of the statements made herein are true and to the best of the spud strict of the statements made herein are true and to the best of the spud strict of the statements made herein are true and to the best of the spud strict	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTHE district office prior to any cementing. Title: President
The understoned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the best of the surface of the statements made herein are true and to the best of the surface o	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTHE district office prior to any cementing. Title: President Remember to
The understoned hereby affirms that the drilling, completion and eventual plear to speed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search and the description of the search and the description o	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTHE district office prior to any cementing. Title: President
The understoned hereby affirms that the drilling, completion and eventual plear to be understoned hereby affirms that the drilling, completion and eventual plear is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second to the second that it is dry hole, an agreement between the operator and the description of the second that is either plug in the second to	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTHY district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill;
The understoned hereby affirms that the drilling, completion and eventual plear to be understoned hereby affirms that the drilling, completion and eventual plear it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTHY district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The understoned hereby affirms that the drilling, completion and eventual plear to be understoned hereby affirms that the drilling, completion and eventual plear to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface of the surface o	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTHY district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The understoned hereby affirms that the drilling, completion and eventual plear to be understoned hereby affirms that the drilling, completion and eventual plear it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTH district office prior to any cementing. Title: President Remember to File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The understoned hereby affirms that the drilling, completion and eventual plear to be understoned hereby affirms that the drilling, completion and eventual plear to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface of the surface o	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTH district office prior to any cementing. Title: President Remember to File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The understoned hereby affirms that the drilling, completion and eventual plear to support the appropriate district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through all unconsolidated materials plus a minimum of 20 feet into the setting through a proposed within the setting through a minimum of 20 feet per Alt 10 through a posterior and the desired materials plus a minimum of 20 feet per Alt 10 through a posterior and the desired materials plus a minimum of 20 feet per Alt 10 through a posterior and through a posterior and the desired materials plus a minimum of 20 feet per Alt 10 through a posterior and through a p	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing one plugged. In all cases, NOTHAL district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The understoned hereby affirms that the drilling, completion and eventual pleasure of the appropriate district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the description of the surface pipe as surface casing order with the statements. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the province of the spud date or the well shall to the spud date or the well shall to the spud date or the spud date or the well shall to the spud date or the spud date or the spud date or the spud date or t	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTHER district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The understoned hereby affirms that the drilling, completion and eventual plear to support the appropriate district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTHER district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Finney
Operator: Presco western, LLC	•
Lease: Odegard	
Well Number: 1-1222	Sec. 22 Twp. 23 S. R. 33 ☐ East ✓ Wes
Field: None	
Number of Acres attributable to well: 80	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: NW - NW - SW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
JOHN WINE, COMMISSIONER
ROBERT E. KREHBIEL, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.