

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

Lease Operator: Messenger Petroleum Inc.
Address: 525 S. Main, Kingman, KS 67068
Phone: (620) 532-5400 Operator License #: 4706
Type of Well: Oil Docket #: _____
(Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) (If SWD or ENHR)
The plugging proposal was approved on: _____ (Date)
by: _____ (KCC District Agent's Name)
Is ACO-1 filed? Yes No If not, is well log attached? Yes No
Producing Formation(s): List All (If needed attach another sheet)

Depth to Top: _____ Bottom: _____ T.D. _____

Depth to Top: _____ Bottom: _____ T.D. _____

Depth to Top: _____ Bottom: _____ T.D. _____

API Number: 15-09520623-0000
Lease Name: Whitmer
Well Number: C-1
Spot Location (QQQQ): _____ - C - NE - SW
1980 Feet from North / South Section Line
3300 Feet from East / West Section Line
Sec. 6 Twp. 30 S. R. 8 East West
County: Kingman
Date Well Completed: _____
Plugging Commenced: 6-4-04
Plugging Completed: 6-8-04

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface Conductor & Production)				
Formation	Content	From	To	Size	Put In	Pulled Out
				8 5/8	231	
				4 1/2	4261	3200

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Checked hole sand at 4098', bailed 4 sacks of portland, ripped 3350', worked pipe, no gain, ripped 3200', worked pipe free, pulled to 1300', pumped 35 sacks, pulled to 850', pumped 35 sacks, pulled to 280', pumped 80 sacks cement, circulated to surface.

RECEIVED

JUN 28 2004

KCC WICHITA

Name of Plugging Contractor: Quality Well Service, Inc. License #: 31925
Address: 401 West Main, Lyons, KS 67554

Name of Party Responsible for Plugging Fees: Messenger Petroleum Inc.

State of Kansas County, Kingman, ss.

Jon F. Messenger (Employee of Operator) or (Operator) on above-described well, being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

(Signature) Jon F. Messenger

(Address) 525 S. Main Kingman, KS 67068

SUBSCRIBED and SWORN TO before me this 28th day of June, 2004

John M. Wood
Notary Public

JOHN M. WOOD
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. _____

Commission Expires: 9/9/2000

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Jon

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING APPLICATION
Please TYPE Form and File ONE Copy

Form CP-1
September 2003
This Form must be Typed
Form must be Signed
All blanks must be Filled

API # 15 - 095-21809 ^{20 & 23} (Identifier Number of this well). This must be listed for wells drilled since 1967; if no API # was issued,

indicate original spud or completion date _____
Well Operator: MESSENGER PETROLEUM INC KCC License #: 4706
(Owner / Company Name) (Operator's)
Address: 525 S MAIN City: KINGMAN
State: KS Zip Code: 67068 Contact Phone: (620) 532 - 5400
Lease: WHITMER Well #: C-1 Sec. 6 Twp. 30 S. R. 8 East West
 - C - NE - SW Spot Location / QQQQ County: KINGMAN

1980 Feet (in exact footage) From North / South (from nearest outside section corner) Line of Section (Not Lease Line)
3300 Feet (in exact footage) From East / West (from nearest outside section corner) Line of Section (Not Lease Line)

Check One: Oil Well Gas Well D&A Cathodic Water Supply Well
 SWD Docket # _____ ENHR Docket # _____ Other: _____

Conductor Casing Size: _____ Set at: _____ Cemented with: _____ Sacks
Surface Casing Size: 8 5/8 Set at: 231 Cemented with: 200 Sacks
Production Casing Size: 4 1/2 Set at: 4261 Cemented with: 125 Sacks
List (ALL) Perforations and Bridgeplug Sets: 4167-82 4578 + 4580 Reg. 3200'

Elevation: _____ (G.L. / K.B.) T.D.: 4261 PBTD: 4225 Anhydrite Depth: _____
(Stone Corral Formation)

Condition of Well: Good Poor Casing Leak Junk in Hole

Proposed Method of Plugging (attach a separate page if additional space is needed): AS KCC REQUIERS

RECEIVED
JUN 28 2004
KCC WICHITA

Is Well Log attached to this application as required? Yes No Is ACO-1 filed? Yes No
If not explain why? NOT AVAILABLE TO US

Plugging of this Well will be done in accordance with K.S.A. 55-101 et. seq. and the Rules and Regulations of the State Corporation Commission.

List Name of Company Representative authorized to be in charge of plugging operations: MESSENGER PETROLEUM
Phone: (620) 532 - 5400
Address: 525 S MAIN City / State: KINGMAN KS 67068
Plugging Contractor: QUALITY WELL SERVICE KCC License #: 31925
(Company Name) (Contractor's)
Address: 401 W MAIN LYONS KS 67554 Phone: (620) 727 - 3410

Proposed Date and Hour of Plugging (if known?): ASAP

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent
Date: 5/15/04 Authorized Operator / Agent: [Signature]
(Signature)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

35 1300 35 800 280 cor
HE 15 C.S. 22

Quality Well Service, Inc.

Invoice

**401 West Main
Lyons, KS 67554**

Date	Invoice #
6/16/2004	554

Bill To
Messenger Petroleum, Inc. 525 South Main Kingman, KS 67068

P.O. No.	Terms	Lease Name
	net	Whitmer C-1

Description	Qty	Rate	Amount
Rig Time	18.5	135.00	2,497.50T
Trucking Floor	1	90.00	90.00T
Sand	1	35.00	35.00T
Cement	4	9.00	36.00T
Ripping Pipe	2	140.00	280.00T
Water Truck	3.5	60.00	210.00T
Backhoe	2	62.00	124.00T
Phone Calls		7.50	7.50T
Clerical		10.00	10.00T
Wipping Rubber		15.00	15.00T
6-4-04 Drove to well, rigged up, drove in.			
6-7-04 Blead gas off, sanded bottom, loaded hole, dug cellar out, tore head down, set floor, pulled slips, checked hole sand at 4098', bailed 4 sacks of portland, ripped 3350', worked pipe, no gain, ripped 3200', worked free, pulled to 1300'.			
6-8-04 Pumped 35 sacks, pulled to 850', pumped 35 sacks, pulled to 280', pumped 80 sacks cement, circulated to surface, layed rest of pipe down, tore down, loaded out, filled in.			
Subtotal			\$3,305.00
Sales Tax (6.3%)			\$208.22
Total			\$3,513.22

**RECEIVED
JUN 28 2004
KCC WICHITA**