RECEIVED DEC 16 2003 KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Dperator: License #32756	API No. 15 - 099-23376-00-00
Vame: Double 7 Oil & Gas	County: Labette
Address: 21003 Wallace Rd.	se nw nw sec. 31 Twp.31 s. R. 21 X East West
City/State/Zip: Parsons Ks. 67357	790 feet from S (N) (circle one) Line of Section
Purchaser:	
Operator Contact Person: Bruce Schulz	Footages Calculated from Nearest Outside Section Corner:
Phone: 620, 316-423-0951	(circle one) NE SE WW SW
Contractor: Name: Company Tools	Lease Name: Manners Well #: 1
icense:	Field Name:
Nellsite Geologist:	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	
	Total Depth: 550 Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at 201 Feet
GasENHRSIGW	Multiple Stage Cementing Collar Used? ☐Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFee
f Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from O
Operator:	feet depth to 550 w/ 33 sx cmt.
Well Name:	Drilling Fluid Management Plan
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used Empty & Fill
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
$\frac{10-22-03}{\text{Opud Date or}} \frac{10-25-03}{\text{Date Reached TD}} \frac{11-22-03}{\text{Completion Date or}}$	Quarter Sec TwpS. R East Wes
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita,
	ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply.
	12 months if requested in writing and submitted with the form (see rule 82-3- is and geologist well report shall be attached with this form. ALL CEMENTING
TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	
All requirements of the statutes, rules and regulations promulgated to regu herein are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statement
Signature: Brull Schuf	KCC Office Use ONLY
Tille: Owner Date: 12-10-03	Letter of Confidentiality Attached
-th-	If Denied, Yes Date:
Subscribed and sworn to before me this A padayor Officenle	Wireline Log Received
Notary Public - State of Kansas My Appt, Expire Feb. 2, 2004	
Notary Public: Dragueth. Tatteren	Geologist Report Received ———————————————————————————————————
Date Commission Expires: 2/2/2004	OTO DISCIDULION

	ing and shut-in pressure tes if gas to surface test in final geological well sit Yes No Yes No Yes No Yes No	IG RECOR	n shut-in pr th final cha	essure reached rt(s). Attach ex	I static level, hydros ttra sheet if more sp tion (Top), Depth an	pace is need nd Datum Top	res, bottom ed. Attach Sa Da	hole copy of al	
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run: Purpose of String Size Hole Drill Well Drill Well Forgstring Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORAT	CASIN Report all strings see Size Casing Set (in O.D.)	et-conductor	Nam Nam Nam Nam Nam Nam Nam Nam	ew Used ermediate, produ	ction, etc.	Top	Type and Addi	atum	
Purpose of String Size Hole Drill Well Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot Size Hole Drilled Size Hol	CASIN Report all strings se Size Casing Set (in O.D.)	et-conductor	D I N	ew Used ermediate, produ	Type of	# Sacjs	Type and Addi	d Percent	
Purpose of String Surface Drill Well Longstring Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot Size Hole Drilled Size Hole Drilled Size Hole Drilled Size Hole Drilled Spurpose: Depth Top Bottom	Report all strings se Size Casing Set (In O.D.)	et-conductor	, surface, int	ermediate, produ	Type of	# Sacjs	Type and		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Depth Top Bottom PerFORAT	Report all strings se Size Casing Set (In O.D.)	et-conductor	, surface, int	ermediate, produ	Type of	# Sacjs	Type and		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Depth Top Bottom Perforate Protect Casing Plug Back TD Plug Off Zone PERFORAT	Report all strings se Size Casing Set (In O.D.)	et-conductor	, surface, int	ermediate, produ	Type of		Add		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Depth Top Bottom Perforate Protect Casing Plug Back TD Plug Off Zone PERFORAT	Size Casing Set (in O.D.)	v	Veight	Setting	Type of		Add		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone PERFORAT							4 7 3 1 1	1.	
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot Depth Top Bottom Pepth Top Bottom	2"	1			Portland	5 ,	No		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot Depth Top Bottom Pepth Top Bottom	<i>A</i>		<u>ٿ</u>	550	//	33	NO		
Perforate Top Bottom Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORAT	ADDITION	AL CEMEN	TING / SQ	UEEZE RECOR			<u> </u>		
Plug Back TD Plug Off Zone Shots Per Foot PERFORA	Perforate Top Bottom		cks Used	Type and Percent Additives					
		ı						, , ,	
	TION RECORD - Bridge P y Footage of Each Interval F		pe	Acid, Fra	acture, Shot, Cement S Amount and Kind of Mate	Squeeze Recor erial Used)	rd	Depth	
		The state of the s	leer ar déside media companya garpen agra-						
, star will be a second of the			ş .			. *	·Si willi	* [1117	
587 (F)								* ************************************	
FUBING RECORD Size	Set At 5 40	Packe		Liner Run	Yes No				
Date of First, Resumerd Production, SWD or			Flowing	g Pump	ing Gas Lift	Othe	er (Explain)	**************************************	
Estimated Production Oil Per 24 Hours	Bbls. Gas	Mcf	Wate			s-Oil Ratio		Gravity	
Disposition of Gas METHOD OF	COMPLETION	10	l	Production inte	rval	,		' 1 ₁ ;	
Vented Sold Used on Lease (If vented, Sumit ACO-18.)	☐ Other (Spe		ort, D	Dually Comp.	Commingled				

ORIGINAL



Flyer Feed & Tire
P. O. Box 216
501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



							
				DATE	-14-6	3	
Doub	1/e_		7—			V Negarilla de consecuence de la consecuencia de la	
S							
CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RET'D.	PAID OUT		
	D	ESCRIPTI	ON .		PRICE	AMOU	VT
1	the	rel				24/9/	52
	and the second s						
			22010000	RECEIVE	D		-
							_
		and the Section of th	<u> </u>		UU4		_
	······································	-	CONS	ERVATION DI	VISION		
				### ### ### ### ### ### ### ##########			
and the second s		and the second					-
			The state of the s				
	***************************************			M. House Control of the Control of t			L
				·			_
		- duration of the Control of the Con		K.E.T.			
			•	Sales Tax		181	超
				TOTAL		2673	忌
	Doug s	SCASH C.O.D.	CASH C.O.D. CHARGE	CASH C.O.D. CHARGE ON ACCT. DESCRIPTION KANSAS CO CONS	CASH C.O.D. CHARGE ON ACCT. MDSE. RET'D. DESCRIPTION RECEIVE KANSAS CORPORATION DEC 3 1 2 CONSERVATION DI WICHITA, KS K.E.T. Sales Tax	CASH C.O.D. CHARGE ON ACCT. MDSE. RET'D. DESCRIPTION PRICE RECEIVED KANSAS CORPORATION COMMISSION DEC 3 1 2004 CONSERVATION DIVISION WIGHTA, KS K.E.T. Sales Tax	CASH C.O.D. CHARGE ON ACCT. MDSE. RET'D. DESCRIPTION PRICE AMOUT ANNABAS CORPORATION COMMISSION DEC 3 1 2004 CONSERVATION DIVISION WICHITA, KS K.E.T. Sales Tax 181