RECEIVED

Date Commission Expires:

DEC 1 6 2003 KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM

Form ACO.1 September 1999 Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

•	ORIGINA
Operator: License #32756	API No. 15 - 099-23274-00-00
Name: Double 7 Oil & Gas	
Address: 21003 Wallace Rd.	_ S1/2-NE NE sec.5 Twp. 33 s. R. 21
City/State/Zip: Parsons Ks. 67357	990feet from S N (circle one) Line of Section
Purchaser:	670 feet from E) W (circle one) Line of Section
Operator Contact Person: Bruce Schulz	The state of the s
Phone: (620) 316=423-0951	(circle one) NE SE NWAJB SW 30-04
Contractor: Name: Company tools	Lease Name: Miner MINOR Well #:_]
License:	Field Name:
Wellsite Geologist:	
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 340 Plug Back Total Depth:
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 0
Operator:	
Well Name:	Heater to an act
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan Alle Ur 6:28:04
DeepeningRe-perfConv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug BackPlug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used Empty & Fill
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
	Jooks No.
INSTRUCTIONS: An original and two copies of this form shall be filed w	rith the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita,
Kansas 67202, within 120 days of the spud date, recompletion, work	over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. of 12 months if requested in writing and submitted with the form (see rule 82-3-
107 for confidentiality in excess of 12 months). One copy of all wireline to	gs and geologist well report shall be attached with this form. ALL CEMENTING
TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged we	Ils. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to reg	ulate the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	State the off and gas industry have been fully complied with and the statements
Signatura, Bound	
Signature: Drud Many	KCC Office Use ONLY
Title: Owner Date: 12-10-03	Letter of Confidentiality Attached
Subscribed and sworn to before the this 75. day of Sweemle	If Denled, Yes Date:
Notery Public - State of Kansas My Appt. Expires Feb 2, 2004	Wireline Log Received
A	Geologist Report Received
Notary Public: Majaur 4. Tattum	UIC Distribution

Operator Name: DBu Sec. 2 Twp. 3	ble 7 Oil <u>3</u> s. R. <u>21</u>	— & Gas ☑ East [West	Lease County	Name:_ ∕:	hette		- Well #:/			
NSTRUCTIONS: Sho ested time tool open emperature high rich Electric Wireline Logs s	nd dosed, flowing wrg, to flow rate	and shut-in if gas to sur	pressures, face test, :	, whether st along with f	out-in pre	ssure reached	static level hydro-	static process	ree bottom boto		
Drill Stem Tests Taken Yes			₽ No		Lc	g Format	ion (Top), Depth ar	on (Top), Depth and Datum		☐ Sample	
Samples Sent to Geolo Cores Taken Electric Log Run (Submit Copy)	gical Survey	☐ Yes ☐ Yes ☐ Yes	Mo No		Name			Тор	Datum	Te 288	
ist All E. Logs Run:		;			•	•			•		
, ,									; ' ;		
Tariffy .	•	Danastali		RECORD	Nev				* * * * * * * * * * * * * * * * * * *	• ; ;	
Purpose of String	Size Hole Drilled	Size C: Set (in	asing	Weig Lbs.	ght	mediate, produc Setting Depth	Type of Cement	# Sacjs Used	Type and Perce	ent .	
Surface Drill Well	580°//"	20'	64''				Portland	5 :	No	1	
Long String	55	330'	2"		•	230	И	23	NO	· w	
	1	A	DDITIONAL	L CEMENTIN	1G / SQU	EEZE RECORI			<u> Living tu</u>	. 8,	
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of C		#Sacks				rcent Additive:			
Shots Per Foot	PERFORATION Specify F	ERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
Dy St. 142											
Constant (Constant Constant Co					4,					1	
FUBING RECORD	Size	Set At 330		Packer Al		Liner Run	Yes No				
Date of First, Resumerd P	roduction, SWD or E		oducing Met	hod	Flowing	Pumpl		Па::	- 14 %		
Estimated Production Per 24 Hours	Oil E	Bbls.	Gas	Mcf /	Water			s-Oil Ratio	er (Explain) ~ Gravity	,	
Disposition of Gas	METHOD OF Co		Open Hole	Perf.		Production inter	val Commingled		entra en la companya de la companya	pogga Siliker	

ORIGINAL



Flyer Feed & Tire
P. O. Box 216
501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



			(020)	003-3400				
CUSTON	MER'S NO.				DATE /	0-14-	07	
NAME	Dour	S/-e_		7				-
ADDRES						Manager Stranger Stra	***************************************	***************************************
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RET'D.	PAID OUT		***************************************
QUAN.	(2		ESCRIPTIO	ON		PRICE	AMO	UNT
4.50		£10-1	el				24/9/	150
			KAN	REC ISAS CORPOR	EIVED	510.000		
					7 2004	ł		
				CONSERVATI				+
								+
		Table 2011					And the same of th	H
							7.0	H
								+
					K.E.T.			$ \cdot $
				Sal	es Tax		181	50
				т	OTAL			
							2/13	339