


Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

Decatur County, Sec. 28 Twp. 2 Rge. (E) 28 (W)

Location as "NE/CNW/SW" or footage from lines SW SW NW  
Lease Owner Stickelman & Betts  
Lease Name Euhus Euhus Euhus Well No. 1  
Office Address Oherlin, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Dry  
Date well completed 1-28 19 57  
Application for plugging filed 1-28 19 57  
Application for plugging approved 1-28 19 57  
Plugging commenced 1-28 19 57  
Plugging completed 1-28 19 57  
Reason for abandonment of well or producing formation Dry



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production \_\_\_\_\_ 19 \_\_\_\_  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Eldon Petty  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3720 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				85/8	160	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

1. Filled hole with-heavy mud
2. Pushed plug to 155
3. Dumped 1/2 sack hulls on top of plug
4. Mixed 20 sacks cement and dumped on top of hulls
5. Filled hole to top
6. Pushed plug to 40
7. Dumped in 1/2 sack hulls
8. Mixed 10 sacks cement and filled hole to top with same.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Jones, Shelburne & Farmer, Inc.  
Address Russell, Kansas

STATE OF Kansas, COUNTY OF Russell, ss.  
JOHN O. FARMER (employee of owner) (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) John O. Farmer  
Russell, Kansas  
(Address)

SUBSCRIBED AND SWORN to before me this 31st day of January, 19 57

My commission expires 10/11/1958

RECEIVED  
Lucille Kennedy  
Notary Public.  
FEB - 5 1957  
CONSERVATION DIVISION  
Wichita, Kansas  
2-5-57


PLUGGING  
FILE SEC 28 T. 2 R. 28W  
BOOK PAGE 127 LINE 37

OPERATOR Stickelman & BettsCONTRACTOR: Jones, Shelburne & Farmer, Inc.-Russell, Kansas

## FORMATION RECORD

ADDRESS Oberlin, Kansas

Give detailed description and thickness of all formations drilled through, contents of sand, whether dry, water, oil or gas.

640 Acres  
N

Locate well correctly

COUNTY Decatur SEC. 26 TWP. 15S RGE. 18WCOMPANY OPERATING Stickelman & BettsOFFICE ADDRESS Oberlin, KansasFARM NAME Euhus WELL NO. 1DRILLING STARTED 1-18 1957 DRILLING FINISHED 1-28 1957

DATE OF FIRST PRODUCTION \_\_\_\_\_ COMPLETED \_\_\_\_\_

WELL LOCATED SW 1/4 SW 1/4 NW 1/4 North of South

Line and \_\_\_\_\_ ft. East of West Line of Quarter Section

Elevation (Relative to sea level) DERRICK FLOOR \_\_\_\_\_ GROUND \_\_\_\_\_

CHARACTER OF WELL (Oil, gas or dryhole) Dry

## OIL OR GAS SANDS OR ZONES

Name	From	To	Name	From	To
1			4		
2			5		
3			6		

## Perforating Record If Any

## Shot Record

Formation	From	To	No. of Shots	Formation	From	To	Size of Shot

## CASING RECORD

Amount Set						Amount Pulled		Packer Record			
Size	Wt.	Thds.	Make	Ft.	In.	Ft.	In.	Size	Length	Depth Set	Make
8-5/8				160							

Liner Record: Amount \_\_\_\_\_ Kind \_\_\_\_\_ Top \_\_\_\_\_ Bottom \_\_\_\_\_

## CEMENTING AND MUDDING

Size	Amount Set		Sacks Cement	Chemical		Method of Cementing	Amount	Mudding Method	Results (See Note)
	Ft.	In.		Gal.	Make				
8-5/8	160		135						

Note: What method was used to protect sands if outer strings were pulled? \_\_\_\_\_

NOTE: Were bottom hole plugs used? \_\_\_\_\_ If so, state kind, depth set and results obtained \_\_\_\_\_

## TOOLS USED

Rotary Tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_

\_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_

Type Rig \_\_\_\_\_


## INITIAL PRODUCTION TEST

Describe initial test: whether by flow through tubing or casing or by pumping \_\_\_\_\_

Amount of Oil Production \_\_\_\_\_ bbls. Size of choke, if any \_\_\_\_\_ Length of test \_\_\_\_\_ Water

Production \_\_\_\_\_ bbls. Gravity of oil \_\_\_\_\_ Type of Pump if pump is used, describe \_\_\_\_\_

Formation	Top	Bottom	Formation	Top	Bottom
Clay & sand	0	68			
Blue shale	68	160			
Shale	160	260			
Shale & sand	260	1350			
Shale & sand,	1350	1690			
Shale & shells	1690	1935			
Anhydrite	1935	1969			
Shale & shells	1969	2219			
Anhydrite	2219	2251			
Shale & shells	2251	2625			
Shale & lime	2625	2705			
Lime & shale	2705	3020			
Shale & lime	3020	3090			
Lime & shale	3090	3200			
Shale & lime	3200	3390			
Lime & shale	3390	3470			
Shale & lime	3470	3720			
T.D.		3720			
D & A					



I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

*John D. Farmer* Vice-Pres.  
Name and title of representative of company

Subscribed and sworn to before me this 31st day of January 1957My Commission expires 10-11-58

*Lucille Finney*  
Notary Public.

WELL NO. 1 COUNTY Decatur TWP. 28S RGE. 28W FARM NAME EUHUS

15-039-19026-00-00

15-039-19026-00-00

WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY  
508 East Murdock, Wichita, Kansas

COPY


Company: STICKLEMAN & BETTS  
Family: ~~Epings~~ EILERS  
No. 1

SEC. 28 T. 2 R. 28W  
SW SW NW

Total Depth. 3722'  
Comm. 1-18-57 Comp. 1-28-57

County Decatur KANSAS

Shot or Treated.  
Contractor. Jones, Shelburne & Farmer  
Issued. 2-16-57



CASING:  
8 5/8" @ 160' w/135 sx cem.

Elevation. 2527' RB

Production. Dry

Figures indicate Bottom of Formations.

clay & sand	68
blue shale	160
shale	260
shale & sand	1690
shale & shells	1935
Anhydrite	1969
shale & shells	2219
Anhydrite	2251
shale & shells	2625
shale & lime	3722
Total Depth	

TOPS SCOUT	
Topeka	3306
Heebner	3469
Lansing	3514
Base/Kansas City	3710

RECEIVED  
STATE CORPORATION COMMISSION

FEB 22 1966

EXAMINATION DIVISION  
Wichita, Kansas

2-22-66