

15-039-00075-00-00

WELL NO: HILLS

LOCATION: SE 3E NW 33-23-29W
Decatur Co, Kansas

WELL NAME: SCOTT
WELL NO: 301, 1

Casing Record: 238 Ft. of 8 5/8"
casing cemented with 240 sacks cement

CONTRACTOR: SAUVAGE AND DUMM DRILLING CO. INC.

ROTARY COMMENCED: 1-29-54

ROTARY COMPLETED: 2-9-54

LOG NUMBER: 2747 RKT

Figures denote bottom of formations

ollar	5
Shale and Shells	160
Sand 210	210
Shale and Shells	238
Shale and Shells	930
Shale and Shells	1650
Shale and Shells and Sand	1955
Shale and Shells	2105
Shale and Shells	2475
Shale and Shells	2775
Shale and Shells	2870
Shale and Shells	3265
Shale and Shells	3265
Shale and Shells and Lime	3405
Shale and Lime	3530
Shale and Lime	3734
Shale and Lime	3920
Shale and Lime	4095
Shale and Lime	4188
Shale and Lime	4240
Shale and Lime and Arbuckle	4268
Rotary Total Depth	4268

CERTIFICATE

STATE OF KANSAS)
) SS
DECATUR COUNTY)

I hereby certify that the foregoing is, to the best of my knowledge and belief a full, true and correct drilling log as shown by the daily drilling reports in connections with the aforesaid well.

James R. Pitt
For Sauvage and Dumm Drill. Co.
Inc.

Subscribed to and sworn to before me, the undersigned, a Notary Public this day of February 14, 1954.

Opal Shwartz
Notary Public

My Commission expires May 17, 1955.

PLUGGING
FILE NO. 33-2-296
BOOK PAGE 13 LINE 16

2-12-54



15-039-00075-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

February 12, 1954

Well No. 1
Lease Scott
Description SE SE NW 33-2-29W
County Decatur
File No. 13-16

W. O. Hills
Hankato *50 Sawage - Deann Mfg. Co.*
Kansas *Merlin*

Dear Sir:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: *J. P. Roberts*
J. P. ROBERTS

cc: District Plugging Supervisor