For KCC Use:	7 27 -11
Effective Date:	1-27.04
District #	
SGA? Ves	No

## Kansas Corporation Commission Oil & Gas Conservation Division

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
September 1999
Form must be Typed
Form must be Signed

07 0/ 01	
Expected Spud Date 07-26-04	AP GO'E ot'
month day year	SE Sec. 3 Twp. 23 S. R. 17 East West
OPERATOR: License# 30420	990   Sec
Name: V.J.I. Natural Resources Inc.	feet from (circle one) Line of Section
Address: 30-38 48th St.	is SECTION X Regular Irregular?
City/State/Zip: Astoria, New York 11103	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jason Dinges RECEIVED Phone: 785-625-8360	County: Pawnee
	Lease Name: Chicago Ranch Well #: 1
CONTRACTOR: License# 33323 JUL 2 1 2004	Field Name: Garfield
Name: Petromark KCC WICHIT	raiget Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 600
X Oil Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 2100est feet MSL
X Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Cable	Public water supply well within one mile:  Depth to bottom of fresh water:  Yes X No
Seismic;# of Holes [_] Other	Depth to bottom of usable water: 600 380
	Surface Pipe by Alternate: X 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 800
Operator:	Length of Conductor Pipe required:none
Well Name:	Projected Total Depth: 4350
Original Completion Date:Original Total Depth:	Formation at Total Depth: Viola
Directional, Deviated or Horizontal wellbore? Yes★ No	Wall X Form Part
If Yes, true vertical depth:	Well         X         Farm Pond         Other           DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR X)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
A Fire	
AFFI	
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to soudding of well-	ugging of this well will comply with K.S.A. 55-101, et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be proceed as a second as	ugging of this well will comply with K.S.A. 55-101, et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be posted.	agging of this well will comply with K.S.A. 55-101, et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the constant and the drilling the set of the surface of the set of the s	or drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well in either the percentage.	or drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  Strict office on plug length and placement is necessary prior to plugging:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be computed.	or drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  Strict office on plug length and placement is necessary prior to plugging:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eac  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing.	agging of this well will comply with K.S.A. 55-101, et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  d from below any usable water to surface within 120 days of spud
The undersigned hereby affirms that the drilling, completion and eventual pleated that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing.	agging of this well will comply with K.S.A. 55-101, et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  d from below any usable water to surface within 120 days of spud
The undersigned hereby affirms that the drilling, completion and eventual pleated that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing.	agging of this well will comply with K.S.A. 55-101, et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  d from below any usable water to surface within 120 days of spud
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eac.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing.	agging of this well will comply with K.S.A. 55-101, et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  d from below any usable water to surface within 120 days of spud
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior and the district office prior and the district office will be notified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing. Thereby certify that the statements made herein are true and to the best of the poats.  Signature of Operator or Agent:  Signature of Operator or Agent:	agging of this well will comply with K.S.A. 55-101, et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  d from below any usable water to surface within 120 days of spud
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior and the district office prior and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing.  The properties that the statements made herein are true and to the best of the place of the prior of the place of	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 days of spud my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDR 1) with let to the principle.
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as precified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe is deferred before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of Date:  2 19-64  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 145 - 21500-00	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; diffrom below any usable water to surface within 120 days of spud my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; diffrom below any usable water to surface within 120 days of spud my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field progration orders:
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior and the district office prior and the district office will be notified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing. Thereby certify that the statements made herein are true and to the best of the posterior of the production pipe required Signature of Operator or Agent:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 145 - 21500 OC  Conductor pipe required 400 feet per Alt 15 - 400 occurrence of the pipe required 400 feet per Alt 15 occurrence of the production and eventual plants are true and to the best of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400 feet per Alt 15 occurrence of the pipe required 400	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  Intrict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of Date:    Oate: 19-64	rigging of this well will comply with K.S.A. 55-101, et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; defrom below any usable water to surface within 120 days of spud my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved to surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing.  Thereby certify that the statements made herein are true and to the best of the prior of the prior of the prior of the prior to approve and to the best of the prior of the pr	rigging of this well will comply with K.S.A. 55-101, et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; defrom below any usable water to surface within 120 days of spud my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed:
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of Date:    Oate: 19-64	rigging of this well will comply with K.S.A. 55-101, et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  In driving formation.  In driving formation.  In driving formation casing is cemented in; deform below any usable water to surface within 120 days of spud may knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed:

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Pawnee
Operator: V.J.I. Natural Resources Inc.	feet from 🚭 / N (circle one) Line of Section
Lease: Chicago Ranch	feet from $\textcircled{3}$ / W (circle one) Line of Section Sec. 3 Twp. 23 S. R. 17 East X West
Well Number:	Sec. 3 Twp 23 _S. R 17 East 🖫 West
Field: Garfield	
Number of Acres attributable to well:	Is Section X Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used:NENWSESW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			· <del>- · · · · · · · · · · · · · · · · · ·</del>	· · · · · · · · · · · · · · · · · · ·				· -
		•					· ·	RECEIVED
					· · · ·			JUL 2 1 2004
			·		•	· · · ·	·	KCC WICHITA
	· :				· ,	 		े. के च (क)
		•	: : :	3		• • • • • • • • • • • • • • • • • • • •		EXAMPLE
• .• •		· · · · · · · · · · · · · · · · · · ·						1980
	• • • • • • • • • • • • • • • • • • • •							(60
	• • • • •	· · · · · · · · · · · · · · · · · · ·	·				. 6	
IOTE: I	n all case	es locate t	the spot of	f the prov	nosed dr	Illing loo	940	SEWARD CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

July 21, 2004

Mr. Jason Dinges V.J.I. Natural Resources, Inc. 30-38 48<sup>th</sup> St. Astoria, New York 11103

RE: Drilling Pit Application Chicago Ranch Lease Well No. 1 SE/4 Sec. 03-23S-17W Pawnee County, Kansas

Dear Mr. Dinges:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Also please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: S Durrant