Effective Date: District #_ SGA? Yes No

OUT OF TATION OF TANION OF OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

CORRECT September 1999 orm must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

month day year Spot AP 70 s of	
	East
OPERATOR Sec. Twp. S R	$26 \boxed{\mathbf{x}}_{11}$
Dreiling Ail I	a) line of C
Address: Box 550 RECEIVED Is SECTION X RegularIrregular?	ne) Line of Section
City/State/Zip: Hays, KS 67601	
Contact Person: Terry Piesker AUG 1 3 2004 (Note: Locate well on the Section Plat on reverse Sheridan	side)
Phone: 765 625-8327	
CONTRACTOR: License# 30076 KCC WICHITA Field Name: Wildcat We	#: <u>1</u>
Name: A & A Production Inc. Is this a Prorated / Spaced Field?	
Target Formation(s): Lansing/KC & Arbuck1	Yes X No
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary: 330'	е
x Oil Enh Rec Infield x Mud Rotary Ground Surface Elevation: 2595 est.	
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile:	feet MSL
OWO Disposal X Wildcat Cable Public water supply well within one mile:	X Yes No
Seismic;# of Holes Other Depth to bottom of fresh water:	Yes X No
Other Depth to bottom of usable water: 1300'	
If OWWO: old well information as follows: Surface Pipe by Alternate: 1 X 2	,
Operator: Congress of Surface Pipe Planned to be set: 200 C	50 MIN
Well Name: Length of Conductor Pipe required: None	
Original Completion Date: Original Total Depth: Projected Total Depth: 4350 Formation at Total Depth: Arbuckle	
Water Source for Deliting	
Bottom Hole Location: DWR Permit #: May Use Water We !! (Note: Apply for Permit with DWR 図)	
Will Cores be taken?	Yes X No
WILL Cores be taken? WILL Cores be taken? WAS: 610 FNL, WIZNWNE IS: 400 FNL, WNNWN NE If Yes, proposed zone: WAS: FARM POND WATER SOURCE IS: WATER WELL (POSSIBLY) FOR WATER SOURCE	les kilvo
AFFIDAVIT OPERATER SOURCE	
	corr. fer
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.	
	8-27.04
1. Notify the appropriate district affice the second secon	8.27.04
Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to dill shall be approved.	
3. The minimum amount of surface nine as specified below shall. 3. The minimum amount of surface nine as specified below shall.	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface.	
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe st through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is peocessive view. 	nall be set
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior The appropriate district office will be notified before well is either plugged or production casing is cemented in: 	nall be set
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe st through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior The appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing 	nall be set
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe st through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior The appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing 	nall be set
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe st through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior The appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief.	nall be set
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe st through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior The appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief.	nall be set to plugging; f spud
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe st through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior. The appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Title: Explor. & Demonstrate in the statement of the prior	nall be set to plugging; f spud
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe st through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Title: Explor. & Deformance of the prior to the statements of the prior to the plant of the prior to the prio	nall be set to plugging; f spud
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe st through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Title: Explor. & Deformed to the control of th	to plugging; f spud evelop. Mgr.
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe st through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days or date. In all cases, NOTIFY district office prior to any cementing. The appropriate district office prior to any cemented from below any usable water to surface within 120 days or date. In all cases, NOTIFY district office prior to any cementing. Title: Explor. & Description of the best of my knowledge and belief. Title: Explor. & Description of the prior	to plugging; f spud evelop. Mgr.
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be cemented in the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior in the appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Title: Explor. & Deformance of the Deformance of the prior of the prio	to plugging; f spud evelop. Mgr.
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days or date. In all cases, NOTIFY district office prior to any cementing. Therefore, and the statements made herein are true and to the best of my knowledge and belief. Septiment of Operator or Agent Approved by: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud do feet per Alt. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to worker.	to plugging; f spud evelop. Mgr.
3. They minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be cemented from ping formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior of the appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Title: Explor. & Defendence of the prior to any cementary. API # 15 - 179 - 21118-00-00 Conductor pipe required None feet Minimum surface pipe required 1850 feet per Alt. 2 Approved by: Approved	to plugging; f spud evelop. Mgr. ate; orders; ver or
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to district office and placement is necessary prior to district office and placement is necessary prior and the district office on plug length and placement is necessary prior and p	to plugging; f spud evelop. Mgr. ate; orders; ver or
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be not through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing. Approved by: Approved by: This authorization expires: 2-13-05 This authorization void if drilling not started within 6 months of effective date.) Title: Explor. & Description of the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the underlying formation. The appropriate district office and placement is necessary prior of production casing is cemented in; description of production casing is cemented in; description of production casing is cemented from below any usable water to surface within 120 days of surface and belief. Title: Explor. & Description of production casing is cemented from below any usable water to surface within 120 days of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration of the production of the produ	to plugging; f spud evelop. Mgr. ate; orders; ver or
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to district office and placement is necessary prior to district office and placement is necessary prior and the district office on plug length and placement is necessary prior and p	to plugging; f spud evelop. Mgr. ate; orders; ver or
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. ate: 8-11-04 Signature of Operator or Agerk. Johny W. Debkor Title: Explor. & Deby Deby Deby Deby Deby Deby Deby Deby	to plugging; f spud evelop. Mgr. ate; orders; ver or
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; date. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Title: Explor. & Description of the Description of the provided provided in the provided provided provided in the provided pro	to plugging; f spud evelop. Mgr. ate; orders; ver or

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOWCORRECTED

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 179 - 21118 - 0 0- 06	Location of Well: County:
Operator:	
Lease:	The of Section
Well Number:	feet from E / W (circle one) Line of Section
Field:	Sec Twp S: R East West
Number of Acres attributable to well:	Is SectionRegular orIrregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used:NENWSESW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

																			•								
,								•			•	4	00	ე′.	- '	10	, , 				<u>.</u>	<u>.3</u>	10	, /		>	
									•	•		•	•	•		•	•		•			•	•			•	
	•	•	•	•	•	•	•		٠		· .						•		٠								
											· ·										•						
				•							•										•			•			
		-		·				· 			•			9	٠.			•			•		-	•			
				•														•			•						
	•	•	•		٠	٠		٠	•	•		•	٠	·	•	•	•		•	•			٠		•		•
							· .				•																

AUG 13 2004 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).