

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA 2, KANSAS

Form CP-1

WELL PLUGGING APPLICATION FORM
File One Copy

Confirming Report

RECEIVED
STATE CORPORATION COMMISSION

MAY 20 1963

5-20-63

15-023-30030-00-00

Lease Owner Pan American Petroleum Corporation
(Applicant)
Address Box 507 - Ulysses, Kansas

Lease (Farm Name) Harold Carmichael Well No. 1

Well Location SE SE/4 Sec. 14 Twp. 2S Rge. 40 (E) W (W) W

County Cheyenne Field Name (If any) _____

Total Depth 5170 Oil Well Gas Well Input Well SWD Well D & A x

Was well log filed with application? yes If not, explain: _____

Date and hour plugging is desired to begin * Well plugged 4-30-63

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of the person on the lease in charge of well owner R. L. Davis

Address Ulysses, Kansas

Plugging Contractor Sierra Petroleum, Inc. License No. _____

Address 208 Petroleum Building, Wichita, Kansas

Invoice covering assessment for plugging this well should be sent to D. M. Liles

Box 507 Address Ulysses, Kansas

and payment will be guaranteed by applicant.

Pan American Petroleum Corporation
Signed: BY: [Signature] Area Supt.
Applicant ~~XXXXXXXXXXXXXXXXXXXX~~

* Per authority of Mr. Eldon Petty,
Hays, Kansas

Date: May 13, 1963

15-023-30030-00-00

PAN AMERICAN PETROLEUM CORPORATION

WELL RECORD

SUPPLEMENTAL (ENTER "X" WHEN APPLICABLE)

Grid for locating well correctly

LOCATE WELL CORRECTLY

LEASE Harold Carmichael WELL NO. 1

LOCATION OF WELL: 660 FT. NORTH SOUTH OF THE 660 FT. SOUTH LINE AND

EAST WEST OF THE EAST WEST LINE OF THE SE SE

OF SECTION 14 TOWNSHIP 2 NORTH SOUTH RANGE 40 EAST WEST

Cheyenne Kansas COUNTY STATE

ELEVATION: KB 3397 DF 3394 GL 3389

COMPLETED AS: OIL WELL GAS WELL WATER WELL DRY HOLE

DRILLING COMMENCED 4-12 1963 COMPLETED 4-29 1963

OPERATING COMPANY Pan American Petroleum Corporation ADDRESS Box 507 - Ulysses, Kansas

OIL OR GAS SANDS OR ZONES

Table with columns: NAME, #, tops, NAME, #, tops. Rows: 1 Topeka 4126, 2 Lansing 4331, 3 Des Moines 4657, 4 Cherokee 4805, 5 Morrow 5058, 6 Mississippian 5118

WATER SANDS

Table with columns: NAME, FROM, TO, WATER LEVEL. Rows 1, 2, 3, 4

CASING RECORD (OVERALL MEASUREMENT)

LINER-SCREEN RECORD

Table with columns: CSG. SIZE, WEIGHT, DESCRIPTION, MAKE - GRADE, QUANTITY FEET, SIZE, QUANTITY FEET, SET AT TOP/BOTTOM, MAKE AND TYPE

PACKER RECORD

Table with columns: SIZE, LENGTH, SET AT, MAKE AND TYPE

CEMENTING RECORD

MUDDING RECORD

Table with columns: SIZE, WHERE SET FEET, CEMENT SACKS, BRAND, TYPE, METHOD, FINAL PRESS, METHOD, RESULTS

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED?

WERE BOTTOM HOLE PLUGS USED?

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED

ROTARY TOOLS WERE USED FROM 0 FEET TO 5170 FEET, AND FROM FEET TO FEET

CABLE TOOLS WERE USED FROM not used FEET TO FEET, AND FROM FEET TO FEET

24-HOUR PRODUCTION OR POTENTIAL TEST Dry Hole

WATER BBLs.

IF GAS WELL, CUBIC FEET PER 24 HOURS Dry Hole SHUT-IN PRESSURE LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 13 DAY OF May 1963 Area Superintendent

MY COMMISSION EXPIRES 12-3-64

R. W. Banks NOTARY PUBLIC

FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Sand-clay	0	70			
Sand-gravel	70	100			
Blue shale	100	350			
Shale	350	1740			
Shale-shells	1740	2680			
Shale-sand	2680	2860			
Shale-pyrite-sand	2860	2990			
Lime	2990	3035			
Shale-Anhyd.	3035	3230			
Shale-red bed	3230	3350			
Shale-lime	3350	3505			
Lime	3505	3547			
Lime w/shale streaks	3547	3660			
Lime	3660	3713			
Shale-lime	3713	3896			
Lime	3896	3908			
Lime-shale	3908	3996			
Lime	3996	4300			
Shale-shells	4300	4335			
Lime	4335	4465			
Lime-shale	4465	4958			
Sandy lime-shale	4958	4990			
Sand-lime	4990	5027			
Sandy lime-shale	5027	5114			
Lime	5114	5170			
Total depth	5170				

State of Kansas



15-023-30030-00-00

FORM - CP-8
Rev. 6-26-62

JOHN ANDERSON, Jr. Governor
RICHARD C. BYRD Chairman
ALVIN F. GRAUERHOLZ Commissioner
HARRY O. WILES Commissioner
RAYMOND B. HARVEY Secretary
ROBT. C. LONDERHOLM Gen. Counsel

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
500 Insurance Bldg. 212 N. Market
WICHITA, KANSAS

April 30, 1963

WELL PLUGGING AUTHORITY

Well No. 1
Lease H. Carmichael
Description C SE SE 14-2-40W
County Cheyenne


Pan American Petroleum Corp.
Box 507
Ulysses, Kansas

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,



J. P. ROBERTS
Assistant Petroleum Conservation
Director

Mr. W. L. Nichols Moreland, Kansas
is hereby assigned to supervise the plugging of the above
named well.