STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 245 North Water WICHITA, KANSAS 67202

WELL PLUGGING APPLICATION FORM File One Copy

STATE CORPORATION CO.
JAN 2 2 1979
CONSERVATION D.V.S. C.V.

ADI Numbon	15 - 023 - 20	2000 MA)		CONSERVATION O.V.S. Wichita, Kansas	17g えつし
*	•		(of this we)	11)	Wichita, Kansas	e Gzy
	J-W Operating		Harmon de Manager and Miles and American and			
	P. O. Box 305					
Lease (Farm Na	ame) <u>Isaac-S</u>	amler Unit			Well No.	1
Well Location	SE/4	Sec.	4_ Twp	2S Rge	• 42 (K)	(W) W
County	Cheyenne	Total	Depth	2190 '	Field Name	Wildcat
Oil Well	Gas Well	Input Well	SWD Well_	Rot	ary D & A	X
Well Log attac	ched with this	application as	required _	. ,		
	plugging is des					
	y representativ			7		
	actor Cemente					
	. Box 412 - Sc					
	ng assessment f					
	Operating Comp					
ddress P.	0. Box 305 - Wr	ay, Colorado	80758			Allanda del Agrico de la compansión de l
nd payment wil	ll be guarantee	d by applicant	or acting	agent.	4	
			Signed:	Jo.	15	
				Appli	cant or Acting	Agent

¥		$O_{\mathbb{Z}_2}$	**				* .
KANSAS DRILLE	RS LOG	•				s. <u>4</u> T. 2	S R. 42W W
API No. 15 — 023 —			20090 <i>~</i> O	0-00	,	1000' FI	EL 1550' FSL
	County		Number			County	neyenne
Operator J-W Open	ating						40 Acres
Address 1900 LTV			D-11-				
Well No.	Tower Lease Name	1.	Datta	s, Texas		160	- 60
# 1	Isaa	c-Samp	ler Unit		<u> </u>		
Footage Location 1550' feet from	(V ((\$) line	,	1000' fee	t from (E) (MX li			
Principal Contractor			Geålogist			160	60
Excell Drilli Spud Dote	ng Company		T. J. Je Total Depth	P.B.T.D.	,	Locate	well correctly
12-14-78		· ·	2190'			Elev.: Gr3	705
Date Completed			Oil Purchaser			. DF	_ KB 3711
	3 4		CASIN	G RECORD	Transfer many	The second of th	The second secon
Donat of all states					The second secon	The second secon	
Report of all string	Size hole drilled		g set Weight lbs/f		· · ·		Type and percent
Purpose or string	2136 Hole dillied	(in O.D	Weight ibs/t	T. Setting Geptn	Type cement	Sacks	Type and percent edditives
Surface	9 7/8"	7"	23#	211'	common	120	CaC12
· · · · · · · · · · · · · · · · · · ·							
					, , , , , , , , , , , , , , , , , , , ,		<u> </u>
					K. 14.		
	LINER RECOI	RD			PERF	ORATION RECOR	ID .
Top, ft.	Bottom, ft.	Sec	ks cement	Shots p		Size & type TATION	COMMISSION
						JANZO	Co-
Size	TUBING RECO		Riby.	1		CONTRACTOR	
)	serring debru	Pac	ker set at	1 1		Wichita, Kansa	Susai
		CID, FR	ACTURE, SHOT	CEMENT SQU	EEZE RECORD	- Nane-	- was
	Amot	int and kin	d of material used			Del	pth interval treated
						San	
			, , , , , , , , , , , , , , , , , , ,	· · · · · · · · · · · · · · · · · · ·			
		· ,	, , , , , , , , , , , , , , , , , , , ,				
	William Commence		INITIAL F	RODUCTION			
	A - A - A	1	*	wine number of	a life ota \		
Date of first production		Pro	ducing method (flo	anny, pompany, go	is ittly drest		
Date of first production		Pro	11 A 1 A 1	Service of the servic	n of Charles was a com- one of the Bight		or or which has been a second
•	Oil	Pro	ar and a second		Water	bbls.	s-pil ratio

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shell be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are evallable from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

J-W Operating		DRY HOLE, SWDW, ETC.:			
oli No. Lease	Drv hole	,			
4 T-2-SR-42-W	Isaac-Samler				
Show all important zones of porosity cluding depth interval tested, cushion	SHOW GEOLOGICAL MARKERS, LOGS RUN OR OTHER DESCRIPTIVE INFORMATION.				
FORMATION DESCRIPTION		тор е 🥎	воттом	NAME	DEPTH
Smoky Hills Chalk brown shaly chalk -	- water	1682	1716'	Pierre shale Bentonite Niobrara Fort Hays	180' 1652' 1682' 2172'
No. cores		And the second		DIL, FDC,CNL,6R	
No Drill Stem tests	especifica de Para de Caracter de Cara La companya de Caracter de	A STATE OF THE STA	No. 1997		·
				en segre en	
			A many services of the service	And the second s	
			and the second	and the second of the second o	
			ala ya ka		
	E ADDITIONAL SHEETS, IF N	ECESSARY, TO	COMPLETE WI	LL RECORD.	r Sir en
Date Received			Ind	Walson Signature	
		Company of the second	Distr 12-28	ict Manager Title -78	

4.5



15-023-20040-00-00

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water) 245 North Water WICHITA, KANSAS 67202

December 22, 1978

WELL PLUGGING AUTHORITY

Well No.
Lease
Description
County
Total Depth
Plugging Contractor

1
Isaac-Sampler Unit
App. C S/2 SW NE SE Sec. 4-2Cheyenne 42W
2191
Excell Drilling by Cementing,

Inc.

J-W Operating Co. 1900 LTV Tower Dallas, Texas 75201

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Yours very truly,

J/Lewis Brock, Administrator

Mr. <u>Leo Massey, 109 West 15th, Hays, Kansas 67601</u> is hereby assigned to supervise the plugging of the above named well.