

15-147-00029-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Well Location C SW SW Sec. 5 Twp. 3 Rge. _____ (E) 16 (W) _____

Field Name (if any) None County Phillips

Lease (Farm Name) Grover C. Munyon Well No. 1

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary) _____

Date and hour plugging is desired to begin March 13, 1942 12:30 AM

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary) _____

Name of the person on the lease in charge of well for owner _____

E. A. Rose Address Box 786 Great Bend, Kansas

Name of well owner or Acting Agent The Carter Oil Company

Address _____

Invoice covering assessment for plugging this well should be sent to:

The Carter Oil Company Address Box 786, Great Bend, Kansas

and payment will be guaranteed by applicant.

MAR 27 1942
E. A. Rose
Operator or Acting Agent

Date March 18, 1942

5 3 16W
27 45

15-47-00029-00-00

CROW DRILLING COMPANY

1411 SLATTERY BUILDING

SHREVEPORT, LOUISIANA

Driller's Log on Nunyon #1 well located in
Sec. 5-3-16 Phillips County, Kansas.

0'	to	16'	surface clay	3216'	to	3242'	broken lime
16'	to	27'	sand	3242'	to	3274'	lime
27'	to	135'	lime	3274'	to	3312'	lime
135'	to	276'	shale and shells	3312'	to	3346'	lime
276'	to	356'	shale and shells	3346'	to	3386'	lime
356'	to	402'	lime	3386'	to	3406'	lime
402'	to	820'	shale and shells	3406'	to	3416'	shale
820'	to	1233'	shale and shells	3416'	to	3451'	lime and shale streaks
1233'	to	1376'	shale and shells	3451'	to	3470'	shale and lime
1376'	to	1535'	broken lime	3470'	to	3490'	lime
1535'	to	1612'	broken lime	3490'	to	3502'	sandy shale
1612'	to	1720'	shale	3502'	to	3510'	shale and lime
1720'	to	1761'	shale and lime	3510'	to	3543'	shale
1761'	to	1832'	broken lime	3543'	to	3572'	shale
1832'	to	1958'	shale and shells	3572'	to	3610'	shale and lime
1958'	to	2061'	shale	3610'	to	3648'	shale and lime
2061'	to	2130'	shale and lime streaks	3648'	to	3674'	shale
2130'	to	2210'	shale	3674'	to	3694'	lime and shale
2210'	to	2266'	shale	3694'	to	3697'	shale
2266'	to	2372'	shale	3697'	to	3715'	chert and shale
2372'	to	2490'	shale and lime	3715'	to	3730'	conglomerate
2490'	to	2529'	shale and lime	3730'	to	3750'	cherty dolomite
2529'	to	2545'	shale and lime	3750'	to	3763'	cherty dolomite
2545'	to	2661'	shale	3763'	to	3802'	cherty dolomite
2661'	to	2576'	shale	3802'	to	3838'	dolomite
2576'	to	2586'	lime	3838'	to	3856'	dolomite
2586'	to	2636'	shale	3856'	to	3867'	shale
2636'	to	2654'	shale	3867'	to	3877'	shale
2654'	to	2668'	lime	3877'	to	3882'	hard sand
2668'	to	2708'	broken lime	3882'	to	3892'	shale
2708'	to	2729'	shale	3892'	to	3926'	Arbuckle lime
2729'	to	2765'	shale				
2765'	to	2783'	sandy shale				
2783'	to	2803'	shale				
2803'	to	2816'	shale				
2816'	to	2858'	lime broken				
2858'	to	2912'	lime and shale				
2912'	to	2978'	shale and lime				
2978'	to	3009'	lime				
3009'	to	3050'	lime				
3050'	to	3068'	lime				
3068'	to	3089'	sandy lime				
3089'	to	3095'	lime				
3095'	to	3100'	sandy lime				
3100'	to	3111'	lime				
3111'	to	3147'	lime				
3147'	to	3175'	lime				
3175'	to	3216'	broken lime				

PLUGGING

FILE 5 3 16W

BOOK PAGE 27 LINE 45



15-147-00029-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

March 20, 1942

IN REPLY PLEASE
REFER TO THIS
SUBJECT

Well No. 1
Farm Munyon
Description O 3W SW 5-3-
County Phillips 16W
File 27-45

W. C. Alexander Company
Box 734
Great Bend, Kansas

Dear Sirs:

This letter is your permit to plug
the above subject well, in accordance
with the Rules and Regulations of the
STATE CORPORATION COMMISSION.

Yours very truly,

STATE CORPORATION COMMISSION

T.A. MORGAN, DIRECTOR
CONSERVATION DIVISION

HA

BY J. P. Roberts
J. P. ROBERTS

NOTICE: C. E. Alexander
Great Bend, Kansas