

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

15-147-00024-0000

WELL PLUGGING APPLICATION FORM

Well Location C NE SW Sec. 26 Twp. 3 Rge. 19 (E) (W)

Field Name (if any) Wildcat County Phillips

Lease (Farm Name) Vogel C-90 Well No. 1

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary)

Date and hour plugging is desired to begin 12-10-42

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary)

Name of the person on the lease in charge of well for owner

C. C. Cornwell Address Box 84, Hays, Kansas

Name of well owner or Acting Agent The Carter Oil Company

Address Box 786, Great Bend, Kansas


Invoice covering assessment for plugging this well should be sent to:

The Carter Oil Company Address Great Bend, Box 786

and payment will be guaranteed by applicant.

The Carter Oil Co.
by A. E. Brink
Operator or Acting Agent

Date 1-12-43



1-13-43

15-147-00024-00-00

CROW DRILLING COMPANY

422 COMMERCIAL NATIONAL BANK BUILDING


SHREVEPORT, LA.

Driller's log on your Vogel #1 well located in
Sec. 26, Twp. 3, Rge. 19, Phillips, County, Mo.

0' to 85' Clay and shell
 85' to 180' Sand and shale
 180' to 270' Shale and shell
 270' to 345' Shale and shell
 345' to 710' Shale and shell
 710' to 865' Sand
 865' to 975' Shale and shell
 975' to 1165' Shale and shell
 1165' to 1292' Sand
 1292' to 1549' Shale
 1549' to 1570' Anhydrite
 1570' to 1598' Anhydrite
 1598' to 1755' Shale and shell
 1755' to 1960' Shale
 1960' to 2145' Shale and shell
 2145' to 2299' Shale
 2299' to 2305' Lime
 2305' to 2320' Lime
 2320' to 2360' Shale
 2360' to 2375' Lime
 2375' to 2401' Lime and shale
 2401' to 2420' Lime chert
 2420' to 2464' Lime and shale
 2464' to 2525' Lime and shale streaks
 2525' to 2590' Shale and lime
 2590' to 2715' Shale and lime streaks
 2715' to 2815' Shale and lime streaks
 2815' to 2845' Lime
 2845' to 2960' Broken lime
 2960' to 2980' Lime
 2980' to 3025' Lime
 3025' to 3105' Lime
 3105' to 3115' Lime and chert
 3115' to 3122' Lime
 3122' to 3130' Soft lime
 3130' to 3145' Lime
 3145' to 3195' Lime
 3195' to 3211' Lime
 3211' to 3231' Lime
 3231' to 3244' Lime
 3244' to 3250' Lime
 3250' to 3285' Lime

3285' to 3332' Lime
 3332' to 3365' Lime
 3365' to 3415' Lime
 3415' to 3475' Shale and lime
 3475' to 3485' Lime
 3485' to 3495' Lime
 3495' to 3529' Lime
 3529' to 3540' Shale
 3540' to 3579' Lime
 3579' to 3585' Lime
 3585' -- Total Depth

PLUGGING
 FILE SEC 26T-3-R19W
 BOOK PAGE 58 LINE 17



1-13-43



15-147-00024-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS
December 11, 1942

IN REPLY PLEASE
REFER TO THIS
SUBJECT

Well No. 1
Farm Vogue
Description C ^{NE} 50 57 25-3-19W
County Phillips
File 52-17

Carter Oil Company
Great Bend, Kansas

Dear Sirs:

This letter is your permit to plug
the above subject well, in accordance
with the Rules and Regulations of the
STATE CORPORATION COMMISSION.

Yours very truly,

STATE CORPORATION COMMISSION

T. A. MORGAN, DIRECTOR
CONSERVATION DIVISION

HA

BY: J. P. Roberts
J. P. ROBERTS

NOTICE: C. T. Alexander
Box 445
Great Bend, Kansas