

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
500 INSURANCE BUILDING  
212 NORTH MARKET  
WICHITA 2, KANSAS

Form CP-1

15-137-30086-00-00

WELL PLUGGING APPLICATION FORM  
File One Copy

Lease Owner R. P. NIXON  
(Applicant)  
Address 754 East Wichita, Russell, Kansas

Lease (Farm Name) Horesky Well No. 1

Well Location NW SW NE Sec. 29 Twp. 3 Rge. 23 ( (W))

County Norton Field Name (If any) \_\_\_\_\_

Total Depth 3816 Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D & A

Was well log filed with application? \_\_\_\_\_ If not, explain: \_\_\_\_\_

Date and hour plugging is desired to begin July 6, 1964

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of the person on the lease in charge of well owner \_\_\_\_\_  
Address \_\_\_\_\_

Plugging Contractor Shields Drilling Company, Inc. License No. \_\_\_\_\_  
Address Russell, Kansas

Invoice covering assessment for plugging this well should be sent to \_\_\_\_\_  
R. P. Nixon Address 754 East Wichita, Russell, Kansas

and payment will be guaranteed by applicant.


**RECEIVED**  
STATE CORPORATION COMMISSION

AUG 5 1964  
8-5-64

CONSERVATION DIVISION  
Wichita, Kansas

Signed: R. Nixon  
Applicant or Acting Agent

Date: July 6, 1964



Shields


15-137-30026-00-00

Russell, Kansas

WELL LOG

Operator: R. P. Nixon  
Well: Horesky #1  
Commenced: June 28, 1964  
Completed: July 6, 1964  
Contractor: Shields Drilling Co., Inc.

Well Description: NW SW NE  
Sec. 29-3S-23W  
Norton Co., Kansas



Elevation: 2,425' RB

Treatment:

Production: D & A

Tops: Heebner 3,481'  
Toronto 3,510'  
Lansing-KC 3,524'  
Congl. Sand 3,734'  
Arbuckle 3,759'  
Granite Wash 3,783'  
Granite 3,804'

..... Figures Indicate Bottom of Formations

Clay and Shale	200'
Clay, shale and shells	800'
Shale and shells	1,300'
Shale, shells and sand	2,020'
Anhydrite	2,051'
Shale	2,345'
Lime and shale	2,860'
Lime	2,960'
Lime and shale	3,520'
Lime, shale and chert	3,680'
Lime	3,755'
Lime, shale and chert	3,780'
Lime	3,790'
Lime, shale and granite	3,816' RTD

**RECEIVED**  
STATE CORPORATION COMMISSION  
AUG 5 1964  
CONSERVATION DIVISION  
Wichita, Kansas  
8-5-64

Notes

DST #1 3,730'-40' Tool open 1 hr. Recovered 360' mud. BHP -1,250 #/20 min.  
DST #2 3,748'-55' Tool open 25 min. Recovered 30' SOCM BHP-850#/20 min.  
DST #3 3,749'-80' Tool open 30 min. Recovered 20' SOCM BHP-200#/20 min.

State of Kansas



15-137-30086-00-00

JOHN ANDERSON, JR. Governor  
WILLIAM L. MITCHELL Chairman  
HARRY G. WILES Commissioner  
JOHN C. WOELK Commissioner  
RAYMOND B. HARVEY Secretary  
ROBERT C. LONDERHOLM Gen. Counsel

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)  
500 Insurance Bldg. 212 N. Market  
WICHITA, KANSAS 67202

July 13, 1964

WELL PLUGGING AUTHORITY

Well No. 1  
Lease Horesky  
Description ~~SW NW NE 29-3-23W~~ NWSWNE  
County Norton

R. P. Nixon  
754 E. Wichita  
Russell, Kansas

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

*J.P. Roberts*  
J. P. Roberts, Administrator

Mr. W. L. Nichols Morland, Kansas  
is hereby assigned to supervise the plugging of the above named well.