15-137-000 85-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

File One Copy

Lease Owner Jones, Shelburne &	Farkddress Russell, Kansas
(Applicant) Lease (Farm Name) Horesky	Inc. well No. 1
	Sec. 29Twp.3 Rge. (E)-(W) 23
County Norton	Field Name (if any) Wildcat
Total Depth 3772	Oil Gas Dry Hole X
Was well log filed with applicat	ion? yes . If not, explain:
Date and hour plugging is desired	d to begin 12-7-53 4:30 P. M.
Plugging of the well will be don	e in accordance with the Rules and
Regulations of the State Corpora	tion Commission, or with the approval
of the following exceptions: Ex	plain fully any exceptions desired.
(Use an additional sheet if nece	ssary) None
Name of the person on the lease	in charge of well for owner
Clay Wiley Add	ress Russell, Kansas
	ones, Shelburne & Farmer, Inc.
Address Russell,	Kansas
Invoice covering assessment for	plugging this well should be sent to
Jones, Shelburne & Farmer, Inc.	ddress Russell, Kansas
and payment will be guaranteed b	y applicant.
ING	John Parmer
LINE	Date December 10, 1953

PLUGGING
PILK SEC 29 T 3 R 23W
BOOK MAGE 4/8 LINE 43

12.14-53

RGE. 23...

		e .	ADE	PRE	E\$\$ _		nuss	ier.	L . Mal.	ವಿಷರ						
	640 A	cres					- 						, '		5	
<i>.</i> ,	N	r .			COU	ΙΝΤ	Y !N.	rt	on sec _{TING} Jor		Z TW	/P2		RGE.	2	
			T	7	COM	ΙPΑ	NY O	PERA	TINGUOT	es,	Suer	burn	3 60	rar	mer,	
160			160	1	OFF	CE	ADD	RESS	Ru	ısse.	ll, K	ansa	3	;		
		- 2.	1. 1	1	FAR	M	NAME .	Но	resky	1.5.		WEL	L N	o.1		
			.1-1	1					11-							
1.1		ナ	11	7			*			-				-		
\Box		7	:††	7.	DATE OF FIRST PRODUCTION COMPLETED. WELL LOCATED. SE4 SE4 SE 14 North of South											
160		1	160	1									-			
		+	+ +	1					to sea lev							
Loc	ate wel	corr	ectly						ELL (Oil,							
	· · · ·	2 'S	-		O.L.		J. D			,	u. 7.1.0.0					
	,	٠.	-			OI	L OR C	AS S	SANDS OR	ZONES	3,	-1-,				
	Nam	e			From To					1	Vame	Fr		From	To	
					-		1:	-	4				-			
	Ţ-		ν.					-	5		-	11 2				
				-		,	1		. 6		,	1 2 4 3 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1	
	P	erlore	rting I	lecos	rd II A	برها					Sho	t Record			1	
Fo	rmation	•	Fre	m	То	Ti	No." of S	hots	1	ormati	on	From	To	Size	of Shot	
		2 (3)	1		<u> </u>	1	21	7.		-1.			3.~/			
			1		†	†			·						,	
		, , , , , , , , , , , , , , , , , , ,	+-		 	+								+		
		, .			30		C	ASING	RECORD				٠.			
	1	, 1	lmoun	Set			- : .		-		Amoun	Pulled	Po	cker R	brose	
ize			Ft.	t. In Ft.			Size	Length	Depth Set		Make					
5/	<u>'</u>		ь,			5	280								÷	
	1	1.			Ŧ				·		. 1					
	1	1										F			7. 7	
							Kind		<u> </u>	_Top	1	R.	ttom			
∌r nv ∴	ecord:	АШОС	***************************************			C		ING	AND MUI		1.72			,		
	Amoun	Amount Set		Sacks		em	ical	Тм	Method of Cementing		Amount		Mudding		Results	
ze		In.	Cement		Gal.		Make						d	(See Note)		
1/4	280		125	: 1		7		+		1	- -					
-/1	المالد		and the same	-		+		十		1			,			
, , 1							. : /									
ie: W	/hat me	thod	WQ8	used	to p	rote	ct san	is ii	outer strin	gs wer	е ринеа	·		· .		
	ur. Cal	<u> </u>	h a l'acc			12			so, state ki	nd der	oth set or	nd result	e obt	nined		
HE:	Were b	ottom	note	prug	s used	1r.				nu, uej	Jili Bet Q	IQ Teaun	-	411100		
-									LS USED					fact to		
ary									Cable t							
		et, car	nd from	m		- -	leet t	3	te	et, and	i irom		_leet	10		
oe Ri	ig					_										
		1.							DUCTION							
scrib	e initia	test	: whet	her	by flo	w	throug	h tub	ing or cas	ing or	by pum	ping				
															•	
	oi Oil								hoke, if ar						Water	
duct	ion		bbls.	Gro	wity c	of c	il		Type of P	ımp ii	pump is	used, d	escrib	·•		
									-							

Formation	Top	Bottom	Formation	Тор	Bottom
nc.				÷ ,	\
the second second			4 I		2
Shale & sand	0	277			: 7
Shale	277	900			, J.
Shale & sand	900	960			4
Shale—shells—s a nd		1490			2
	700	1625	-		2
Shale & shells					
Sand	1625				7
Shale & redbed	1745	1990			127
Anhyd ri te		2020			1
Shale & shells		2300			3 (
Lime & shale	2300	3735			U
Arbuckle	3735	3772			_
			TOPS:		
- And Extraction or according to the contraction of					
			Elevation 2379	1	
l E C		ļ.	Heebner 3433		
			Toronto 3457		
1-8 [Lansing 3474		
12 0 C			Base of K. C. 3	50	
1 2 Q	1	<u> </u>		4)\$	ĺ
		N. 4	Arbuckle 3715		
			Granite 3765	ľ	-
= w Z			T. D. 3772		
	1				
V 10				, ,	
		1 1			
]			
	,				-
	1				
				1	
		1			
					1.
	1	1.		1	
	Ι.			.	
	-	1		1 .	1

complete according to the records of this office and to the best of my knowledge and belief.

day December Subscribed and sworn to before me this...

STATE OF KANSAS

STATE CORPORATION COMMISSION

CONSERVATION DIVISION 800 BITTING BUILDING WICHITA, KANSAS

December 11: 1953

Well No.
Lease
Description
County
File No.

l Horesky SK SE (E 29-3-23W Norton 118-13

Jones, Chelburne & Fermor Rossell Noman

Contlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr.

STATE CORPORATION COMMISSION CONSERVATION DIVISION

cc: District Plugging Supervisor