

15-137-00650-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Well Location SE NE Sec. 36 Twp. 3 Rge. (E) (W) 23

Field Name (if any) None County Norton

Lease (Farm Name) Smith Well No. 1

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary)

Log filed with formal application.

Date and hour plugging is desired to begin 4:00 P.M. 3-2-43

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desires (Use an additional sheet if necessary) No exception

Name of the person on the lease in charge of well for owner

C. R. Smith Address Great Bend, Kansas

Name of well owner or Acting Agent Helmerich & Payne, Inc.

Address 415 Philtower Bldg., Tulsa, Oklahoma

Invoice covering assessment for plugging this well should be sent to:

Helmerich & Payne, Inc. Address 415 Philtower Bldg., Tulsa, Oklahoma


and payment will be guaranteed by applicant.

3-16-43

PLUGGING
FILE NO. 36 3-23K
BOOK PAGE 66-1E-41

Tom Upeland
Operator or Acting Agent

Date March 15, 1943



15-137-00650-00-00

Smith #1
SE/4 SE/4 NE/4 of Section 36-3S-23W,
Norton County, Kansas
Helmerich & Payne, Inc.

Commenced: February 11, 1943
Completed: March 3rd, 1943

Surface soil, sand and shale	0	218 :
Sand	218	320
Shale and shells	320	1100
Sandy shale	1100	1150
Shale and little sand	1150	1200
Shale, sand and shells	1200	1400
Shale	1400	1480
Shale and shells	1480	1870
Red bed	1870	1940
Lime and anhydrite	1940	1950
Anhydrite	1950	1975
Shale and shells	1975	2180
Lime and shale	2180	2500
Cherty lime	2500	2520
Lime and shale	2520	2710
Lime	2710	2765
Lime and shale	2765	2895
Lime, broken	2895	2974
Shale and lime	2974	3054
Lime and red shale	3054	3120
Lime and shale	3120	3188
Broken lime	3188	3250
Topeka lime	3250	3309
Lime	3309	3444
Shale and lime	3444	3481
K. C. lime	3481	3505
Lime	3505	3677
Shale and lime	3677	3698
Lime	3698	3710
Sand and lime	3710	3725
Sand	3725	3729
Granite wash	3729	3772
TOTAL DEPTH		3772

CASING RECORD

10-3/4" Casing set at 200' and cemented with 125 sacks of cement.

PLACING
FILE NO. 36 3 23W
BOOK PAGE 66 LINE 41

STATE OF OKLAHOMA)
 SS
COUNTY OF TULSA)

I hereby affirm that the above and foregoing is a true and correct copy of the log of the Smith Well #1, located in the Southeast Quarter of the Southeast Quarter of the Northeast Quarter of Section 36, Township 3 South, Range 23 West, Norton County, Kansas.

HELMERICH & PAYNE, INC.

By [Signature]
Asst. Treasurer

Subscribed and sworn to before me, a Notary Public, this 9th day of March, 1943.

[Signature]
Notary Public

My commission expires
July 22nd, 1943.



15-137-00650-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS
March 4, 1943

IN REPLY PLEASE
REFER TO THIS
SUBJECT

Well No. 1
Farm Smith
Description SE NE 36-3-23W
County Norton
File 66-41

Helmerick & Payne
415 Philtower
Tulsa, Oklahoma

Dear Sirs:

This letter is your permit to plug
the above subject well, in accordance
with the Rules and Regulations of the
STATE CORPORATION COMMISSION.

Yours very truly,

STATE CORPORATION COMMISSION

T. A. MORGAN, DIRECTOR
CONSERVATION DIVISION

HA

BY: J. P. Roberts
J. P. ROBERTS

NOTICE: C. T. Alexander
Box 445
Great Bend, Kansas