


Strike out upper line when reporting plugging of formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

15-147-00673-00-00

NORTH



Locate well correctly on above Section Plat

Phillips County, Sec. 20 Twp. 38 Rge. 20W (E) (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines C SW 1/4 SW 1/4

Lease Owner Northern Ordnance Inc.

Lease Name Wm. R. Perry Well No. 1

Office Address

Character of Well (completed as Oil, Gas or Dry Hole) Dry hole

Date well completed 4-11-43 19

Application for plugging filed 19

Application for plugging approved 19

Plugging commenced 4-13-43 19

Plugging completed 4-13-43 19

Reason for abandonment of well or producing formation Dry hole

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well C. T. Alexander

Producing formation None Depth to top Bottom Total Depth of Well 3790 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
None				10 3/4"	252'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Mud 3790 to 252'
Cement 252 to 222'-15 sax
Mud 222 to 26'
Cement 26 to 6'
Mud 6' to Surface



PLUGGING
FILE SEC 20 3 R 20W
BOOK PAGE 70 LINE 20

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to E. A. Rose
Address Box 786, Great Bend, Kansas

STATE OF Oklahoma, COUNTY OF Tulsa, ss.
H. L. Scott (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) H. L. Scott

1603 Philtower Bldg., Tulsa, Okla.
(Address)


SUBSCRIBED AND SWORN to before me this 11th day of May, 1943
C.leta Walker Notary Public.

My commission expires May 4, 1947

15-147-00673 00 00

Northern Ordnance Inc.
Drillers log on your Wm. R. Perry #1
C SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 20-3-20W Phillips County, Kansas

0	to	50	sand stone	
50	to	250	shale and shells	
250	-	750	shale and shells	
750	-	1360	shale and sand	
1360	to	1445	shale and shell	
1445	to	1561	sand	
1561	to	1805	shale and shell	10 ²⁰ " casing set at 252' with 155 sax
1805	to	1843	shale	
1843	to	1875	Anhydrite	
1875	to	2045	shale and lime	
2045	to	2155	shale and lime	
2155	to	2330	shale and lime	
2330	to	2490	shale and lime	
2490	to	2580	shale	
2580	to	2605	lime and shale	
2605	to	2735	shale and lime streaks	
2735	to	2765	shale	
2765	to	2780	lime	
2780	to	2805	lime and shale	
2805	to	2923	lime and shale streaks	
2923	to	2989	lime and shale	
2989	to	3026	lime	
3026	to	3043	Broken lime	
3043	to	3138	lime and shale	
3138	to	3196	lime	
3196	to	3266	lime and shale	
3266	to	3309	lime	
3309	to	3340	soft lime	
3340	to	3343	lime	
3343	to	3376	lime	
3376	to	3430	lime	
3430	to	3466	lime	
3466	to	3502	lime	
3502	to	3546	lime	
3546	to	3580	lime	
3580	to	3600	lime	
3600	to	3660	shale and lime streaks	
3632	to	3666	lime and shale	
3666	to	3680	sandy shale	
3680	to	3700	shale	
3700	to	3731	shale	
3731	to	3739	sand	
3739	to	3743	lime	
3743	to	3790	Dolomite	
3790	total depth			



PLUGGING
FILE SEC 20 3 20W
BOOK PAGE 70 IN 20