

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division,  
State Corporation Commission,  
800 Bittling Building,  
Wichita, Kansas.

WELL PLUGGING RECORD  
15-137-00319-00-00  
FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plugging  
off formations.

NORTH

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

Locate well correctly on above  
640 A. Plat

Norton County. Sec. 22 Twp. 25 Rge. 23 (E) (W)

Lease Name Kennedy Well No. 1  
Lease Owner Lario Oil & Gas Company  
Office Address Wichita, Kansas.  
Character of Well (Oil, Gas or Dry) Dry Total Depth of Well 3692 Feet  
Date, well, completed March 27 1936  
Application for plugging and log of well filed March 28 1936  
Application for plugging approved March 28 1936  
Plugging Commenced March 29 1936  
Plugging Completed April 3 1936  
Reason for abandonment of well or producing formation Dry

If a producing well is abandoned, date of last production 193

Was permission obtained from the Conservation Division or its agents before plugging was commenced?

Name of Conservation Officer who supervised plugging of this well Harry Spencer

Producing formation  Depth to top  Bottom 3692'

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| Formation | Content | From | To | Size   | Put In | Pulled Out |
|-----------|---------|------|----|--------|--------|------------|
|           |         |      |    | 20     | 120    |            |
|           |         |      |    | 15 1/2 | 588    | 588        |
|           |         |      |    | 12 1/2 | 1649   | 1649       |
|           |         |      |    | 10     | 2735   | 2708       |
|           |         |      |    | 8 1/2  | 3420   | 3420       |
|           |         |      |    | 6 5/8  | 3640   | 3640       |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from  feet to  feet for each plug set.

The 6 5/8" casing was started and the hole filled with mud, then the casing was pulled.

This operation was repeated until all casing was pulled and hole filled with mud.

A 25' Cement Bridge was put in at 135' and hole filled with mud to surface and a cement cap put on.

PLUGGING  
FILE SEC 22-25R-23E  
BOOK PAGE 39 LINE 42

(If additional description is necessary use BACK of this sheet)

Does the above conform strictly to the Conservation Division regulations?

Was exception made?  If so describe

Correspondence regarding this well should be addressed to H. E. Miller

Address Box 3, Canton, Kansas.

STATE OF Kansas, COUNTY OF McPherson, ss.

H. E. Miller (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) H. E. Miller

Box 3 - Canton Kans.  
(Address)

SUBSCRIBED AND SWORN to before me this 29<sup>th</sup> day of April 1936

My commission expires 16 Jan. 1937 Jeff Hestys Notary Public.

Total depth--3692'  
 Commenced--November 6, 1936  
 Completed--March 29, 1936  
 Contractor--Broadwater Drilling Co.

15-137-00319-00-00

CASING

|         |       |        |          |
|---------|-------|--------|----------|
| 20"     | 128'  | 10"    | 2735' 8" |
| 15 1/2" | 587'  | 8 1/2" | 3006'    |
| 12 1/2" | 1659' | 6-5/8" | 3642'    |

FIGURES INDICATE TOPS OF FORMATIONS

|                    |      |                             |      |                     |      |
|--------------------|------|-----------------------------|------|---------------------|------|
| Cellar             | 12   | red sand                    | 2075 | lime                | 2961 |
| sand               | 112  | red shale                   | 2080 | blue shale          | 2967 |
| water 77'          |      | blue shale                  | 2086 | shale & lime shells | 2990 |
| red shale          | 135  | shale & red shale           | 2100 | shale               | 2995 |
| black shale        | 200  | blue shale                  | 2122 | blue shale          | 3005 |
| blue shale         | 455  | shale                       | 2136 | lime                | 3015 |
| shale              | 465  | blue shale                  | 2148 | shale               | 3040 |
| lime               | 505  | red shale                   | 2159 | broken lime         | 3058 |
| blue shale         | 652  | blue shale                  | 2180 | shale               | 3090 |
| lime               | 655  | red shale                   | 2204 | lime                | 3125 |
| brown shale        | 695  | lime                        | 2214 | broken lime         | 3185 |
| sandy shale        | 765  | red shale                   | 2230 | red shale           | 3190 |
| blue shale         | 870  | lime                        | 2235 | lime                | 3207 |
| sandy shale        | 912  | red shale                   | 2375 | 1/2BW 3155          |      |
| sand               | 918  | broken lime & red shale HFW | 2395 | lime                | 3228 |
| HFW 912-18         |      | lime                        | 2403 | broken lime         | 3246 |
| blue shale         | 928  | sandy lime                  | 2425 | 3 BW 3230           |      |
| 928-944            |      | sandy lime                  | 2430 | water 3240-46       |      |
| red shale          | 962  | blue shale                  | 2438 | lime HFW            | 3295 |
| shale              | 965  | broken lime                 | 2441 | sandy lime (?)      | 3310 |
| yellow clay        | 975  | lime                        | 2442 | red shale           | 3315 |
| blue shale         | 994  | shale & red shale           | 2446 | lime                | 3330 |
| HFW 994-1005       |      | red shale                   | 2450 | sandy lime          | 3340 |
| sand               | 1018 | lime                        | 2455 | blue shale          | 3342 |
| sand               | 1020 | red shale                   | 2460 | lime water          | 3374 |
| red shale          | 1065 | lime                        | 2487 | show gas            | 3365 |
| sandy shale        | 1087 | broken shale                | 2508 | lime                | 3380 |
| water 1087-1110    |      | red shale & lime            |      | black shale         | 3383 |
| sand               | 1110 | shells                      | 2530 | lime                | 3390 |
| blue shale         | 1130 | red shale                   | 2540 | sandy lime          | 3395 |
| sand               | 1138 | lime                        | 2545 | blue shale          | 3397 |
| lime               | 1140 | broken lime                 | 2570 | water 3397-3400     |      |
| blue shale         | 1169 | blue shale                  | 2615 | red shale           | 3400 |
| sandy shale        | 1182 | red shale                   | 2657 | sandy lime          | 3405 |
| sand               | 1200 | broken lime & sandy         |      | broken lime         | 3413 |
| blue shale         | 1210 | red shale                   | 2677 | lime                | 3417 |
| sand               | 1220 | HFW 2665                    |      | brown shale         | 3419 |
| blue shale         | 1232 | sandy                       | 2682 | lime                | 3423 |
| lime               | 1248 | lime                        | 2690 | red shale           | 3437 |
| blue shale         | 1254 | blue shale                  | 2695 | lime                | 3446 |
| HFW 1182-1200      |      | lime                        | 2700 | lime                | 3459 |
| sand               | 1315 | shale                       | 2702 | green shale         | 3461 |
| lime               | 1319 | broken lime, red shale      |      | lime                | 3471 |
| blue shale         | 1322 | & shale                     | 2714 | blue shale          | 3477 |
| sand               | 1360 | lime                        | 2735 | lime                | 3519 |
| blue shale         | 1365 | blue shale                  | 2738 | shale               | 3523 |
| green shale & iron | 1381 | red shale                   | 2746 | lime                | 3535 |
| green shale        | 1397 | lime                        | 2750 | broken lime         | 3546 |
| water 1398         |      | red shale                   | 2770 | red shale           | 3556 |
| sand               | 1401 | broken lime                 | 2780 | lime                | 3564 |
| blue shale         | 1426 | shale                       | 2785 | red shale           | 3571 |
| shale              | 1447 | lime                        | 2795 | rainbow show oil    | 3535 |
| sand               | 1470 | brown shale                 | 2802 | lime                | 3590 |
| red shale          | 1474 | broken lime                 | 2814 | brown shale         | 3595 |
| sand               | 1495 | brown shale                 | 2832 | lime HFW            | 3612 |
| red shale          | 1520 | blue shale                  | 2842 | sandy lime          | 3625 |
| water 1574         |      | broken lime                 | 2850 | red shale           | 3635 |
| sand HFW           | 1614 | sandy shale                 | 2875 | brown shale         | 3640 |
| green shale & iron | 1619 | green shale                 | 2890 | red shale & lime    | 3646 |
| shale              | 1622 | lime                        | 2905 | lime                | 3648 |
| sand               | 1665 | broken lime                 | 2929 | red shale           | 3650 |
| red shale          | 1915 | shale                       | 2959 | granite wash        | 3652 |
| lime               | 1950 |                             |      | granite wash & red  |      |
| red shale          | 2065 |                             |      | shale               | 3678 |
|                    |      |                             |      | granite             | 3692 |

*Out...*

PLUG  
 223423 > 230  
 BOOK PAGE 2437  
 2446 42

T. D.  
 D & A



00/00 01800-101-3

I, G. D. Putnam, being first duly sworn on oath, state that I have knowledge of the facts and matter herein presented, and that the same are true and correct.

G. D. Putnam

Subscribed and sworn before me, this 30th day of March, 1936.

E. O. Bush

Notary Public

My commission expires April 26, 1937.