KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CP-1 September 2003 Form must be Typed Form must be Signed All blanks must be Filled

WELL PLUGGING APPLICATION

Please TYPE Form and File ONE Copy

Indicate original spud or completion date Well Operator: <u>Anadarko E&P</u>	4/22/85 Company IP		2007	22,101		
Address: 1201 Lake Robbins Dr	ne)	KCC License #: 33136 (Operator's)				
		City:	The Woodlands	(Operators)		
	Zip Code:77380	-	none: <u>832 636-31</u>			
Lease: <u>Piney</u>	Well #:	Sec	Twp <u>23</u> R.	34 East X v		
		County <u>Finney</u>				
4250 Feet from (in exact footage)	North / X South (from ne	arest outside section con	ner) Line of Section (c	ot / ease / lac)		
3300 Feet from (in exact footage)	East / X West (from ne	arest outside section com	er) Line of Section (ne	ot Lease Line)		
Check One: X Oil Well Gas We		odic Water Supply		,		
SWD Docket #	ENHI			er		
	Set at:					
				Sackş		
	" Set at;7	07' Cemented w	th:	600 Sacks		
roduction Casing Size: 5-1/2						
ist (ALL) Perforations and Bridgeplug Sets	Perfs 4726'-4775'					
levation: 2970' (XG.L.	. K.B.) T.D. 4950'	PBTD _4827'	Anhydrite Depth			
oposed Method of Plugging (attach a sepa	arate page if additional space k	g Leak Junk i s needed): Set CIB	n Hole P @ 4700', Spot	(Stone Corral Formation)		
ondition of Well: Good roposed Method of Plugging (attach a sepa Spot 20 sxs cement @ 700', P	arate page if additional space it	g Leak Junk i s needed): Set CIB	n Hole P @ 4700', Spot	5 sys camont on CT		
roposed Method of Plugging (attach a sepa <u>Spot 20 sxs cement @ 700'.</u> P	arate page if additional space k lace heavy muds betwe	g Leak Junki s needed): <u>Set CIB</u> en cement plugs.	n Hole P @ 4700', Spot Cut off and cap	5 sys camont on CT		
spot 20 sxs cement @ 700'. P below GL. Well Log attached to this application as re	arate page if additional space k lace heavy muds betwe	g Leak Junki s needed): <u>Set CIB</u> en cement plugs.	n Hole P @ 4700', Spot Cut off and cap	5 sxs cement on CII 8-5/8" casing 4'		
oposed Method of Plugging (attach a sepa Spot 20 sxs cement @ 700'. P below GL. Well Log attached to this application as re	arate page if additional space k lace heavy muds betwe	g Leak Junki s needed): <u>Set CIB</u> en cement plugs.	n Hole P @ 4700', Spot Cut off and cap Yes No	5 sxs cement on CII 8-5/8" casing 4'		
roposed Method of Plugging (attach a sepa Spot 20 sxs cement @ 700', P below GL. Well Log attached to this application as re not explain why?	arate page if additional space in lace heavy muds between the page if additional space in lace heavy muds between lace heavy m	g Leak Junk is needed): Set CIB en cement plugs. O	n Hole P @ 4700', Spot Cut off and cap Yes No	5 sxs cement on CII 8-5/8" casing 4' RECEIVED ANSAS CORPORATION COM		
roposed Method of Plugging (attach a sepa Spot 20 sxs cement @ 700', P below GL. Well Log attached to this application as re not explain why?	arate page if additional space it. Lace heavy muds between the page of the pa	g Leak Junk is needed): Set CIB en cement plugs. Is ACO-1 filed?	n Hole P @ 4700', Spot Cut off and cap Yes No	State Corporation Commission		
roposed Method of Plugging (attach a sepa Spot 20 sxs cement @ 700'. P below GL. Well Log attached to this application as re not explain why? ugging of this Well will be done in according to the separative authors.	arate page if additional space it. Lace heavy muds between the page of the pa	g Leak Junk is needed): Set CIB en cement plugs. Is ACO-1 filed?	n Hole P @ 4700', Spot Cut off and cap Yes No	RECEIVED AUG U D 2004 State Corporation Commission		
roposed Method of Plugging (attach a sepa Spot 20 sxs cement @ 700'. P below GL. Well Log attached to this application as re not explain why? ugging of this Well will be done in accord t Name of Company Representative author in Eisenhauer	rate page if additional space in lace heavy muds between the page if additional space in lace heavy muds between lace in lace with K.S.A. 55-101 at.	g Leak Junk is needed): Set CIB en cement plugs. Is ACO-1 filed?	n Hole P @ 4700', Spot Cut off and cap Yes No	State Corporation Commission		
oposed Method of Plugging (attach a sepa Spot 20 sxs cement @ 700', F below GL. Well Log attached to this application as re- not explain why? Igging of this Well will be done in according to the company Representative authoration in Eisenhauer Iress: 2790 North Anderson Ro	rate page if additional space is lace heavy muds between the page of pluggling to be in charge of pluggling ad City/S	g Leak Junk is needed): Set CIB en cement plugs. Is ACO-1 filed? X	n Hole P @ 4700', Spot Cut off and cap Yes No Regulations of the S	RECEIVED AUG U D 2004 State Corporation Commission		
Spot 20 sxs cement @ 700', F below GL. Well Log attached to this application as re not explain why? Ingging of this Well will be done in accord to Name of Company Representative author in Eisenhauer Ingers: 2790 North Anderson Ro	rate page if additional space is lace heavy muds between a lace heavy muds between lace with K.S.A. 55-101 at. rized to be in charge of plugging ad city/\$ 1. Plugging Inc.	s needed): Set CIB en cement plugs. Is ACO-1 filed? X seq. and the Rules and ing operations: Phone: tate Garden C	n Hole P @ 4700', Spot Cut off and cap Yes No Regulations of the S 620 275-9547	Security of CII B-5/8" casing 4' RECEIVED ANSAS CORPORATION COMM AUG 0 5 2004 State Corporation Commission CONSERVATION DIVISION WICHITA, KS		
Spot 20 sxs cement @ 700', F below GL. Well Log attached to this application as re not explain why? Ingging of this Well will be done in accord to Name of Company Representative author in Eisenhauer Irress: 2790 North Anderson Ro Ingging Contractor Sargent & Hortor	equired? Yes X No	g Leak Junk is seed of the second of the sec	r Hole P @ 4700', Spot Cut off and cap Yes No Regulations of the S 620 275-9547 ity, K\$ 67846 CC License # 3115	Security of CII B-5/8" casing 4' RECEIVED ANSAS CORPORATION COMM AUG 0 5 2004 State Corporation Commission CONSERVATION DIVISION WICHITA, KS		
Spot 20 sxs cement @ 700'. F below GL. Well Log attached to this application as re not explain why? Ingging of this Well will be done in accor t Name of Company Representative author in Eisenhauer Iress: 2790 North Anderson Ro agging Contractor Sargent & Hortor Iress Rt. 1. Box 49BA, Tyrone	rate page if additional space is lace heavy muds between the page of pluggling to be in charge of plugg	s needed):Set_CIB en_cement_plugsd Is ACO-1 filed? X seq. and the Rules and ag operations;Phone: tateGarden_C Phone:	n Hole P @ 4700', Spot Cut off and cap Yes No Regulations of the S 620 275-9547	State Corporation Commission Wichita, KS		
roposed Method of Plugging (attach a separation of Plugging (attach a separation of Plugging (attach a separation of Plugging of Italian of Plugging Contractor Sargent & Horton of Plugging (If knows posed Date and Hour of Plugging (If knows	equired? Yes X No dance with K.S.A. 55-101 et. rized to be in charge of pluggli A City/s Plugging Inc. (Company Name) 2. OK 73951-9731	s needed):Set_CIB en_cement_plugs Is ACO-1 filed? X seq. and the Rules and ag operations:Phone: tateGarden_C Phone:Ko	r Hole P @ 4700', Spot Cut off and cap Yes No Regulations of the S 620 275-9547 ity, K\$ 67846 CC License # 3115	State Corporation Commission Wichita, KS		
Spot 20 sxs cement @ 700'. F below GL. Well Log attached to this application as re not explain why? ugging of this Well will be done in accor t Name of Company Representative author in Eisenhauer dress: 2790 North Anderson Ro gging Contractor Sargent & Hortor dress Rt. 1. Box 49BA. Tyrone posed Date and Hour of Plugging (If knowner) ment of the Plugging Fee (K.A.R. 82-3-1)	equired? Yes X No dance with K.S.A. 55-101 et. rized to be in charge of pluggli A City/s Plugging Inc. (Company Name) 2. OK 73951-9731	s needed):Set_CIB en_cement_plugs Is ACO-1 filed? X seq. and the Rules and ag operations:Phone: tateGarden_C Phone:Ko	r Hole P @ 4700', Spot Cut off and cap Yes No Regulations of the S 620 275-9547 ity, K\$ 67846 CC License # 3115	State Corporation Commission Wichita, KS		



CORPORATION COMMISSION

Kathleen Sebelius, Governor

Brian J. Moline. Chair

Robert E. Krehbiel, Commissioner

Michael C. Moffet, Commissioner

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

Anadarko E & P Company LP 1201 Lake Robbins Drive The Woodlands, TX 77380

August 06, 2004

Re: PINEY #4

API 15-055-20600-00-00

S2NENW 20-23S-34W, 4520 FSL 3300 FEL

FINNEY COUNTY, KANSAS

Dear Operator:

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging.

Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the above-captioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

District: #1

210 E Frontview, Suite A

Dodge City, KS 67801

(620) 225-8888

Sincerely

David P. Williams

Production Supervisor

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CP-1 September 2003 Form must be Typed Form must be Signed All blanks must be Filled

WELL PLUGGING APPLICATION

Please TYPE Form and File ONE Copy

API# 15- 055-20600-05-06	(Identifier Nun	nber of this well). This	must be listed for well	s drilled since 19	67; if no API # wa	s issued.
Indicate original spud or completion da	te <u>4/22/85</u>					D/
Well Operator: Anadarko Pe				KCC License #		
Address: 1201 Lake Robbins	Drive (Owner/C	Company Name)	City:The	e Woodlands	(Operat	or's)
State: TX	Zip Code:	77380	Contact Phone:	832 636-312	28	
Lease: Piney		Well #:4	Sec20T	wp. <u>23</u> R.	34 Eas	st X West
S/2 - NE - N	W Spot Location	n/QQQQ County	/ Finney			
4250 Feet from (in exact footage				ine of Section (no	ot Lease Line)	
3300 Feet from (in exact footag	ge) 🗌 East / 🗓 🔻	Nest (from nearest ou	itside section corner) Li	ne of Section (no	t Lease Line)	
	s Well D&A		Water Supply Well			
SWD Docket #		ENHR Docke	_		r	
Conductor Casing Size:	Set at:		Cemented with:			Sacks
	-	***************************************	Cemented with:		600	Sacks
Production Casing Size: 5-					560	Sacks
					300	_Oacks
List (ALL) Perforations and Bridgeplug	_					
Elevation: <u>2970' ([X</u>	<u> </u>	4950' PBTI	O <u>4827'</u> Anh	ydrite Depth _	(Stone Corral Fo	urmation)
Condition of Well: Good	X Poor	Casing Leak	Junk in Ho	ale.	(Glone Contain o	'''''auoin
Proposed Method of Plugging (attach a Spot 20 sxs cement @ 700' below GL.	. Place heavy	muds between ce	ment plugs. Cut	off and cap	8-5/8" casir	ng 4'
Is Well Log attached to this application	as required?	Yes X No	Is ACO-1 filed? X Ye	es No "	(ANSAS CORPORAT	
If not explain why?		***************************************			AUG 0	4 2004
					CONSERVATION WICHITA	N DIVISION
Plugging of this Well will be done in	accordance with K	.S.A. 55-101 <u>et. se</u> q. a	and the Rules and Re	gulations of the		
List Name of Company Representative	authorized to be in o	charge of plugging ope	erations:	*		
<u>Dan Eisenhauer</u>			Phone: 6	20 275-9547		
Address: <u>2790 North Anderso</u>	n Road	City/State	Garden City	y. KS 67846		\
Plugging Contractor <u>Sargent & H</u>	orton Plugging		ксс	License # 313		/
Address <u>Rt. 1, Box 49BA, T</u>	•	ny Name) 51-9731	Phone: 58	80 854-6515	(Contractor's)
Proposed Date and Hour of Plugging	(If known?):					
Payment of the Plugging Fee (K.A.R.		uaranteed b©Onerato	or or Agent			
Date: $8-3-04$ Autho		()	un 1.BC			
Autio	operator / Age		-j. w	(Signature)		
		Jerry N. B	lossom	•		