For KCC	Use:	1.1	.04	
Effective		•		
District #	·			
SGA?	Yes	XN	Ю	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

8/21/04	
Expected Spud Date 8/31/04 month day year N	Spot East ✓ SW SE SE Sec 35 Two 30 S B 39 ✓ West
✓ · · · · · · · · · · · · · · · · · · ·	
OPERATOR: License# 4549	618 feet from N / V S Line of Section 1200 feet from V E / W Line of Section
Name: Anadarko Petroleum Corporation	leet nom
Address: 1201 Lake Robbins Drive	Is SECTION Regular Irregular?
Address: The Woodlands, TX 77380	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jerry N. Blossom	County: Stanton
Phone: (832) 636-3128	Lease Name: Lucas "A" Well #: 1
	Field Name: Wildcat
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Co., Inc.	Target Information(s): Chester
	Nearest Lease or unit boundary: 618'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3102 feet MSL
Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal V Wildcat Cable	Depth to bottom of fresh water: 400
Seismic;# of Holes Other	Depth to bottom or fresh water.
Other	
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1750' Length of Conductor Pipe required: NONE
Operator:	==3
Well Name:	Projected Total Depth: 6200'
Original Completion Date:Original Total Depth:	Formation at Total Depth: St. Louis
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes V No	Well Farm Pond Other
If Yes, true vertical depth: RECEIVED	DWR Permit #:
Bottom Hole Location: KANSAS CORPORATION COMMISSION	(Note: Apply for Permit with DWR 🔽)
KCC DKT #:	Will Cores be taken?
FProrated & Spaced AUG 27 2004	If Yes, proposed zone:
FProrated & Spaced AUG 27 2004 Hugator & Paroma conservation division AFFI	
CONSERVATION DIVISION AFFI	DAVIT
The undersigned hereby affirms that the dri Magnitor and eventual plants	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	ch drilling rig;
3. The minimum amount of surface pipe as specified below shall be se	et by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	ne underlying formation.
4. If the well is dry hole, an agreement between the operator and the d	listrict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cement	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
I hereby certify that the statements made herein are true and to the best o	my knowledge and belief,
Pate: 8-26-04 Signature of Operator or Agent:	Title: Staff Environmental & Regulatory Analyst
Date: 3 - 16-09 Signature of Operator or Agent:	Title: State Limitation of the state of the
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
199 21044.00-00	- File Completion Form ACO-1 within 120 days of spud date;
AFT# 13	- File acreage attribution plat according to field proration orders;
I NAME	, , , , , , , , , , , , , , , , , , , ,
Conductor pipe required None feet	 Notify appropriate district office 48 hours prior to workover or re-entry;
FOA	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Minimum surface pipe required 580 feet per Alt. 1) \$	- Notify appropriate district office 48 nours prior to workover of re-entry, - Submit plugging report (CP-4) after plugging is completed;
Minimum surface pipe required 580 feet per Alt. 1 \$ Approved by: 1278-27.04	- Notify appropriate district office 48 nours prior to workover of re-entry, - Submit plugging report (CP-4) after plugging is completed;
Minimum surface pipe required 580 feet per Alt. 1) \$ Approved by: \(\frac{1}{5} \) \(\frac{8}{27.04} \) This authorization expires: \(\frac{7}{27.05} \)	- Notify appropriate district office 48 hours prior to workover of re-entry, - Submit plugging report (CP-4) after plugging is completed;
Minimum surface pipe required 580 feet per Alt. 1 \$ Approved by: 1278-27.04	 Notify appropriate district office 48 hours prior to workover of re-entry, Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Minimum surface pipe required 580 feet per Alt. 1) \$ Approved by: \(\frac{1}{8} \) \(\frac{27.04}{27.05} \) This authorization expires: \(\frac{7.27.05}{2.27.05} \) (This authorization void if drilling not started within 6 months of effective date.)	- Notify appropriate district office 48 hours prior to workover of re-entry, - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
Minimum surface pipe required 580 feet per Alt. 1) \$ Approved by: \(\frac{1}{5} \) 8-27.04 This authorization expires: \(\frac{7}{2.27.05} \)	- Notify appropriate district office 48 hours prior to workover of re-entry, - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
Minimum surface pipe required 580 feet per Alt. 1) \$ Approved by: \(\frac{1}{2} \) \(\frac{27.04}{27.05} \) This authorization expires: \(\frac{2.27.05}{2.27.05} \) (This authorization void if drilling not started within 6 months of effective date.) Spud date: \(\frac{1}{2} \) Agent: \(\frac{1}{2} \)	- Notify appropriate district office 48 hours prior to workover of re-entry, - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15	Location of Well: County: Stanton
Operator: Anadarko Petroleum Corporation	618 feet from N / V S Line of Section
Lease: Lucas "A"	1200 feet from E / W Line of Section
Well Number: 1	Sec. 35 Twp. 30 S. R. 39 East ✔ West
Field: Wildcat	
Number of Acres attributable to well: 160	Is Section: Pegular or Irregular
QTR / QTR / QTR of acreage: SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

:
•
-
· ·
· :
· ·
•
•



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
JOHN WINE, COMMISSIONER
ROBERT E. KREHBIEL, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.