| For KCC Use:    | 8-4.04      |  |
|-----------------|-------------|--|
| Effective Date: |             |  |
| District #      |             |  |
| SCA2 TVos       | . [▼] No. 「 |  |

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

| Must be approved by KCC five   | (b) days prior to commercing trem  |
|--|--|
| _  | AP N/2 SE SW   |
| Expected Spud Date 7 28 2004   | Spot East  |
| month day year   | ApC SW Sec. 33 Twp. 33S S. R. 15W X West   |
| OPERATOR: License# 5050  | 940 'FSL feet from N / XS Line of Section 1930 'FWL feet from E / XW Line of Section   |
| Name: Hummon Corporation   |  |
| Address: 950 N. Tyler  | Is SECTION X_RegularIrregular?   |
| City/State/Zip: Wichita, Kansas 67212  | (Note: Locate well on the Section Plat on reverse side)  |
| Contact Person: Byron Hummon, Jr   | County: Barber   |
| Phone: 316-773-2300  | Lease Name: Z Bar Well #: 4-33   |
| CONTRACTOR: License# 5418  | Field Name: Platt South Field  Is this a Prorated / Spaced Field?  Yes X No  |
| Name: Allen Drilling Rig #5  | Target Formation(s): Mississippian   |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary: 330'  Cround Surface Flourties: 1670' feet MSL   |
| X Oil Enh Rec X Infield X Mud Rotary   | Glound Sunace Elevation.   |
| X Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:  Public water supply well within one mile:  Yes X No   |
| OWWO Disposal Wildcat Cable  | Public water supply well within one mile:  Depth to bottom of fresh water:  150  Yes X No  |
| Seismic;# of Holes Other   | Depth to bottom of tresh water:  |
| Other  | Surface Pipe by Alternate: X 1 2   |
|  | Length of Surface Pipe Planned to be set: 830'   |
| If OWWO: old well information as follows:  | Length of Conductor Pipe required: A NONE  |
| Operator:  | Projected Total Depth: 5000'   |
| Well Name:Original Total Depth:  | Formation at Total Depth: Mississippian  |
|  | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore?  RECEIVED  Yes X No  | Well XX Farm Pond Other  |
|  |  |
| If Yes, true vertical deplansas corporation commission   | DWR Permit #:  |
| If Yes, true vertical deploranses corporation commission  Bottom Hole Location:  | DWR Permit #:  |
| If Yes, true vertical deplansas corporation commission   | DWR Permit #:  |
| If Yes, true vertical deploranses corporation commission  Bottom Hole Location:  | DWR Permit #:  |
| If Yes, true vertical depKansas corporation commission  Bottom Hole Location:  KCC DKT #:  CONSERVATION DIVISION   | DWR Permit #:  |
| If Yes, true vertical depKansas corporation commission  Bottom Hole Location:  KCC DKT #:  CONSERVATION DIVISION  WICHITA KS  AFF  | DWR Permit #:  |
| Bottom Hole Location:  KCC DKT #:  CONSERVATION DIVISION WICHITA, KS  The undersigned hereby affirms that the drilling, completion and eventual in the content of the completion and eventual in the completion and event | DWR Permit #:  |
| Bottom Hole Location:  KCC DKT #:  CONSERVATION DIVISION WICHITA, KS  The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  | DWR Permit #:  |
| Bottom Hole Location:  KCC DKT #:  CONSERVATION DIVISION  WICHITA, KS  The undersigned hereby affirms that the drilling, completion and eventual in the sagreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the suffice well is dry hole, an agreement between the operator and the the sufficient office will be notified before well is either plus that the sufficient of the suffice will be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  | DWR Permit #:  |
| Bottom Hole Location:  CONSERVATION DIVISION  WICHITA, KS  The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the formulation of the properties of the plus of the pl | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Acad. Pre is advised  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| Bottom Hole Location:  CONSERVATION DIVISION  WICHITA, KS  The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus in a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best in the statement of the spud date or the spud to the best in the statement of the statement of the spud to the spud to the best in the statement of the spud to the spud to the best in the statement of the spud to the spud to the best in the statement of the spud to  | DWR Permit #:  (Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; algged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date.  Fig. 133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  |
| Bottom Hole Location:  KCC DKT #:  CONSERVATION DIVISION  WICHITA, KS  The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be strongh all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:  7/28/04  Signature of Operator or Agent:  | DWR Permit #:  (Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date.  Fig. 133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing.  Of my knowledge and belief.  Title:  Remember to:   |
| Bottom Hole Location:    CONSERVATION DIVISION WICHITA, KS   It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be comerced or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be certified.  Date: 7/28/04   Signature of Operator or Agent:   | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Acrost Propers Acrost Set Set Set Set Set Set Set Set Set Se  |
| Bottom Hole Location:  KCC DKT #:  CONSERVATION DIVISION WICHITA, KS  The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/28/04  Signature of Operator or Agent:  For KCC Use ONLY API # 15 - OO7 - 22842 · OO · OO   | Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  surged or production casing is cemented in;  need from below any usable water to surface within 120 days of spud date.  set #133,891-C, which applies to the KCC District 3 area, alternate II cementing.  If the plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;   |
| Bottom Hole Location:    CONSERVATION DIVISION WICHITA, KS   AFF   | Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  alged or production casing is cemented in;  need from below any usable water to surface within 120 days of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate II cementing.  If the plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  |
| Bottom Hole Location:    CONSERVATION DIVISION WICHITA, KS   | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  alged or production casing is cemented in;  anted from below any usable water to surface within 120 days of spud date.  First #133,891-C, which applies to the KCC District 3 area, alternate II cementing.  If the plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  |
| Bottom Hole Location:  KCC DKT #:  CONSERVATION DIVISION WICHITA, KS  The undersigned hereby affirms that the drilling, completion and eventual in it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the surface pipe as a proper shall be cement of the well is dry hole, an agreement between the operator and the surface pipe as specified below shall be such in the well is dry hole, an agreement between the operator and the surface pipe required within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pater.  For KCC Use ONLY  API # 15  | Will Cores be taken?  If Yes, proposed zone:  Proc is advised  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date.  ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.                           |
| Bottom Hole Location:    CONSERVATION DIVISION WICHITA, KS   AFF   | Will Cores be taken?  If Yes, proposed zone:  Plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; agged or production casing is cemented in; agged or production applies to the KCC District 3 area, alternate II cementing. If the plugged in all cases, NOTIFY district office prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please  |
| Bottom Hole Location:  KCC DKT #:  CONSERVATION DIVISION WICHITA, KS  The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on etc.  3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surfaced pipe as specified below shall be surfaced pipe shall be surfaced pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:    T / 28 / 0.4  | Will Cores be taken?  If Yes, proposed zone:  Precis advised  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. First 133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged in all cases, NOTIFY district office prior to any cementing.  Of my knowledge and belief.  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.                                    |
| Bottom Hole Location:    JUL 2 9 2004  | Will Cores be taken?  If Yes, proposed zone:  Plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date.  ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged and belief.  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15                                      | Location of Well: County:Barber  |
|---|--|
| Operator: Hummon Corporation                    | 940 FSL feet from N/XS Line of Section   |
| Lease: Z Bar                                    | 940 FSL feet from N/XS Line of Section 1930 FWL feet from E/XW Line of Section |
| Well Number: 4-33                               | Sec. 33 Twp. 33S S. R. 15W East X Wes  |
| Field: Platt South                              |  |
| Number of Acres attributable to well:           | Is Section: X Regular or Irregular   |
| QTR / QTR / QTR of acreage: <u>ApC - 0 - SW</u> | If Section is Irregular, locate well from nearest corner boundary.             |
|   | Section corner used: NE NW SE SW   |

#### **PLAT**


(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

|     |                                       |   | •   |   |     |       |                                       |
|-----|---------------------------------------|---|-----|---|-----|-------|---------------------------------------|
|     | • .                                   |   |     |   | • . |       |                                       |
|     |                                       | • | •   |   |     |       | •                                     |
|     |                                       |   |     | 1 |     |       |                                       |
|     |                                       |   |     |   |     |       |                                       |
|     |                                       |   | •   |   | •   |       | •                                     |
|     | ·                                     |   | •   |   | • . | •     |                                       |
|     |                                       |   |     |   |     |       | ·                                     |
|     |                                       |   |     |   |     |       |                                       |
|     |                                       |   | •   |   | •   | į     |                                       |
|     |                                       |   |     |   |     |       |                                       |
|     |                                       |   |     |   |     |       |                                       |
|     |                                       | • |     |   |     |       |                                       |
|     |                                       |   | •   |   | •   | •     | •                                     |
|     | •                                     |   | •   | ı | •   | •     | •                                     |
|     | ·                                     |   | ं ३ | 3 | •   | '<br> | •                                     |
|     |                                       |   | . , | • |     |       | •                                     |
|     |                                       |   |     |   |     |       | •                                     |
|     |                                       |   |     |   |     |       |                                       |
|     |                                       |   |     |   | •   |       | •                                     |
|     |                                       |   |     |   | ·   |       |                                       |
|     |                                       |   |     |   |     |       |                                       |
| i . | <br>                                  |   |     |   | ·   |       |                                       |
| i . | · · · · · · · · · · · · · · · · · · · |   |     |   |     |       |                                       |
| i . |                                       |   |     |   |     |       | ·                                     |
|     |                                       |   |     |   |     |       | · · · · · · · · · · · · · · · · ·     |
|     |                                       |   |     |   |     |       | ·                                     |
|     |                                       |   |     |   |     |       | · · · · · · · · · · · · · · · · · ·   |
|     |                                       |   |     |   |     |       | · · · · · · · · · · · · · · · · · · · |
|     |                                       |   |     |   |     |       | · · · · · · · · · · · · · · · · · · · |
|     |                                       |   |     |   |     |       |                                       |
|     |                                       |   |     |   |     |       |                                       |

RECEIVED KANSAS CORPORATION COMMISSION

JUL 2 9 2004

CONSERVATION DIVISION WICHTIA KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

July 30, 2004

Mr. Byron Hummon, Jr. Hummon Corporation 950 N. Tyler Wichita, KS 67212

RE: Drilling Pit Application

Z Bar Lease Well No. 4-33 SW/4 Sec. 33-33S-15W Barber County, Kansas

Dear Mr. Hummon:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. The pits shall be kept on top of the hill away from the creek.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Also please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Havnes

**Environmental Protection and Remediation Department** 

cc: S Durrant