

15-137-00068-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

File One Copy

Lease Owner Brooks Hall and Empire Drig. Co. Address 1121 Union Nat'l. Bk. Bldg. Wichita, Kansas
(Applicant)
Lease (Farm Name) Gray Well No. 1
Well Location SW SE SE Sec. 27 Twp. 3 Rge. 25 (E)-(W) W
County Norton Field Name (if any) Wildcat
Total Depth 3875 feet Oil Gas Dry Hole X
Was well log filed with application? yes. If not, explain:

Date and hour plugging is desired to begin August 20, 1952

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.

(Use an additional sheet if necessary)

RECEIVED
STATE CORPORATION COMMISSION
08-27-1952
AUG 27 1952

Name of the person on the lease in charge of well for CONSERVATION DIVISION
Marion Helberg Address Lindsborg, Kansas

Name of Plugging Contractor Empire Drilling Company

Address 1121 Union National Bank Building, Wichita, Kansas

Invoice covering assessment for plugging this well should be sent to
Empire Drilling Company Address 1121 Union Nat'l. Bk. Bldg. Wichita, Kansas

and payment will be guaranteed by applicant.

EMPIRE DRILLING COMPANY

Dan J. Kornfeld
Applicant or Acting Agent

Date August 20, 1952

PLUGGING
FILE SEC 27 T 3 R 25
BOOK PAGE 40 LINE 18

15-137-00068-00-00

COMPANY: Brooks Hall & Empire Drilling
Company
CONTRACTOR: Empire Drilling Company
FARM: Gray #1
LOCATION : SW SE SE, Sec. 27-3-25 W,
Norton County, Kansas
COMMENCED: 8-11-52
COMPLETED: 8-20-52

0	to	30	Surface clay
30	to	60	Sand and gravel
60	to	193	Shale and shells
193	to	1095	Shale, shells and sand
1095	to	1905	Shale and shells
1905	to	1930	Anhydrite
1930	to	2255	Shale and lime
2255	to	2770	Shale and shells
2770	to	2890	Shale and lime
2890	to	2945	Lime and shale
2945	to	3383	Shale and lime
3383	to	3585	Lime
3585	to	3735	Shale and lime
3735	to	3830	Lime
3830	to	3875	Arbuckle
3875			R.T.D.

Set 181' - 8-5/8" Surface Pipe and cemented with 135 sacks of cement.

SCHLUMBERGER: 3875'

TOPS: Anhydrite 1945'; Heebner 3370'; Toronto 3400'; Topeka 3192'; L.S. K.C. 3413'; Arbuckle 3721'; Reagen Sand 3850'; Granite Wash 3855'.

ELEVATION: 2388' R.B.

DRY

C E R T I F I C A T I O N

I, Dan J. Kornfeld, do hereby certify that the above and foregoing is a true and correct copy of the log of the Gray No. 1 in Section 27, Township 3, Range 25 West, Norton County, Kansas as reflected by files of the Empire Drilling Company.


Dan J. Kornfeld

Subscribed and sworn to before me a Notary Public, within and for Sedgwick County, Kansas, this 26th day of August, 1952.


NOTARY PUBLIC

My Commission Expires May 5, 1956

PLUGGING
FILE SEC. 27 T 3 R 25 W
BOOK PAGE 60 LINE 14

RECEIVED
STATE CORPORATION COMMISSION
AUG 27 1952
CONSERVATION DIVISION
Wichita, Kansas



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

August 27, 1952

15-137-00068-00-00

Well No. 1
Lease Gray
Description SW SE SE 27-3-25W
County Norton
File No. 40-18

Empire Drilling Company
1121 Union Nat'l. Bank Bldg.
Wichita, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: J. P. Roberts
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR