

15039-19031-00-00


STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission,
800 Bittling Building,
Wichita, Kansas

WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD



Strike out upper line when reporting plugging of formations.

McCatur County, Sec 26 Twp. 33 Rge 26 (E) (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines.....

Lease Owner McCatur Pet. Corp

Lease Name Versey Well No. 1

Office Address Wichita, Ks.

Character of Well (Completed as Oil, Gas or Dry Hole) dry hole

Date, well completed..... 19.....

Application for plugging filed 3/17 193. 7

Application for plugging approved same 193. 7

Plugging Commenced 3/17 193. 7

Plugging Completed 3/28 193. 7

Reason for abandonment of well or producing formation dry

If a producing well is abandoned, date of last production..... 193.....

Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Agent at Great Bend, Kansas G. J. Alexander

Producing formation..... Depth to top..... Bottom..... Total Depth of Well 4149-6 Feet

Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				13060	200	None
				8 7/8 060	2904	1000'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from..... feet to..... feet for each plug set.

Filled hole with heavy mud thru drill pipe to 200 feet shot 8 7/8" casing at 1000 feet set cement 15 ft at 200 feet bottom of surface pipe. Filled hole with mud to top of surface pipe and cemented top of surface pipe.



(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to.....

Address.....

STATE OF Kansas, COUNTY OF Sedgewick, ss.

Geo. V. Westworth (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Geo. V. Westworth

McCatur, Kans (Address)

SUBSCRIBED AND SWORN to before me this 7th day of April, 1937

My commission expires May 21, 1940 G. B. Bishop Notary Public.

16-1484

11-35-5M

Rec'd
4-8-37

15-039-19031-00-00

LEO V. WENTWORTH
DRILLING CONTRACTOR
BOX 1322

OKLAHOMA CITY, OKLAHOMA

Log of:

Vessey Well No.1
Located: Sec. 26, Township 3S. Range 26W.
Decatur County, Kansas

Formations;

Soil & Clay	20	Lime Pyrite	2155
Sand Clay	107	Shale & Lime Shells	2180
Sand	110	Sand & Lime	2210
(Ran 200'-2" 12' 14" casg)		Red Bed	2245
Sand Clay & Lime	170	Salt	2260
Hard Lime	180	Shale & Salt	2290
Shale (Green & Blue)	670	Shale	2350
Shale & Slate	752	Shale & Pyrite	2405
Lime Shells	773	Lime & Shale	2512
Shale Shells	779	Shale & Pyrite	2452
Shale & Shells	945	Shale & Lime Shells	2530
Shale & Lime Shells	1002	Sandy Lime	2550
Lime Gumbo	1061	Lime	2580
Shale & Hard Sand	1219	Shale	2590
Hard Sand	1280	Lime	2740
Sand, Broken	1540	Lime & Pyrite	2786
Lime & Gyp	1555	Lime	2805
Blue Shale	1567	Shale	2860
Broken Gyp	1586	Lime	2875
Broken Gyp & Lime	1600	Shale & Lime Shells	2902
Shale	1660	(Ran 2904-8 1/2" casg.)	
Grey Lime	1667	Sticky Shale	2917
Green Shale	1696	Sand & Lime	2930
Sandy Lime	1702	Lime	2939
Green Shale, Broken	1740	Lime & Sandy Shale	2985
Sand	1755	Lime	3032
Shale	1786	Shale & Lime Shells	3060
Sand	1800	Sandy Shale & Shells	3105
Lime, Broken	1805	Lime	3490
Shale	1820	Hard Lime	3498
Sand Shale	1860	Lime	3540
Shale	1889	Shale	3545
Red Rock	1900	Lime	3624
Sandy Shale	1935	Lime & Shale, Broken	3666
Red Bed	1965	Red Rock	3668
Broken Granite & Shale	2000	Lime	3705
Brown Shale	2027	Broken Lime & Shale	3723
Sandy Shale	2050	Lime & Red Rock	3734
Shale	2060	Hard Shale & Lime Broken	3763
Lime Broken	2065	Red Rock & Lime	3775
Red Rock Shale	2086	Lime	3780
Red Rock & Sandy Shale	2135	Shale & Broken Lime	3819

PLUGGING
FILE SEC 26 T 3 R 26
BOOK PAGE 81 LINE 18

15-039-19031-00-00

ROTARY AND CABLE TOOLS
DEEP OR SHALLOW

TELEPHONE 5-4571

LEO V. WENTWORTH
DRILLING CONTRACTOR
BOX 1322
OKLAHOMA CITY, OKLAHOMA

Lime	3836	Shale	4025
Sandy Shale	3923	Lime	4065
Hard Shale	3967	Shale & Sand	4080
Red Rock & Brown Shale	3988	V.C. Broken S.L.	4130
Sand & Hard Shale	3989	Quartsite	4150

PLUGGING
 FILE SEC 26-3 R 2610
 BOOK PAGE 81 LINE 18