

6 020379

MAR 4 1987

API NUMBER 15-039-20, 807-00-00

To: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION SE-SE-NE, SEC. 4, T 3 S, R 27 W1/4
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

2970 feet from S section line
2970 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 8981

Lease Name Richard Chambers Well # 1

Operator: A DECO inc. + Chambers

County Decatur 136.50

Name & Address 310 E Ash

Well Total Depth 4200 feet

Oberlin Kans. 67749

Conductor Pipe: Size _____ feet

Lester Chambers 913-475-3468

Surface Casing: Size 8 5/8 feet 314 w/185 sx

Abandoned Oil Well _____ Gas Well _____ Input Well _____ SWD Well _____ D&A

Other well as hereinafter indicated _____

Plugging Contractor Red Tiger License Number 5302

Address Wichita

Company to plug at: Hour: 11:00 A Day: 4 Month: March Year: 19 87

Plugging proposal received from Ken Lyle

(company name) Red Tiger (phone) _____

were: KB 2670 Map 1450, Anby 2257 to 2297 Arb. 4050
60% Poz 6% Gel. 3% CC 25 sx @ 1000, 25 sx @ 2300, 100 sx @
1520, 40 sx @ 320, 10 sx @ 40, 15 sx in Rat Hole.

Plugging Proposal Received by J. Ballhagen
(TECHNICIAN)

Plugging Operations attended by Agent?: All Part _____ None _____

Operations Completed: Hour: 5:00 PM Day: 4 Month: March Year: 19 87

ACTUAL PLUGGING REPORT Cin Heavy Mud Between All Plugs, Pumped
Down Drillstem 60% Poz 6% Gel, 3% CC, 25 sx @ 4000'
25 sx @ 2300, 100 sx @ 1520 w/100% Fl Gel. 40 sx @ 320
10 sx @ 40' Behind Wiper Plug. 15 sx in Rat Hole

Remarks: By Allied
(If additional description is necessary, use BACK of this form.)
I (and my employees) do not observe this plugging.

INVOICED
DATE 3-23-87
INV. NO. 16382
3-4

Signed J. Ballhagen
(TECHNICIAN)

3-20-87
MAR 20 1987
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
Wichita, Kansas

CARD MUST BE TYPED

State of Kansas

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

"CORRECTED SPOT LOCATION"

Starting Date 2 19 87 month day year

API Number 15- 039-10,80700-00 27987

OPERATOR: License # 8981
Name ADECO, INC. & CHAMBERS
Address 310 E. Ash
City/State/Zip Oberlin, Kansas 67749
Contact Person Lester L. Chambers
Phone 913-475-3468
CONTRACTOR: License # 5302
Name Red Tiger Drilling Co.
City/State Wichita, Kansas 67202

Approved SE SE NW Sec. 4 Twp. 3S S, Rg. 27W X East West
2970 Ft. from South Line of Section
2970 Ft. from East Line of Section

Well Drilled For: X Oil SWD Infield Mud Rotary
Gas Inj X Pool Ext. Air Rotary
OWWO Expl Wildcat Cable

(Note: Locate well on Section Plat on reverse side)
Nearest lease or unit boundary line 330 feet
County Decatur
Lease Name Richard Chambers Well # 1
Ground surface elevation 2670 feet MSL
Domestic well within 330 feet: yes X no
Municipal well within one mile: yes X no
Depth to bottom of fresh water 200
Depth to bottom of usable water 1500
Surface pipe by Alternate: 1 2 X
Surface pipe planned to be set 280
Conductor pipe required N/A
Projected Total Depth 4200 feet
Formation Granite

If OWWO: old well info as follows:
Operator
Well Name
Comp Date Old Total Depth

I certify that well will comply with K.S.A. 55-101, et seq., plus eventual regulations.
Date 2/19/87 Signature of Operator or Agent

Handwritten signature: Raymond A. Angle

BY RED TIGER DRILLING CO.
Conductor Pipe Required 250 feet; Minimum Surface Pipe Required 250 feet per Alt. #2
This Authorization Expires 8-12-87 Approved By 2-12-87

Handwritten notes: kwasi. NW SW NW 3630 F55 4950 FEL

Apx. SE SE NW Sec. 4 Twp. 3S S, Rg. 27W X East West

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

Table with 3 columns: Plug depth (e.g., 1500, 1180, 250, 40, 10), Plug description (e.g., 1st plug @, 2nd plug @, 3rd plug @, 4th plug @, 5th plug @, (2) Rathole with), and Plug material (e.g., 60-40 poz., 6% gel, sxs of, N/A).

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging. In Addition: Call district office after well is either plugged or production casing is cemented in.

(Call 7 a.m. to 5 p.m. workdays)

District office use only:
API #15-
Surface casing of feet set with sxs at hours, 19
Alternate 1 or 2 surface pipe was used.
Alternate 2 cementing was completed @ ft. depth with sxs on, 19
Hole plugged, 19, agent

RECEIVED RECEIVED RECEIVED

FEB 23 1987

Form C-1 12/85
320-87
20 1987
REGISTRATION DIVISION
W-12 Kansas

SPUD 2/21/87

DLB

CARD MUST BE TYPED

State of Kansas

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date 2-14-87 month day year

API Number 15-039-20,807-00-00

OPERATOR: License # 8981 Name ADECO, INC. & CHAMBERS Address 310 E. Ash City/State/Zip Oberlin, Kansas 67749 Contact Person Lester L. Chambers Phone 913-475-3468

NW SW NW 4 3S 27W East West 3630 4950 Ft. from South Line of Section Ft. from East Line of Section

CONTRACTOR: License # 5302 Name Red Tiger Drilling Co. City/State Wichita, Kansas 67202

(Note: Locate well on Section Plat on reverse side) Nearest lease or unit boundary line 330 feet

Well Drilled For: X Oil SWD Infield Mud Rotary Gas Inj Pool Ext Air Rotary OWWO Expl Wildcat Cable

County Decatur Lease Name Richard Chambers Well # 1 Ground surface elevation feet MSL Domestic well within 330 feet: yes no Municipal well within one mile: yes no Depth to bottom of fresh water 100 200 Depth to bottom of usable water 1100 1500 Surface pipe by Alternate: 1 2 X Surface pipe planned to be set 280 Conductor pipe required N/A Projected Total Depth 4200 feet formation Granite

IF OWWO: old well info as follows: Operator Well Name Comp Date Old Total Depth

I certify that well will comply with K.S.A. 55-101, et seq., plus eventual plugging to meet K.C. specifications. Date 2-12-87 Signature of Operator or Agent Name A. Angle Owner

For KCC Use: BY RED TIGER DRILLING CO. Conductor Pipe Required feet; Minimum Surface Pipe Required 250 feet per Alt. This Authorization Expires 5-12-87 Approved By 2-12-87

Inaug well 2/21/87 H.M. Kenlye DLB will call after auger

NW SW NW 4 3S 27W East West

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ 1500 feet depth with 20 sxs sxs of 60-40 poz., 6% gel 2nd plug @ 1180 feet depth with 100 sxs sxs of 3rd plug @ 250 feet depth with 40 sxs sxs of 4th plug @ 40 feet depth with 10 sxs sxs of 5th plug @ feet depth with sxs of (2) Rathole with 10 sxs sxs (b) Mousehole with N/A sxs

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging. In Addition: Call district office after well is either plugged or production casing is cemented in. (Call 7 a.m. to 5 p.m. workdays)

District office use only:

API #15-039-20,807 Surface casing of feet set with sxs at hours, 19 Alternate 1 or 2 surface pipe was used. Alternate 2 cementing was completed @ ft. depth with sxs on 19 Hole plugged 19, agent

FEB 13 1987 STATE CORPORATION COMMISSION 32087 MAR 20 1987 CONSERVATION DIVISION Wichita, Kansas Form C-1 12/85