

15-137-00731-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Well Location C SW¹ NE¹ Sec. 2 Twp. 3 Rge. 25 W (E) _____ (W) _____


Field Name (if any) _____ County Norton

Lease (Farm Name) Hicks Well No. 1

Was well log filed with application? If not, explain circumstances and give available data (Use an additional sheet if necessary) _____

Date and hour plugging is desired to begin _____

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary) _____



Name of the person on the lease in charge of well for owner _____

W. A. Grant Address 1019 Central Bldg., Wichita, Kansas

Name of well owner or Acting Agent W. A. Grant

Address 1019 Central Bldg., Wichita, Kansas

Invoice covering assessment for plugging this well should be sent to:

Harbar Drilling Co Address 1019 Central Bldg., Wichita, Kansas

and payment will be guaranteed by applicant.

PLUGGING
FILE SEC. 2 TWP. 3 R. 25W
BOOK PAGE 123 LINE 20

[Signature]
Operator or Acting Agent

Date 6-24-47


15-137-00731-00-00

R. W. SHIELDS HICKS #1 WELL
 S. 2-3-25W CSW NE
 Norton County Kansas

Started rigging up 8-18-43
 Tearing out rotary 9-7-43

Set 4 jts. 10 3/4" Spirial Weld at 165'. Set 111 jts. 5 1/2" OD sthd. at 3470' with 75 sacks cement.

<u>FORMATION</u>	<u>FROM</u>	<u>TO</u>	<u>REMARKS</u>
Sandy shale	0	105	
Sand & Gravel	105	145	
Sand	145	160	
Sand & Broken Gravel	160	190	
Sand & Shale	190	680	Slope test 400' o.k.
Shale & Shells	680	1150	Slope test 1000' o.k.
Shale & Shells, sand streaks	1150	1225	
Broken sand	1225	1350	
Shale	1350	1395	
Sand & Shells	1395	1440	
Shale & Shells	1440	1590	Slope test 1500' o.k.
Shale & Red Bed	1590	1665	
Anhydrite	1665	1675	
Sand & Red Rock	1675	1805	
Red Bed	1805	2017	Slope test 2000' o.k.
Anhydrite	2017	2055	
Lime & Shale	2055	2185	
Shale & Shells	2185	2435	
Shale & Red Bed	2435	2490	
Shale	2490	2525	
Shale & Lime	2525	2530	
Lime	2530	2545	
Shale & Shells	2545	2575	Slope test 2500' o.k.
Broken lime	2575	2710	
Sandy Lime	2710	2750	
Lime & Shale	2750	2800	
Lime & Red Rock	2800	2865	
Broken Lime	2865	2905	
Shale & Lime	2905	2950	
Lime	2950	3175	
Shale & Lime	3175	3205	
Lime	3205	3485	
Shale & Lime	3485	3510	
Lime	3510	3522	
Lime & Shale	3522	3528	
Broken Lime	3528	3555	
Lime & Shale	3555	3600	



PLUGGING
 FILE NO. 2 T. 3 R. 25W
 BOOK PAGE 123 LINE 20

15-137-00731-00-00

R. W. SHIELDS HICKS #1 WELL
S. 2-3-25W CSW NE
Horton County, Kansas

Page 2

Line	3600	3645	
Lime & Shale	3645	3715	
Lime	3715	3745	
Shale & Lime	3745	3765	
Granite wash	3765	3835	TOTAL DEPTH

I, W. A. Grant, partner of Harbor Drilling Company, certify that to the best of my knowledge and belief, the above log is true and correct.

[Handwritten Signature]

Subscribed and sworn to before
me this ~~1st day of November, 1947~~
24th day of June 1947
My commission expires April 7, 1947
Dec 22, 1950

Mary R. Brown
Notary Public

PLUGGING
FILE SEC 2 T 3 R 25W
BOOK PAGE 123 LINE 20



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA 2, KANSAS

July 11, 1944

IN REPLY PLEASE
REFER TO THIS
SUBJECT

15-137-00731-00-00

Well No. 1
Farm Hicks
Description SW 1/4 NE 2-5-25W
County Norton
File 123-20

Harbar Drilling Co.
Central Building
Wichita, 2, Kansas

Gentlemen:

This letter is your permit to plug
the above subject well, in accordance
with the Rules and Regulations of the
STATE CORPORATION COMMISSION.

Yours very truly,

STATE CORPORATION COMMISSION

T. A. MORGAN, DIRECTOR
CONSERVATION DIVISION

JF

By:

J. P. Roberts
J. P. ROBERTS

NOTICE: Eldon R. Petty
Great Bend, Kansas