

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

15-039-00083-00-00

Lease Owner H. E. Zoller, et al Address 409 California Bldg., Denver, Colo.
(Applicant)

Lease (Farm Name) Monaghan (South) Well No. 1

Well Location NW NW SE Sec. 19 Twp. 3 Rge. 27 (E)-(W)

County Decatur Field Name (if any) Wildcat

Total Depth 4268' (K. B.) Oil Gas Dry Hole X
4265' (G. L.)

Was well log filed with application? yes . If not, explain: _____

Date and hour plugging is desired to begin 8:30 A. M., July 27, 1954

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.

(Use an additional sheet if necessary) None

Name of the person on the lease in charge of well for owner _____

Roger Welty Address Hill City, Kansas

Name of Plugging Contractor Bill Hay Drilling Co.

Address 371 West 3rd Street, Hoisington, Kansas

Invoice covering assessment for plugging this well should be sent to

H. E. Zoller Address As above

and payment will be guaranteed by applicant.

RECEIVED
STATE CORPORATION COMMISSION

AUG 12 1954

CONSERVATION DIVISION
WICHITA, KANSAS

H. E. Zoller
Applicant or Acting Agent

Date July 27, 1954

PLUGGING
FILE NO. 19 T 3 R 22W
BOOK PAGE 53 LINE 5

8-12-54

DRILLER'S LOG

Company: H. E. Lollar, et al

W. W. St., Sec. 19-38-27N,
Necatur County, Kansas.

Farm: Monaghan (South) Well No. 1

Elevation: 2652' (K. B.)
2639' (D. F.)
2637' (O. L.)

Total Depth: 4268' (K. B.), 4263' (Dr.)

Commenced: 7/15/54 Completed: 7/27/54

Production: D & A
Plugged 7/27/54

Contractor: Bill May Drilling Co.,
Herington, Kansas.

Casing: 261' - 8 5/8" / 150 necks

Post rock	0'-40'
Sandy clay	40'-138'
Shells & blue clay	138'-279'
shale and shells	279'-366'
Anhydrite	366'-470'
Sand & shale	470'-570'
Shale & Shells	570'-655'
Shale and streaks pyrite	655'-795'
Shale & shells	795'-860'
Ft. Riley lime	860'-935'
Shale & shells	935'-1000'
Shale and streaks chert	1000'-1100'
Shale	1100'-1205'
Shale & shells	1205'-1305'
lime & shale	1305'-1400'
Shale	1400'-1500'
Shale, chert, and iron	1500'-1600'
Shale & lime	1600'-1734'
lime & shale	1734'-1835'
lime (Topeka 3525')	1835'-1930'
lime & shale (Hochberg 3609' - Toronto 3719')	1930'-2000'
lime (Lawing 3736')	2000'-2125'
lime & shale (Base Kansas City 3930')	2125'-2235'
lime	2235'-2305'
Shale & lime (Conglomerate 4116')	2305'-2365'
lime & shale	2365'-2400'
Cherty conglomerate (Arbuckle 4225')	2400'-2668'
Total Depth	4268'

STATE OF COLORADO }
CITY AND COUNTY OF DENVER }

Arthur K. Scott (employee of owner) of the above described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above described well as filed and that the same are true and correct to the best of my knowledge and belief.

(Signature) Arthur K. Scott

(Address)

Subscribed and sworn to before me this 10th day of August, 1954.

PLUGGING
FILE SEC 19-38-27N
BOOK PAGE 53 LINE 5

Beatrice M. Bishop
Notary Public



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

15-039-00083-00-00

August 2, 1951

Well No.	1
Lease	Donaghan
Description	NE 1/4 SE 19-9-27W
County	Deer
File No.	53-5

H. B. Keller
109 California Bldg.
Denver, Colorado

Dear Sir:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: J. P. Roberts
J. P. ROBERTS

cc: District Plugging Supervisor