STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION P. O. BOX 17027 Wichita, Kansas 67217

Rev. 3-15-72 FORM CP-1

WELL PLUGGING APPLICATION FORM File One Copy

15-039-20103-00-00

STAT	E CORPORA EIVE	
C _{ONs} ,	FEB 7	ISSION
W	FEB 7 1974 RIVATION DIVISION ROBINES ROBINES	74

Lease Owner	Okmar Oil Company	Kansas	<i>i y</i>		
Address	1130 Vickers KSB&T Building, Wich	nita, Kansas 67202			
Lease (Farm Name) Gillespie Well No. 1					
Well Location_	C SW SE Sec. 10 Te	(W) 3S Rge. 27 (E) (W)	Х		
County	Decatur Total Depth	3865 Field Name Gilles	pie		
Oil Well X	Gas Well Input Well SWD We	Well Rotary D & A			
Well Log filed	d with application as required	Yes			
Date and hour	plugging is desired to begin	March 14, 1974			
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-128 OF THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION. Name of company representative authorized to be in charge of plugging operations:					
	arold Chambers Addre	<u>.</u>			
,	ractor Southwest Casing Pulling (
Address Bo	ox 364, Great Bend, Kansas 67530				
Invoice covering assessment for plugging this well should be sent to:					
Name Okmar Oil Company					
Address 1130 Vickers KSB&T Building, Wichita, Kansas 67202					
and payment will be guaranteed by applicant or acting agent.					
		Applicant or Acting Agen Jim Thatcher - Engineer	t		
		Applicant or Acting Agen			

cc: Harold Chambers

Southwest Casing Pulling Co.

L. J. DREILING AND SONS, INC.

Victoria, Kansas 6767

15-039-20103-00-00

WELL LOG

Company	Okmar Oil Company 1130 Wichita Plaza Wichita, Kansas 67202		Sec. 10	Twp. 3	Rng. 27
Farm	Gillespie No. 1	•	Location	C SW SE	
Total Depth	38651		County	Decatur	
Comm.	8-9-69 Comp. 8-1	L5-69	Elevation:		К. В.
Contractor	L. J. Dreiling & Sons, In Victoria, Kansas 67671 Casing Record	Cement Record	Production:	2687 [†] 2685 [†]	D. F. G. R.
	232' - 8 5/8" 3867' - 5 1/2"	150sacks 60/40 Pozmix 20 bbls. salt flush ah common, 150 sacks 50/5			·•

Figures Indicate Bottom of Formations

saturated

.0' 190' Sa	and & Rock
190' 232' SI	hale ORPORAEIVA
232' 625' SI	hale Fr. MONGED
625' 1205' SI	hale & Sand $CO_{M_{1}}$
1205' 1405' Sa	and ISERVA 1970
1405' 2255' Sa	and & Shale Wich Ton
2255' 2285' Ar	ahy.
2285' 3038' SI	hale Tanga Sion
3038' 3530' SI	hale & Lime $Q - Q$
3530' 3865' L:	ime
3865, T.D.	

STATE OF KANSAS)

)ss

COUNTY OF ELLIS)

I, Leo F. Dreiling, of the L. J. Dreiling & Sons, Inc., upon oath states that the above and foregoing is a true and correct copy from the Daily Drilling Report from your Gillespie #1.

LEO F. DREILING

Subscribed and sworn to before me this 18th day of August 1969.

NOTAN NOTAN

DELORES SCHMEIDLER

rotary Public



15-039-20103-00-00

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
P. O. Box 17027 3830 S. Meridian
WICHITA, KANSAS 67217

February 7, 1974

RENEWED AUTHORITY
Original issued 11/1/73

WELL PLUGGING AUTHORITY

Well No.

Lease

Description County

Total Depth

Plugging Contractor

Ĩ.

Gillespie

C SW SE 10-3-27W

Decatur

3865

Southwest Casing Pulling

Okmar Oil Company 1130 Vickers KSB&T Building Wichita, Kansas 67202

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Yours very truly.

J. Lewis Brock, Administrator

Mr. W. L. Nichols, P. O. Box 157, Morland, Kansas 67650 is hereby assigned to supervise the plugging of the above named well.