

0 151

P & A

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

CONFIDENTIAL

Operator: License # 32346  
Name: Bartelson Oil  
Address: PO Box 45  
City/State/Zip: Wellington, KS 67152  
Purchaser: N/A  
Operator Contact Person: Mitch Bartelson  
Phone: (620) 326-0486  
Contractor: Name: Summitt Drilling  
License: 30141  
Wellsite Geologist: Steve Davis

API No. 15 - 191-22396-0000  
County: Sumner  
S2SE SE Sec. 23 Twp. 32 S. R. 4  East  West  
330 feet from (S) N (circle one) Line of Section  
600 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE (SE) NW SW  
Lease Name: Weishaar Well #: 2G

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc.)  
If Workover/Re-entry: Old Well Info as follows:

Field Name: Love Three  
Producing Formation: D & A  
Elevation: Ground: 1223 Kelly Bushing: 1233  
Total Depth: 3021 Plug Back Total Depth: 3017  
Amount of Surface Pipe Set and Cemented at 250 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

\_\_\_\_\_ Inmate II completion, cement circulated from 260  
feet depth to surface w/ 175 sx cmt.

5/13/03 5/20/03 5/20/03  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

Drilling Fluid Management Plan Patton 8-19-03  
(Data must be collected from the Reserve Pit)  
Chloride content 13000 ppm Fluid volume 4000 bbls  
Dewatering method used haul fluids  
Location of fluid disposal if hauled offsite:  
Operator Name: Patton  
Lease Name: Ivey License No.: 30914  
Quarter SW Sec. 32 Twp. 31 S. R. 2  East  West  
County: Sumner Docket No.: D-15797

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: Operator Date: 7-29-03  
Subscribed and sworn to before me this 29<sup>th</sup> day of July,  
192003.  
Notary Public: Daniel B. Crittenden  
Date Commission Expires: 2-21-07

**DANIEL B. CRITTENDEN**  
Notary Public - State of Kansas  
My Appt. Expires 2-21-03

**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
\_\_\_\_\_  
UIC Distribution  
**Release**  
**AUG 27 2004**  
**From**  
**Confidential**

Operator Name: Bartelson Oil Lease Name: Weishaar Well #: 2G  
 Sec. 23 Twp. 32 S. R. 4  East  West County: Sumner

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

| Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(Attach Additional Sheets)</i><br><br>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br>Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br><i>(Submit Copy)</i><br><br>List All E. Logs Run: | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample<br><br><table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Name</th> <th style="text-align: left;">Top</th> <th style="text-align: left;">Datum</th> </tr> </thead> <tbody> <tr> <td>Red Eagle</td> <td>1487</td> <td>--254</td> </tr> <tr> <td>White Cloud</td> <td>2058</td> <td>--825</td> </tr> <tr> <td>Iatan</td> <td>2990</td> <td>--1757</td> </tr> <tr> <td>Stalnaker</td> <td>3017</td> <td>--1784</td> </tr> </tbody> </table> | Name   | Top | Datum | Red Eagle | 1487 | --254 | White Cloud | 2058 | --825 | Iatan | 2990 | --1757 | Stalnaker | 3017 | --1784 |
|--|---|--------|-----|-------|-----------|------|-------|-------------|------|-------|-------|------|--------|-----------|------|--------|
| Name   | Top   | Datum  |     |       |           |      |       |             |      |       |       |      |        |           |      |        |
| Red Eagle  | 1487  | --254  |     |       |           |      |       |             |      |       |       |      |        |           |      |        |
| White Cloud  | 2058  | --825  |     |       |           |      |       |             |      |       |       |      |        |           |      |        |
| Iatan  | 2990  | --1757 |     |       |           |      |       |             |      |       |       |      |        |           |      |        |
| Stalnaker  | 3017  | --1784 |     |       |           |      |       |             |      |       |       |      |        |           |      |        |

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used  |                   |                           |                   |               |                |              |                            |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. |                   |                           |                   |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface   | 12 1/4            | 8 5/8                     | 23                | 250           | 60/40          | 175          | 3% cc                      |
|   |                   |                           |                   |               |                |              |                            |
|   |                   |                           |                   |               |                |              |                            |

| ADDITIONAL CEMENTING / SQUEEZE RECORD  |                  |                |             |                            |
|--|------------------|----------------|-------------|----------------------------|
| Purpose:   | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate<br><input type="checkbox"/> Protect Casing<br><input type="checkbox"/> Plug Back TD<br><input type="checkbox"/> Plug Off Zone |                  |                |             |                            |
|  |                  |                |             |                            |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br><i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |

| TUBING RECORD | Size | Set At | Packer At | Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No |
|---------------|------|--------|-----------|--|
|---------------|------|--------|-----------|--|

| Date of First, Resumed Production, SWD or Enhr. | Producing Method   |
|---|--|
|   | <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input checked="" type="checkbox"/> Other (Explain) <u>D &amp; A</u> |

| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |
|-----------------------------------|-----------|---------|-------------|---------------|---------|
|                                   |           |         |             |               |         |

|   |   |                              |
|---|---|------------------------------|
| Disposition of Gas<br><input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease<br><i>(If vented, Sumit ACO-18.)</i> | METHOD OF COMPLETION<br><input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled<br><input type="checkbox"/> Other (Specify) _____ | Production Interval<br>_____ |
|---|---|------------------------------|

CONFIDENTIAL

Blue Star Acid Service, Inc.

PO Box 103  
Eureka, KS 67045  
(620) 583-7664  
(620) 583-4664 - Mobile

ORIGINAL  
Statement

KCC

JUL 28 2003

DATE

5/27/2003

CONFIDENTIAL

BILL TO

BK Metals  
PO Box 45  
Wellington, KS 67152

RECEIVED  
KANSAS CORPORATION COMMISSION

JUL 30 2003

CONSERVATION DIVISION  
WICHITA, KS

| DATE       | INVOICE # - LEASE #                      | AMOUNT   | BALANCE  |
|------------|--|----------|----------|
| 05/26/2003 | Balance forward                          |          | 0.00     |
| 05/27/2003 | INV #4541. Due 06/26/2003. WEISHAAR #2-G | 2,076.94 | 2,076.94 |

Release  
AUG 27 2004  
From  
Confidential

THANK YOU FOR YOUR BUSINESS!!

*Paul May*  
After 30 Days, Legal Rate of Interest Will Be Charged.

AMOUNT DUE

\$2,076.94

*OK*  
*[Signature]*

**CONFIDENTIAL**  
**BLUE STAR**  
**ACID SERVICE, INC.**

PO Box 103  
 Eureka, Kansas 67045

Cementing Ticket  
 and Invoice Number

**ORIGINAL**  
 No. 4541

|                                   |                      |                                       |                            |  |                             |                             |                                 |                          |
|-----------------------------------|----------------------|---------------------------------------|----------------------------|--|-----------------------------|-----------------------------|---------------------------------|--------------------------|
| Date<br>5-21-03                   | Customer Order No.   | Sect.<br>23                           | Twp.<br>32S                | Range<br>4E  | Truck Called Out<br>1:15 AM | On Location<br>3:50 AM      | Job Began<br>4:40 AM            | Job Completed<br>6:00 AM |
| Owner<br>BK Metals                |                      | Contractor<br>Summit Drlg. Co.        |                            |  | Charge To<br>BK Metals      |                             | KCC                             |                          |
| Mailing Address<br>P.O. Box 45    |                      | City<br>Wellington                    |                            |  | State<br>KS                 |                             | 67152 JUL 28 2003               |                          |
| Well No. & Form<br>Weishaar # 2-G |                      | Place                                 |                            | County<br>Sumner 77                                  |                             | State<br>KS                 |                                 | CONFIDENTIAL             |
| Depth of Well<br>3021'            | Depth of Job<br>850' | Casing<br>(New) _____<br>(Used) _____ | Size _____<br>Weight _____ | Size of Hole<br>Amt. and Kind<br>of Cement<br>130SKS |                             | Cement Left<br>in casing by | Request<br>Necessity _____ feet |                          |
| Kind of Job<br>P.T.A.             |                      |                                       |                            |  | Drillpipe _____             | (Rotary) _____              | Truck No. #21                   |                          |
|                                   |                      |                                       |                            |  | Tubing _____                | (Cable) _____               |                                 |                          |

|                         |
|-------------------------|
| Price Reference No. # 1 |
| Price of Job 665.00     |
| Second Stage _____      |
| Mileage 507 112.50      |
| Other Charges _____     |
| Total Charges 777.50    |

Remarks *Safety Meeting: Rig up to 4" Drill pipe  
 Spot Plugs AS Following.*

35SKS @ 850'  
 35SKS @ 500'  
 35SKS @ 320'  
 25SKS 60' to SURFACE ✓

130 SKS TOTAL

Cementer *Kevin McCoy*  
 Helper *Mike, Justin* District *EUREKA* State *KS*

The above job was done under supervision of the owner, operator, or his agent whose signature appears below.

*Thank You* *Harold Burk* *Summit Drlg.*  
 Agent of contractor or operator

Sales Ticket for Materials Only

| Quantity Sacks   | BRAND AND TYPE                         | PRICE     | TOTAL    |
|--|--|-----------|----------|
| 130 SKS  | 60/40 Pozmix Cement                    | 6.50      | 845.00   |
| 450 #  | GEL 4%                                 | 9.50      | 42.75    |
| RECEIVED<br>KANSAS CORPORATION COMMISSION<br>JUL 30 2003<br>CONSERVATION DIVISION<br>WICHITA, KS |  |           |          |
| Release<br>AUG 27 2004<br>From<br>_____  |  |           |          |
| Plugs  | 130SKS Handling & Dumping              | .50       | 65.00    |
|  | 5.59 TONS Mileage 50                   | .80       | 223.60   |
|  | Sub Total                              |           | 1,953.85 |
|  | Delivered by Truck No. #22             | Discount  |          |
|  | Delivered from Eureka                  | Sales Tax | 6.3%     |
|  | Signature of operator <i>Kevin MCL</i> | Total     | 2,076.94 |

ORIGINAL

CONFIDENTIAL

United Cementing & Acid Company, Inc.

2510 W. 6th St.  
El Dorado, Kansas 67042  
316-321-4680 800-794-0187 (Fax) 316-321-4720

Remit Payment To:  
One North Hudson, Suite 1000  
Oklahoma City, OK 73102  
405-278-8800

KCC

JUL 28 2003

RECEIVED  
KANSAS CORPORATION COMMISSION

Customer:

JUL 30 2003

B-K Metals  
475 NW Road  
Wellington, Kansas 67152

CONSERVATION DIVISION  
WICHITA, KS

Invoice No. 5226  
Field Ticket 11/16/1912  
Date 5/19/2003  
PO#

CONFIDENTIAL

| Date of Job    | County                             | State        | Lease      | Well No. |
|----------------|------------------------------------|--------------|------------|----------|
| 05/14/03       | SU                                 | KS           | Weishaar   | #2-G     |
| Size of Casing | Depth Of Well                      | Depth Of Job | Plug Depth | Pressure |
| 8-5/8"         |                                    |              |            |          |
| Quantity       | Description                        | Unit Price   | Total      |          |
|                | <b>SURFACE CASING</b>              | UOM          |            |          |
| 175            | 60/40 Pozmix                       | sax 4.80     | 840.00     |          |
| 4              | Gel                                | sax 9.50     | 38.00      |          |
| 5              | Calcium Chloride                   | sax 26.10    | 130.50     |          |
| 184            | Bulk charge                        | sax 0.98     | 180.32     |          |
|                | Drayage - 9.20 tons x .73 x 50 mi. |              | 335.80     |          |
| 50             | Pump Truck Mileage charge          | mi 2.05      | 102.50     |          |
|                | Cement Unit                        |              | 482.00     |          |
| 1              | 8-5/8" Wooden Rubber Cup           |              | 43.00      |          |

MAY 20 2003

Thank you for your continued business

Release  
AUG 27 2004  
From  
Confidential

|                  |                    |
|------------------|--------------------|
| Subtotal         | \$ 2,152.12        |
| Sales Tax        | \$ 98.76           |
| <b>TOTAL DUE</b> | <b>\$ 2,250.88</b> |

OK

TERMS: Net 30 days from invoice date. Please pay from this invoice.

ORIGINAL INVOICE



**United Cementing and Acid Co., Inc.**

RECEIVED  
KANSAS CORPORATION COMMISSION

ORIGINAL  
SERVICE TICKET

4704 ✓

Oil Well Cementing & Acidizing  
(316) 321-4680 • 800-794-0187 • FAX (316) 321-4720  
2510 West 6th Street • El Dorado, KS 67042

CONSERVATION DIVISION  
WICHITA, KS

DATE 5-14-03

KCC COUNTY Sumner

JUL 28 2003

CHARGE TO B. K. METALS  
ADDRESS \_\_\_\_\_ CITY CONFIDENTIAL ST \_\_\_\_\_ ZIP \_\_\_\_\_  
LEASE & WELL NO. Weishaar #2-G SEC. 23 TWP. 32 RNG. 4W  
CONTRACTOR Summit Drilling Co. TIME ON LOCATION 11:30<sup>P</sup>  
KIND OF JOB Surface OLD  NEW

| Quantity | MATERIAL USED                   | Serv. Charge |         |
|----------|---------------------------------|--------------|---------|
| 1755X    | 60/40 poz 2% gel + 3% CC @ 4.80 |              | 480.00  |
| 45X      | gel @ 9.50                      |              | 840.00  |
| 55X      | calcium @ 21.10                 |              | 38.00   |
|          |                                 |              | 130.50  |
| 1845X    | BULK CHARGE @ 98¢               | Release      | 180.32  |
| 50       | BULK TRK. MILES 9.20 tons       | AUG 27 2004  | 335.50  |
| 50       | PUMP TRK. MILES                 | From         | 102.50  |
|          |                                 | Credit       |         |
| 1        | PLUGS 8 5/8, Wooden Rubber Cup  |              | 43.00   |
|          | SALES TAX                       |              | 98.76   |
|          | TOTAL                           |              | 2250.88 |

T.D. 250 CSG. SET AT 273 VOLUME \_\_\_\_\_  
SIZE HOLE 12 1/4 TBG SET AT \_\_\_\_\_ VOLUME \_\_\_\_\_  
MAX. PRESS. \_\_\_\_\_ SIZE PIPE 8 5/8 24"  
PLUG DEPTH \_\_\_\_\_ PKER DEPTH \_\_\_\_\_  
PLUG USED 1-8 5/8 wooden Rubber cup Plug TIME FINISHED 1:15<sup>A</sup> 5-15-03

REMARKS: Ran 8 5/8 to 273 ft. Brake circulation, mix & pump 1755X 60/40 poz 2% gel + 3% CC. Shut down and Released 8 5/8 plug Disp. Cement to 253 ft. and shut in. Cement did circulate in cellar.

EQUIPMENT USED

|                           |             |                    |            |
|---------------------------|-------------|--------------------|------------|
| NAME                      | UNIT NO.    | NAME               | UNIT NO.   |
| <u>Chet Johnson</u>       | <u>P-10</u> | <u>Greg Swanik</u> | <u>B-1</u> |
| <u>James R Thomas #44</u> |             |                    |            |
| CEMENTER OR TREATER       |             | OWNER'S REP.       |            |



**CONFIDENTIAL**  
**United Cementing and Acid Co., Inc.**

RECEIVED  
 KANSAS CORPORATION COMMISSION

**ORIGINAL**  
**SERVICE TICKET**

JUL 30 2003

4704 ✓

Oil Well Cementing & Acidizing  
 (316) 321-4680 • 800-794-0187 • FAX (316) 321-4720  
 2510 West 6th Street • El Dorado, KS 67042

CONSERVATION DIVISION  
 WICHITA, KS

DATE 5-11-03

COUNTY Summit

JUL 28 2003

CHARGE TO E K Minerals  
 ADDRESS \_\_\_\_\_ CITY CONFIDENTIAL ST \_\_\_\_\_ ZIP \_\_\_\_\_  
 LEASE & WELL NO. Wolfshear # 25 SEC. 23 TWP. 32 RNG. 44  
 CONTRACTOR Summit Drilling Co. TIME ON LOCATION 11:30  
 KIND OF JOB Surface OLD  NEW

| Quantity | MATERIAL USED                       | Serv. Charge |         |
|----------|-------------------------------------|--------------|---------|
| 17554    | 60/40 p 2 1/2 cc + 1 1/2 cc = 40/40 |              | 429.44  |
| 4 1/2    | gel                                 |              | 94.00   |
| 534      | calcium                             |              | 131.96  |
| 12754    | BULK CHARGE                         |              | 120.30  |
| 50       | BULK TRK. MILES 9.20                | Release      | 339.34  |
| 50       | PUMP TRK. MILES                     | AUG 27 2004  | 110.00  |
|          |                                     | From         |         |
| 1        | PLUGS 3 1/8                         | Cartridge    | 43.00   |
|          | SALES TAX                           |              | 98.76   |
|          | TOTAL                               |              | 2291.38 |

T.D. 2 1/2 CSG. SET AT 273 VOLUME \_\_\_\_\_  
 SIZE HOLE 1 1/2 TBG SET AT \_\_\_\_\_ VOLUME \_\_\_\_\_  
 MAX. PRESS. \_\_\_\_\_ SIZE PIPE 8 3/8  
 PLUG DEPTH \_\_\_\_\_ PKER DEPTH \_\_\_\_\_  
 PLUG USED 1-8 3/8 wooden plug - 100 lb TIME FINISHED 1:15 5-15-03

REMARKS: R... 8 3/8 = 273 + 2000 circulation m... Pump 17554 60/40  
p 2 1/2 gel + 3 1/2 cc. Shut down and Released 8 3/8 plug Disp. Cem-  
ent to 253 ft and shut in. Cement did circulate in collar.

**EQUIPMENT USED**

|                             |          |                       |          |
|-----------------------------|----------|-----------------------|----------|
| NAME                        | UNIT NO. | NAME                  | UNIT NO. |
| <u>Chet Johnson P-10</u>    |          | <u>Greg Swank 6-1</u> |          |
| <u>James R. Johnson 411</u> |          |                       |          |
| CEMENTER OR TREATER         |          | OWNER'S REP.          |          |

7-28-04

**BK METALS, INC.**

RECEIVED  
KANSAS CORPORATION COMMISSION

JUL 30 2003

CONSERVATION DIVISION  
WICHITA, KS

July 28, 2003

**CONFIDENTIAL**

**KCC**

JUL 28 2003

**CONFIDENTIAL**

Kansas Corporation Commission  
130 S. Market, Room 2078  
Wichita, KS 67201-2992

BK Metals, Inc. would like all information submitted to your office on form AC01, regarding the Weishaar 2G well, to be kept confidential. If you have any questions, please don't hesitate to call our office. We appreciate your cooperation. Thank you for your time.

Sincerely,



Mitch Bartelson,  
Operator

Release  
AUG 27 2004  
From  
Confidential