

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA, KANSAS 67202

FORM CP-1

WELL PLUGGING APPLICATION FORM
File One Copy

Lease Owner National Associated Petroleum Co. 15-039-20198-00-00
Address 4th Floor, Petroleum Building, Tulsa, Oklahoma 74100
Lease (Farm Name) Harold Well No. 1
Well Location C SE SE Sec. 36 Twp. 3 Rge. 29 (E) W
County Decatur Field Name (If Any) _____
Total Depth 4422' Oil Well _____ Gas Well _____ Input Well _____ SWD Well _____ D & AX _____
Well Log filed with application Yes or Well Log filed with Plugging Supervisor _____

Date and hour plugging is desired to begin 11-18-70

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of company representative in charge of plugging operations Leo F. Dreiling

Route #2 _____ Address Victoria, Kansas 67671

Plugging Contractor L. J. Dreiling & Sons, Inc. License No. _____

Address Victoria, Kansas 67671

Invoice covering assessment for plugging this well should be sent to National Associated Petr. Co.

4th Floor, Petroleum Building Address Tulsa, Oklahoma 74100

and payment will be guaranteed by applicant.

RECEIVED
STATE CORPORATION COMMISSION
NOV 25 1970
CONSERVATION DIVISION
Wichita, Kansas
11-25-70

Signed: Leo F. Dreiling
Applicant or Acting Agent

Date: 11-23-70

L. J. DREILING AND SONS, INC.

Victoria, Kansas 67671

18-039-20198-00-00

WELL LOG

Company	National Associated Petroleum Co. 4th Floor, Petroleum Building Tulsa, Oklahoma 74100	Sec. 36	Twp. 3	Rng. 29
Farm	Harold No. 1	Location	C SE SE	
Total Depth	4422'	County	Decatur	
Comm.	11-12-70	Comp.	11-18-70	
Contractor	L. J. Dreiling & Sons, Inc. Victoria, Kansas 67671	Elevation:	2772'	K. B.
			2769'	D. F.
			2767'	G. R.
	Casing Record	Cement Record	Production:	
	255' - 8 5/8"	200 sacks cement	D & A	

Figures Indicate Bottom of Formations

0'	25'	Surface Soil & Sand
25'	155'	Clay
155'	170'	Clay
170'	195'	Sand
195'	256'	Shale
256'	1400'	Shale
1400'	2030'	Shale
2030'	2090'	Sand & Shale
2090'	2331'	Shale
2331'	2350'	Anhydrite
2350'	2472'	Shale
2472'	2614'	Shale
2614'	2647'	Anhydrite
2647'	2760'	Shale & Shells
2760'	3035'	Shale
3035'	3298'	Shale
3298'	3435'	Shale & Lime
3435'	3560'	Lime & Shale
3560'	3745'	Shale & Lime
3745'	3845'	Lime & Shale
3845'	3960'	Lime & Shale
3960'	3991'	Lime
3991'	4030'	Lime
4030'	4185'	Lime
4185'	4270'	Lime & Brown Shale
4270'	4370'	Shale & Cong.
4370'	4422'	Cong.
4422'	T.D.	

STATE OF KANSAS)
)ss
COUNTY OF EELIS)

RECEIVED
STATE CORPORATION COMMISSION
NOV 25 1970
CONSERVATION DIVISION
Wichita, Kansas
11-25-70


I, Leo F. Dreiling, of the L. J. Dreiling & Sons, Inc., upon oath, states that the above and foregoing is a true and correct copy from the Daily Drilling Report from your Harold #1.

Leo F. Dreiling
LEO F. DREILING

Subscribed and sworn to before me this 23rd day of November, 1970.

Joseph A. Hess
JOSEPH A. HESS - NOTARY PUBLIC

My commission expires: September 19, 1974



State of Kansas



15-039-20198-00-00

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)

500 Insurance Bldg.

212 N. Market

WICHITA, KANSAS 67202

November 25, 1970

WELL PLUGGING AUTHORITY

Well No.	1
Lease	Cloyce D. Harold
Description	C SE SE 36-3-29W
County	Decatur
Total Depth	4422
Plugging Contractor	L. J. Dreiling & Sons, Inc.


National Associated Petroleum Company
4th Floor-Petroleum Bldg.,
Tulsa, Oklahoma 74100

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,


J. Lewis Brock, Administrator

Mr. W. L. Nichols Box 157 Morland, Kansas

is hereby assigned to supervise the plugging of the above named well.