

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA 2, KANSAS

RECEIVED
STATE CORPORATION COMMISSION
SEP 18 1963
9-18-1963
CONSERVATION DIVISION
Wichita, Kansas

WELL PLUGGING APPLICATION FORM
File One Copy

Lease Owner EMPIRE DRILLING COMPANY 15-153-30143-00-00
(Applicant)
Address 650 FOURTH NATIONAL BANK BUILDING, WICHITA 2, KANSAS
Lease (Farm Name) Bishop Well No. 1
Well Location C SW SW Sec. 14 Twp. 3S Rge. 35W (~~XXXXXXXX~~) (W)
County Rawlins County, Kansas Field Name (If any) _____
Total Depth 4745 RTD Oil Well _____ Gas Well _____ Input Well _____ SWD Well _____ D & A XXXXXXXX
Was well log filed with application? yes If not, explain: _____

Date and hour plugging is desired to begin September 7, 1963


Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of the person on the lease in charge of well owner M. C. HELBERG
715 W. McFarland
Address Hill City, Kansas

Plugging Contractor Empire Drilling Company License No. _____
Address 650 Fourth National Bank Bldg., Wichita 2, Kansas

Invoice covering assessment for plugging this well should be sent to Empire Drilling Company
Address 650 4th Natl. Bank Bldg. Wichita 2, Kansas

and payment will be guaranteed by applicant.

Signed: 
Applicant or Acting Agent
Dan J. Kornfeld

Date: September 11, 1963

LOG

15-183-30143-00-00

COMPANY: Empire Drilling Company
 CONTRACTOR: Empire Drilling Company
 FARM: Bishop #1
 LOCATION: C SW SW Section 14-3S-35W, Rawlins County, Kansas
 COMMENCED: August 25, 1963 ELEVATION: 3130 KB
 COMPLETED: September 7, 1963 POTENTIAL: D & A

0	to	195	Surface - Sand - Shale - Shells
195	to	2090	Shale - Shells
2090	to	2120	Gypsum
2120	to	2540	Sand & Shale
2540	to	2656	Shale - Shells
2656	to	2671	Blaine Gypsum
2671	to	2680	Shale
2680	to	2892	Shale & Shells
2892	to	2927	Anhydrite
2927	to	3020	Shale
3020	to	3137	Shale - Shells
3137	to	3415	Shale - Lime
3415	to	3500	Shale
3500	to	3605	Shale & Lime
3605	to	3673	Lime
3673	to	3880	Lime & Shale
3880	to	3975	Lime
3975	to	4245	Lime & Shale
4245	to	4305	Lime
4305	to	4500	Lime & Shale
4500	to	4540	Lime & Sand
4540	to	4633	Shale - Lime- Sand
4633	to	4705	Lime - Chert
4705	to	4745	Mississippi - Lime & Chert
4745			Rotary Total Depth

SET: 183' of 8 5/8" with 115 sacks cement.

SCHLUMBERGER ELECTRIC LOG TOPS:

Admire Group	3630	-500
Topeka	3847	-717
Deer Creek	3895	-765
Heebner	4005	-922
Base Kansas City	4329	-1199
Marmathon	4434	-1304
Cherokee Group	4536	-1406
Reworked Mississippi	4691	-1561
Mississippi	4704	-1574
Log Total Depth	4743	

RECEIVED
STATE CORPORATION COMMISSION

SEP 13 1963
9-13-63
CONSERVATION DIVISION
Wichita, Kansas

CERTIFICATION

I, Dan J. Kornfeld, do hereby certify that the above and foregoing is a true and correct copy of the log on the Bishop #1, C SW SW Section 14-3S-35W, Rawlins County, Kansas, as reflected by the files of Empire Drilling Company.

Dan J. Kornfeld
Dan J. Kornfeld

Subscribed and sworn to before me, a Notary Public, within and for Sedgwick County, Kansas, this 11th day of September, 1963.

Lucille H. Harr
Lucille H. Harr, Notary Public

My commission expires October 21, 1966.

State of Kansas



FORM - CP-8
Rev. 6-26-62

15-153-30143-00-00

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)

500 Insurance Bldg. 212 N. Market
WICHITA, KANSAS 67202

JOHN ANDERSON, Jr. Governor
WILLIAM L. MITCHELL, Chairman
ALVIN F. GRAUERHOLZ Commissioner
HARRY G. WILES Commissioner
RAYMOND B. HARVEY Secretary
ROBT. C. LONDERHOLM Gen. Counsel

September 10, 1963

WELL PLUGGING AUTHORITY

Well No. 1
Lease Bishop
Description C SW SW 14-3-35W
County Rawlins

Empire Drilling Company
650 4th Nat'l Bldg.
Wichita, Kansas

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

J. P. ROBERTS
Assistant Petroleum Conservation
Director

Mr. W. L. Nichols Morland, Kansas
is hereby assigned to supervise the plugging of the above
named well.